


Luminaire			Measurem.			Lamp		
Code	2175		Code	2175		Code	10 led strip30V 5.8W	
Name	Hanging lamp large down.10		Name	Hanging lamp small down.20		Number	1	
Line	VIBIA-Rhythm		Date	15-11-2012		Position	Universal	
Efficiency			34.26%	Coordinate system		CG	Total Flux	6920.00 lm
Maximum value			118.51 cd/klm	Position		C=0.00 G=0.00	Double Symmetrical	
Rectangular Luminaire		Length	870 mm	Width	870 mm	Height	525 mm	
Rectangular Luminous Area		Length	850 mm	Width	850 mm	Height	0 mm	
Horizontal Luminous Area		0.722500 m2	Emitting area on Plane 180°		0.000000 m2			
Emitting area on Plane 0°		0.000000 m2	Emitting area on Plane 270°		0.000000 m2			
Emitting area on Plane 90°		0.000000 m2	Glare area at 76°		0.174789 m2			
Symmetry Type		Double Symmetrical	Maximum Gamma Angle		180			
Measurement Distance		0.00	Measurement Flux		6920.00 lm			
Operator			Source voltage		230.00 V			
Temperature		20.00 °C	Source current					
Humidity		50.00 %	Photocell					
Notes								

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
- VIBIA	10 led strip30V 5.8W	Lámpara led 58W	6920.00	58.00	1
C.I.E.	47 77 94 99 34	D DIN 5040		A31	
F UTE	0.34 E	B NBN		BZ 5	

870mm x 870mm




C Halfplanes

180.0 — 0.0

270.0 — 90.0

ULOR 0.18 %
 DLOR 34.08 %
 RN 0.54 %



Luminaire				Measur.				Lamp			
Code	2175			Code	2175			Code	10 led strip30V 5.8W		
Name	Hanging lamp large down.10			Name	Hanging lamp small down.20			Number	1		
Line	VIBIA-Rhythm			Date	15-11-2012			Position	Universal		
Efficiency	34.26%			Coordinate system	CG			Total Flux	6920.00 lm		
<div>Luminous Intensity Table cd/klm<div>Table 1/1</div></div>											
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	
G 0.0	118.51	118.51	118.51	118.51	118.51	118.51	118.51	118.51	118.51	118.51	118.51
G 10.0	116.62	116.50	116.61	116.73	116.78	116.95	116.96	117.03	117.23	117.37	
G 20.0	109.88	109.93	109.92	109.89	109.89	109.95	110.02	109.99	110.06	110.16	
G 30.0	99.22	99.48	99.39	99.40	99.47	99.46	99.59	99.51	99.61	99.63	
G 40.0	85.87	86.02	85.89	85.97	86.11	86.14	86.14	85.97	86.01	85.97	
G 50.0	68.52	68.64	68.81	69.01	69.19	69.38	69.59	69.61	69.62	69.67	
G 60.0	50.00	50.02	50.23	50.45	50.49	50.64	50.92	50.88	50.88	51.02	
G 70.0	32.76	32.77	32.68	32.58	32.66	32.85	32.87	32.70	32.62	32.63	
G 80.0	15.33	15.42	15.42	15.34	15.33	15.33	15.30	15.21	15.18	15.22	
G 90.0	3.13	3.17	3.18	3.18	3.20	3.14	3.10	3.09	3.10	3.14	
G100.0	0.11	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.11	0.11	
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	



Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

870mm x 870mm

C Halfplanes


180.0 ————— 0.0

270.0 ————— 90.0




Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

870mm x 870mm



C Halfplanes

180.0 ————— 0.0
 270.0 ————— 90.0



Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	12.3	13.6	12.6	13.9	14.2	12.4	13.7	12.7	14.0	14.2
x=2H y=3H	14.0	15.2	14.4	15.5	15.8	14.0	15.2	14.4	15.5	15.8
x=2H y=4H	14.8	15.9	15.1	16.2	16.5	14.8	15.9	15.2	16.3	16.5
x=2H y=6H	15.4	16.4	15.7	16.7	17.0	15.4	16.4	15.7	16.7	17.0
x=2H y=8H	15.6	16.6	16.0	16.9	17.3	15.6	16.6	16.0	16.9	17.3
x=2H y=12H	15.8	16.7	16.1	17.1	17.4	15.8	16.7	16.1	17.1	17.4
x=4H y=2H	13.1	14.3	13.5	14.6	14.9	13.2	14.3	13.5	14.6	14.9
x=4H y=3H	15.0	16.0	15.4	16.3	16.7	15.0	16.0	15.4	16.3	16.7
x=4H y=4H	15.9	16.7	16.3	17.1	17.5	15.9	16.7	16.3	17.1	17.5
x=4H y=6H	16.6	17.3	17.0	17.7	18.1	16.6	17.3	17.0	17.7	18.1
x=4H y=8H	16.9	17.6	17.3	18.0	18.4	16.9	17.6	17.3	18.0	18.4
x=4H y=12H	17.2	17.8	17.6	18.2	18.6	17.1	17.8	17.6	18.2	18.6
x=8H y=4H	16.3	17.0	16.7	17.3	17.8	16.3	17.0	16.7	17.4	17.8
x=8H y=6H	17.1	17.7	17.6	18.2	18.6	17.1	17.7	17.6	18.2	18.6
x=8H y=8H	17.5	18.1	18.0	18.5	19.0	17.5	18.0	18.0	18.5	19.0
x=8H y=12H	17.9	18.3	18.4	18.8	19.3	17.9	18.3	18.4	18.8	19.3
x=12H y=4H	16.3	17.0	16.8	17.4	17.8	16.3	17.0	16.8	17.4	17.8
x=12H y=6H	17.2	17.8	17.7	18.2	18.7	17.2	17.7	17.7	18.2	18.7
x=12H y=8H	17.7	18.1	18.2	18.6	19.1	17.7	18.1	18.2	18.6	19.1

Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

Total Flux=6920.00 Luminaire Flux=2370.80

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.30	0.39	0.46	0.53	0.58	0.67	0.73	0.77	0.82	0.85	0.92	0.96
RC	5	5	5	5	5	5	5	5	5	5	5	5

Zonal Flux per 1000 Lumen


Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	11	43	92	150	210	264	305	331	341	343	343	343	343	343	343	343	343	343

CIE Flux Codes

47 77 94 99 34

C.I.E.	5
D DIN 5040	A31
F UTE	0.34 E
B NBN	BZ 5
RN	0.53706 %
BLF	1.0

LOR	34.26009 %
ULOR	0.18400 %
DLOR	34.07609 %
UFF	0.53706 %
DFF	99.46294 %
FFR	0.53996 %




Zonal Flux				
Gamma °	Flux	Sum lm	Flux [%]	Sum [%]
0°	0.00	0.00	0.00%	0.00 %
5°	3.89	3.89	1.14 %	1.14 %
10°	7.34	11.23	2.14 %	3.28 %
15°	13.41	24.65	3.91 %	7.19 %
20°	18.74	43.38	5.47 %	12.66 %
25°	22.65	66.03	6.61 %	19.27 %
30°	25.83	91.86	7.54 %	26.81 %
35°	28.36	120.22	8.28 %	35.09 %
40°	29.90	150.12	8.73 %	43.82 %
45°	30.37	180.49	8.86 %	52.68 %
50°	29.74	210.23	8.68 %	61.36 %
55°	28.09	238.32	8.20 %	69.56 %
60°	25.64	263.96	7.48 %	77.05 %
65°	22.49	286.45	6.57 %	83.61 %
70°	18.84	305.29	5.50 %	89.11 %
75°	14.79	320.07	4.32 %	93.43 %
80°	10.62	330.69	3.10 %	96.52 %
85°	6.59	337.29	1.92 %	98.45 %
90°	3.48	340.76	1.01 %	99.46 %
95°	1.43	342.19	0.42 %	99.88 %
100°	0.35	342.54	0.10 %	99.98 %
105°	0.03	342.57	0.01 %	99.99 %
110°	0.03	342.60	0.01 %	100.00 %
115°	0.00	342.60	0.00 %	100.00 %
120°	0.00	342.60	0.00 %	100.00 %
125°	0.00	342.60	0.00 %	100.00 %
130°	0.00	342.60	0.00 %	100.00 %
135°	0.00	342.60	0.00 %	100.00 %
140°	0.00	342.60	0.00 %	100.00 %
145°	0.00	342.60	0.00 %	100.00 %
150°	0.00	342.60	0.00 %	100.00 %
155°	0.00	342.60	0.00 %	100.00 %
160°	0.00	342.60	0.00 %	100.00 %
165°	0.00	342.60	0.00 %	100.00 %
170°	0.00	342.60	0.00 %	100.00 %
175°	0.00	342.60	0.00 %	100.00 %
180°	0.00	342.60	0.00 %	100.00 %

Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.43	2.85	4.28	5.70	7.13	OC	1.46	2.93	4.39	5.85	7.32
OB	1.43	2.85	4.28	5.70	7.13	OD	1.46	2.93	4.39	5.85	7.32

	Luminous Intensities [cd/klm]									
	0	5	15	25	35	45	55	65	75	85
OA	820.08	816.28	788.07	725.88	643.43	536.98	409.36	286.15	165.06	56.28
OB	820.08	816.28	788.07	725.88	643.43	536.98	409.36	286.15	165.06	56.28
OC	820.08	816.14	791.81	728.30	644.71	540.86	418.49	288.93	163.41	56.19
OD	820.08	816.14	791.81	728.30	644.71	540.86	418.49	288.93	163.41	56.19




H[m]	D[m]	Max lux	Med lux	Alpha=54.9°+54.9°	G=0.0	
1.00	2.85	820	208			
2.00	5.70	205	52			
3.00	8.55	91	23			
4.00	11.40	51	13			
5.00	14.25	33	8			

H[m]	D[m]	Max lux	Med lux	Beta=55.6°+55.6°	G=0.0	
1.00	2.93	820	208			
2.00	5.85	205	52			
3.00	8.78	91	23			
4.00	11.70	51	13			
5.00	14.63	33	8			

Luminaire		Measurem.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=3.00m



Luminaire				Measur.				Lamp			
Code	2175			Code	2175			Code	10 led strip30V 5.8W		
Name	Hanging lamp large down.10			Name	Hanging lamp small down.20			Number	1		
Line	VIBIA-Rhythm			Date	15-11-2012			Position	Universal		
Efficiency	34.26%			Coordinate system	CG			Total Flux	6920.00 lm		


Utilizations CIE

Mounting	Direct				Normalization				Normalised				Suspension Ratio				Standard CIE Settings					

Luminaire		Measur.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm


Average Luminance [cd/m²]									
0.0°	45°	50°	55°	60°	65°	70°	75°	80°	85°
1051	1051	1021	988	958	937	917	883	845	894
90.0°	1059	1038	1010	977	946	914	874	840	892

Flush mounted or longitudinal view												
		Illumination(lx)										
A	A	2000	1000	750	500		<300					1.15
B	1		2000	1500	1000	750	500	<300				1.5
C					2000		1000	500	<300			1.85
D	2						2000	1000	500	<300		2.2
E	3							2000	1000	500	<300	2.55



Luminaire		Measur.		Lamp	
Code	2175	Code	2175	Code	10 led strip30V 5.8W
Name	Hanging lamp large down.10	Name	Hanging lamp small down.20	Number	1
Line	VIBIA-Rhythm	Date	15-11-2012	Position	Universal
Efficiency	34.26%	Coordinate system	CG	Total Flux	6920.00 lm

Luminance



Luminaire				Measurem.				Lamp					
Code	2175			Code	2175			Code	10 led strip30V 5.8W				
Name	Hanging lamp large down.10			Name	Hanging lamp small down.20			Number	1				
Line	VIBIA-Rhythm			Date	15-11-2012			Position	Universal				
Efficiency	34.26%			Coordinate system	CG			Total Flux	6920.00 lm				
Luminance cd/m2				Table 1/3									
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00
G 0.0	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06
G 5.0	1134.11	1133.28	1134.06	1134.96	1135.31	1136.40	1136.41	1136.94	1133.26	1133.92	1133.26	1136.94	1136.41
G 10.0	1134.19	1133.01	1134.12	1135.30	1135.77	1137.40	1137.49	1138.19	1140.16	1141.49	1140.16	1138.19	1137.49
G 15.0	1129.23	1128.56	1129.24	1129.73	1129.96	1131.24	1131.55	1131.80	1133.27	1134.59	1133.27	1131.80	1131.55
G 20.0	1119.91	1120.42	1120.37	1120.07	1120.09	1120.64	1121.39	1121.07	1121.83	1122.83	1121.83	1121.07	1121.39
G 25.0	1108.54	1110.51	1109.97	1109.67	1109.93	1110.04	1111.36	1110.80	1111.61	1112.24	1111.61	1110.80	1111.36
G 30.0	1097.28	1100.17	1099.17	1099.34	1100.10	1100.03	1101.44	1100.57	1101.69	1101.89	1101.69	1100.57	1101.44
G 35.0	1087.18	1089.79	1088.12	1088.69	1089.92	1089.83	1090.41	1088.68	1089.63	1089.34	1089.63	1088.68	1090.41
G 40.0	1073.62	1075.51	1073.87	1074.91	1076.67	1077.05	1077.04	1074.87	1075.36	1074.82	1075.36	1074.87	1077.04
G 45.0	1051.07	1052.75	1052.84	1054.69	1057.16	1058.76	1059.80	1058.67	1058.88	1058.67	1058.88	1058.67	1059.80
G 50.0	1021.02	1022.70	1025.28	1028.32	1031.01	1033.79	1036.89	1037.22	1037.37	1038.08	1037.37	1037.22	1036.89
G 55.0	987.81	989.03	993.24	997.58	999.34	1002.25	1007.09	1007.63	1007.84	1009.84	1007.84	1007.63	1007.09
G 60.0	957.72	958.20	962.10	966.47	967.20	970.08	975.34	974.72	974.67	977.40	974.67	974.72	975.34
G 65.0	937.15	937.17	938.04	939.51	940.74	944.76	948.31	945.58	944.48	946.26	944.48	945.58	948.31
G 70.0	917.47	917.80	915.14	912.36	914.64	919.81	920.59	915.73	913.40	913.63	913.40	915.73	920.59
G 75.0	882.68	884.75	882.04	877.12	878.71	882.50	881.66	875.99	873.55	873.87	873.55	875.99	881.66
G 80.0	845.31	850.26	850.64	846.05	845.74	845.44	843.92	838.72	837.30	839.58	837.30	838.72	843.92
G 85.0	893.82	902.01	905.10	901.95	901.85	895.16	891.41	886.71	886.72	892.34	886.72	886.71	891.41
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measurem.					Lamp			
Code	2175				Code	2175				Code	10 led strip30V 5.8W		
Name	Hanging lamp large down.10				Name	Hanging lamp small down.20				Number	1		
Line	VIBIA-Rhythm				Date	15-11-2012				Position	Universal		
Efficiency		34.26%			Coordinate system		CG			Total Flux		6920.00 lm	
Luminance cd/m2													
Table 2/3													
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06
G 5.0	1136.40	1135.31	1134.96	1134.06	1133.28	1134.11	1133.28	1134.06	1134.96	1135.31	1136.40	1136.41	1136.94
G 10.0	1137.40	1135.77	1135.30	1134.12	1133.01	1134.19	1133.01	1134.12	1135.30	1135.77	1137.40	1137.49	1138.19
G 15.0	1131.24	1129.96	1129.73	1129.24	1128.56	1129.23	1128.56	1129.24	1129.73	1129.96	1131.24	1131.55	1131.80
G 20.0	1120.64	1120.09	1120.07	1120.37	1120.42	1119.91	1120.42	1120.37	1120.07	1120.09	1120.64	1121.39	1121.07
G 25.0	1110.04	1109.93	1109.67	1109.97	1110.51	1108.54	1110.51	1109.97	1109.67	1109.93	1110.04	1111.36	1110.80
G 30.0	1100.03	1100.10	1099.34	1099.17	1100.17	1097.28	1100.17	1099.17	1099.34	1100.10	1100.03	1101.44	1100.57
G 35.0	1089.83	1089.92	1088.69	1088.12	1089.79	1087.18	1089.79	1088.12	1088.69	1089.92	1089.83	1090.41	1088.68
G 40.0	1077.05	1076.67	1074.91	1073.87	1075.51	1073.62	1075.51	1073.87	1074.91	1076.67	1077.05	1077.04	1074.87
G 45.0	1058.76	1057.16	1054.69	1052.84	1052.75	1051.07	1052.75	1052.84	1054.69	1057.16	1058.76	1059.80	1058.67
G 50.0	1033.79	1031.01	1028.32	1025.28	1022.70	1021.02	1022.70	1025.28	1028.32	1031.01	1033.79	1036.89	1037.22
G 55.0	1002.25	999.34	997.58	993.24	989.03	987.81	989.03	993.24	997.58	999.34	1002.25	1007.09	1007.63
G 60.0	970.08	967.20	966.47	962.10	958.20	957.72	958.20	962.10	966.47	967.20	970.08	975.34	974.72
G 65.0	944.76	940.74	939.51	938.04	937.17	937.15	937.17	938.04	939.51	940.74	944.76	948.31	945.58
G 70.0	919.81	914.64	912.36	915.14	917.80	917.47	917.80	915.14	912.36	914.64	919.81	920.59	915.73
G 75.0	882.50	878.71	877.12	882.04	884.75	882.68	884.75	882.04	877.12	878.71	882.50	881.66	875.99
G 80.0	845.44	845.74	846.05	850.64	850.26	845.31	850.26	850.64	846.05	845.74	845.44	843.92	838.72
G 85.0	895.16	901.85	901.95	905.10	902.01	893.82	902.01	905.10	901.95	901.85	895.16	891.41	886.71
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measurem.					Lamp			
Code	2175				Code	2175				Code	10 led strip30V 5.8W		
Name	Hanging lamp large down.10				Name	Hanging lamp small down.20				Number	1		
Line	VIBIA-Rhythm				Date	15-11-2012				Position	Universal		
Efficiency		34.26%			Coordinate system		CG			Total Flux		6920.00 lm	
Luminance cd/m2 Table 3/3													
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06	1135.06
G 5.0	1134.11	1133.28	1134.06	1134.96	1135.31	1136.40	1136.41	1136.94	1133.26	1133.92	1133.26	1136.94	1136.41
G 10.0	1134.19	1133.01	1134.12	1135.30	1135.77	1137.40	1137.49	1138.19	1140.16	1141.49	1140.16	1138.19	1137.49
G 15.0	1129.23	1128.56	1129.24	1129.73	1129.96	1131.24	1131.55	1131.80	1133.27	1134.59	1133.27	1131.80	1131.55
G 20.0	1119.91	1120.42	1120.37	1120.07	1120.09	1120.64	1121.39	1121.07	1121.83	1122.83	1121.83	1121.07	1121.39
G 25.0	1108.54	1110.51	1109.97	1109.67	1109.93	1110.04	1111.36	1110.80	1111.61	1112.24	1111.61	1110.80	1111.36
G 30.0	1097.28	1100.17	1099.17	1099.34	1100.10	1100.03	1101.44	1100.57	1101.69	1101.89	1101.69	1100.57	1101.44
G 35.0	1087.18	1089.79	1088.12	1088.69	1089.92	1089.83	1090.41	1088.68	1089.63	1089.34	1089.63	1088.68	1090.41
G 40.0	1073.62	1075.51	1073.87	1074.91	1076.67	1077.05	1077.04	1074.87	1075.36	1074.82	1075.36	1074.87	1077.04
G 45.0	1051.07	1052.75	1052.84	1054.69	1057.16	1058.76	1059.80	1058.67	1058.88	1058.67	1058.88	1058.67	1059.80
G 50.0	1021.02	1022.70	1025.28	1028.32	1031.01	1033.79	1036.89	1037.22	1037.37	1038.08	1037.37	1037.22	1036.89
G 55.0	987.81	989.03	993.24	997.58	999.34	1002.25	1007.09	1007.63	1007.84	1009.84	1007.84	1007.63	1007.09
G 60.0	957.72	958.20	962.10	966.47	967.20	970.08	975.34	974.72	974.67	977.40	974.67	974.72	975.34
G 65.0	937.15	937.17	938.04	939.51	940.74	944.76	948.31	945.58	944.48	946.26	944.48	945.58	948.31
G 70.0	917.47	917.80	915.14	912.36	914.64	919.81	920.59	915.73	913.40	913.63	913.40	915.73	920.59
G 75.0	882.68	884.75	882.04	877.12	878.71	882.50	881.66	875.99	873.55	873.87	873.55	875.99	881.66
G 80.0	845.31	850.26	850.64	846.05	845.74	845.44	843.92	838.72	837.30	839.58	837.30	838.72	843.92
G 85.0	893.82	902.01	905.10	901.95	901.85	895.16	891.41	886.71	886.72	892.34	886.72	886.71	891.41
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00