


Luminaria		Ensayo		Lámpara	
Código	5445-03	Código	5445-03	Código	CLICKline 60W FR 230
Nombre	Plafón PUCK 7x60W G9 dif. opal	Nombre	Plafón PUCK 7x60W dif. opal	Número	7
Familia	- VIBIA	Fecha	08-10-2010	Posición	Universal
Eficiencia	41.44%	Sist. de Coorden.	C-G	Flujo Total	5180.00 lm
Valor Máximo	106.99 cd/klm	Posición	C=90.00 G=5.00	Bisimétrico	

Apertura a 50.00 % de MaxLux

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.66	3.33	4.99	6.65	8.32	OC	1.65	3.30	4.95	6.60	8.25
OB	1.66	3.33	4.99	6.65	8.32	OD	1.65	3.30	4.95	6.60	8.25

				Intensidades Luminosas [cd/klm]							
	0	5	15	25	35	45	55	65	75	85	
OA	106.91	106.37	103.22	96.45	86.28	73.69	59.29	44.49	29.57	15.48	
OB	106.91	106.37	103.22	96.45	86.28	73.69	59.29	44.49	29.57	15.48	
OC	106.91	106.99	103.63	97.40	86.46	74.30	59.00	44.18	28.75	14.18	
OD	106.91	106.99	103.63	97.40	86.46	74.30	59.00	44.18	28.75	14.18	



H[m]	D[m]	MaxLux	MedLux	Alpha=59.0°+59.0°	G=0.0	
1.00	3.33	554	117			
2.00	6.65	138	29			
3.00	9.98	62	13			
4.00	13.31	35	7			
5.00	16.63	22	5			

H[m]	D[m]	MaxLux	MedLux	Beta=58.8°+58.8°	G=0.0	
1.00	3.30	554	117			
2.00	6.60	138	29			
3.00	9.90	62	13			
4.00	13.20	35	7			
5.00	16.50	22	5			