

Luminaire


Code 5481
Name PUCK WALL ART LED

Measur.


Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical
Round Luminaire Round Luminous Area	Diam. 690 mm Diam. 650 mm	Height 95 mm Height 90 mm					
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.331831 m2 0.058500 m2 0.058500 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.058500 m2 0.058500 m2 0.137039 m2				
Coordinate system Date Measurement Distance	CG 16-07-2019 6.44	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 1664.85 lm				
Operator Temperature Humidity Notes	ASSELUM 25.00 °C 55.30 %	Rated Voltage Rated Current Photocell	Prc				

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
PHILIPS LUMILED LUXEON 3014 250L		5751936 + 5751951		2xLED 12,6W 700mA		1664.84	29.66	1
C.I.E.	35 63 84 86 100			D DIN 5040	B21			
F UTE	0.86 H + 0.14 T			B NBN	BZ 6			



ULOR 13.74 %
DLOR 86.26 %
RN 13.74 %



Luminaire
 Code 5481
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 1/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 0.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 7.0	362	362	362	363	363	363	363	363	363	363	363	363	363
G 8.0	362	362	362	362	362	362	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360	360	360	360	360	360	360
G 11.0	359	359	358	358	358	358	358	358	358	358	358	358	358
G 12.0	357	357	357	357	357	357	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354	354	354	354	354	354	354
G 15.0	352	352	352	352	352	353	353	353	353	353	353	353	353
G 16.0	350	351	351	351	351	351	351	351	351	351	351	351	351
G 17.0	349	349	349	349	349	349	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345	345	345	345	345	345	345
G 20.0	343	343	343	343	343	343	343	343	343	342	343	343	343
G 21.0	341	341	341	341	341	341	340	340	340	340	340	340	340
G 22.0	339	339	339	338	338	338	338	338	338	338	338	338	338
G 23.0	336	336	336	336	336	336	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333	333	333	333	333	333	333
G 25.0	330	330	331	331	331	331	331	331	331	331	331	331	331
G 26.0	328	328	328	328	328	328	328	328	329	329	329	329	329
G 27.0	325	325	325	325	326	326	326	326	326	326	326	326	326
G 28.0	322	323	323	323	323	323	323	323	323	323	323	323	323
G 29.0	320	320	320	320	320	320	320	320	320	320	320	320	320
G 30.0	317	317	317	317	317	317	316	316	316	316	316	317	317
G 31.0	314	314	314	314	314	314	314	314	313	313	313	313	314
G 32.0	311	311	311	311	311	311	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305	305	305	305	305	305	305
G 35.0	301	301	301	301	302	302	302	302	302	302	302	302	302
G 36.0	298	298	298	299	299	299	299	299	299	299	299	299	299
G 37.0	295	295	295	296	296	296	296	296	296	296	296	296	296
G 38.0	292	292	292	293	293	293	293	293	293	293	293	293	293
G 39.0	289	289	289	289	289	289	289	289	289	289	289	289	289
G 40.0	286	286	286	286	286	286	286	286	286	286	286	286	286
G 41.0	284	283	283	283	283	283	283	283	283	283	283	283	283
G 42.0	281	281	280	280	280	280	280	280	280	280	280	280	280
G 43.0	277	277	277	277	277	277	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274	274	274	274	274	274	274
G 45.0	270	270	270	271	271	271	271	271	271	271	271	271	271
G 46.0	267	267	267	268	268	268	268	268	268	268	268	268	268
G 47.0	264	265	265	265	265	265	265	265	265	265	265	265	265
G 48.0	262	262	262	262	262	262	262	262	262	262	262	262	262
G 49.0	259	259	259	259	259	259	259	259	259	259	259	259	259
G 50.0	256	256	256	256	256	256	256	256	256	256	256	256	256
G 51.0	253	253	253	253	253	253	253	253	253	253	253	253	253
G 52.0	250	250	250	250	250	250	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244	244	244	244	244	244	244
G 55.0	240	240	241	241	241	241	241	241	241	241	241	241	241
G 56.0	237	237	237	238	238	238	238	238	238	238	238	238	238
G 57.0	234	234	234	234	235	235	235	235	235	235	235	235	235
G 58.0	231	231	231	231	231	231	231	231	231	232	232	232	232
G 59.0	228	228	228	228	228	228	228	228	228	228	228	228	228
G 60.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 61.0	222	222	222	222	221	221	221	221	221	221	221	221	221
G 62.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215	215	215	215	215	215	215
G 64.0	211	211	211	211	211	212	212	212	212	212	212	212	212
G 65.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 66.0	204	204	204	204	204	204	204	204	204	204	204	205	205
G 67.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 68.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 69.0	194	194	194	193	193	193	193	193	193	193	193	193	193
G 70.0	190	190	190	190	190	189	189	189	189	189	189	189	189
G 71.0	187	187	186	186	186	186	186	186	185	185	185	185	185
G 72.0	183	183	183	182	182	182	182	182	182	182	182	182	182

Luminaire
 Code 5481
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 2/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 7.0	363	363	363	363	362	362	362	363	363	363	363	363	363
G 8.0	362	362	362	362	362	362	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360	360	360	360	360	360	360
G 11.0	358	358	358	358	359	359	359	358	358	358	358	358	358
G 12.0	357	357	357	357	357	357	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354	354	354	354	354	354	354
G 15.0	353	353	353	353	352	352	352	353	353	353	353	353	353
G 16.0	351	351	351	351	351	351	351	351	351	351	351	351	351
G 17.0	349	349	349	349	349	349	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345	345	345	345	345	345	345
G 20.0	343	343	343	343	343	343	343	343	343	343	343	343	343
G 21.0	340	341	341	341	341	341	341	341	341	341	340	340	340
G 22.0	338	338	338	338	338	338	338	338	338	338	338	338	338
G 23.0	336	336	336	336	336	336	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333	333	333	333	333	333	333
G 25.0	331	331	331	331	331	331	331	331	331	331	331	331	331
G 26.0	329	328	328	328	328	328	328	328	328	328	329	329	329
G 27.0	326	326	326	326	325	325	325	326	326	326	326	326	326
G 28.0	323	323	323	323	323	323	323	323	323	323	323	323	323
G 29.0	320	320	320	320	320	320	320	320	320	320	320	320	320
G 30.0	317	317	317	317	317	317	317	317	317	317	317	317	317
G 31.0	314	314	314	314	314	314	314	314	314	314	314	314	313
G 32.0	311	311	311	311	311	311	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305	305	305	305	305	305	305
G 35.0	302	302	302	302	302	302	302	302	302	302	302	302	302
G 36.0	299	299	299	299	299	299	299	299	299	299	299	299	299
G 37.0	296	296	296	296	296	296	296	296	296	296	296	296	296
G 38.0	293	293	293	293	293	293	293	293	293	293	293	293	293
G 39.0	289	290	290	290	290	290	290	290	290	290	289	289	289
G 40.0	286	286	286	287	287	287	287	287	286	286	286	286	286
G 41.0	283	283	283	283	283	284	283	283	283	283	283	283	283
G 42.0	280	280	280	280	280	280	280	280	280	280	280	280	280
G 43.0	277	277	277	277	277	277	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274	274	274	274	274	274	274
G 45.0	271	271	271	271	271	271	271	271	271	271	271	271	271
G 46.0	268	268	268	268	268	268	268	268	268	268	268	268	268
G 47.0	265	265	265	265	265	265	265	265	265	265	265	265	265
G 48.0	262	262	262	262	263	263	263	262	262	262	262	262	262
G 49.0	259	259	260	260	260	260	260	260	260	259	259	259	259
G 50.0	256	256	257	257	257	257	257	257	257	256	256	256	256
G 51.0	253	253	253	254	254	254	254	254	253	253	253	253	253
G 52.0	250	250	250	250	250	251	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244	244	244	244	244	244	244
G 55.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 56.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 57.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 58.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 59.0	228	228	229	229	229	229	229	229	229	228	228	228	228
G 60.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 61.0	221	222	222	222	222	222	222	222	222	222	221	221	221
G 62.0	218	218	218	218	218	219	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215	215	215	215	215	215	215
G 64.0	212	212	212	211	211	211	211	211	212	212	212	212	212
G 65.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 66.0	205	205	205	205	205	205	205	205	205	205	205	205	205
G 67.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 68.0	197	197	197	197	197	198	197	197	197	197	197	197	197
G 69.0	193	193	193	193	194	194	194	193	193	193	193	193	193
G 70.0	189	189	189	190	190	190	190	190	189	189	189	189	189
G 71.0	185	186	186	186	186	186	186	186	186	186	185	185	185
G 72.0	182	182	182	182	182	182	182	182	182	182	182	182	182

Luminaire
 Code 5481
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 3/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 7.0	363	363	363	363	363	363	363	363	362	362	362	362	362
G 8.0	362	362	362	362	362	362	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360	360	360	360	360	360	360
G 11.0	358	358	358	358	358	358	358	358	358	359	359	359	358
G 12.0	357	357	357	357	357	357	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354	354	354	354	354	354	354
G 15.0	353	353	353	353	353	353	352	352	352	352	352	352	352
G 16.0	351	351	351	351	351	351	351	351	351	351	350	351	351
G 17.0	349	349	349	349	349	349	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345	345	345	345	345	345	345
G 20.0	343	342	343	343	343	343	343	343	343	343	343	343	343
G 21.0	340	340	340	340	340	341	341	341	341	341	341	341	341
G 22.0	338	338	338	338	338	338	338	338	339	339	339	339	339
G 23.0	336	336	336	336	336	336	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333	333	333	333	333	333	333
G 25.0	331	331	331	331	331	331	331	331	331	330	330	330	331
G 26.0	329	329	329	328	328	328	328	328	328	328	328	328	328
G 27.0	326	326	326	326	326	326	326	325	325	325	325	325	325
G 28.0	323	323	323	323	323	323	323	323	323	323	322	323	323
G 29.0	320	320	320	320	320	320	320	320	320	320	320	320	320
G 30.0	316	316	316	316	316	317	317	317	317	317	317	317	317
G 31.0	313	313	313	314	314	314	314	314	314	314	314	314	314
G 32.0	311	311	311	311	311	311	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305	305	305	305	305	305	305
G 35.0	302	302	302	302	302	302	302	301	301	301	301	301	301
G 36.0	299	299	299	299	299	299	299	299	298	298	298	298	298
G 37.0	296	296	296	296	296	296	296	296	295	295	295	295	295
G 38.0	293	293	293	293	293	293	293	293	292	292	292	292	292
G 39.0	289	289	289	289	289	289	289	289	289	289	289	289	289
G 40.0	286	286	286	286	286	286	286	286	286	286	286	286	286
G 41.0	283	283	283	283	283	283	283	283	283	283	284	283	283
G 42.0	280	280	280	280	280	280	280	280	280	281	281	281	280
G 43.0	277	277	277	277	277	277	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274	274	274	274	274	274	274
G 45.0	271	271	271	271	271	271	271	271	270	270	270	270	270
G 46.0	268	268	268	268	268	268	268	268	267	267	267	267	267
G 47.0	265	265	265	265	265	265	265	265	265	265	264	265	265
G 48.0	262	262	262	262	262	262	262	262	262	262	262	262	262
G 49.0	259	259	259	259	259	259	259	259	259	259	259	259	259
G 50.0	256	256	256	256	256	256	256	256	256	256	256	256	256
G 51.0	253	253	253	253	253	253	253	253	253	253	253	253	253
G 52.0	250	250	250	250	250	250	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244	244	244	244	244	244	244
G 55.0	241	241	241	241	241	241	241	241	241	240	240	240	241
G 56.0	238	238	238	238	238	238	238	238	237	237	237	237	237
G 57.0	235	235	235	235	235	235	235	234	234	234	234	234	234
G 58.0	232	232	231	231	231	231	231	231	231	231	231	231	231
G 59.0	228	228	228	228	228	228	228	228	228	228	228	228	228
G 60.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 61.0	221	221	221	221	221	221	221	222	222	222	222	222	222
G 62.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215	215	215	215	215	215	215
G 64.0	212	212	212	212	212	212	211	211	211	211	211	211	211
G 65.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 66.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 67.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 68.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 69.0	193	193	193	193	193	193	193	193	194	194	194	194	194
G 70.0	189	189	189	189	189	189	190	190	190	190	190	190	190
G 71.0	185	185	185	186	186	186	186	186	186	187	187	187	186
G 72.0	182	182	182	182	182	182	182	182	183	183	183	183	183

Luminaire
 Code 5481
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 4/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 7.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 8.0	362	362	362	362	362	362	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360	360	360	360	360	360	360
G 11.0	358	358	358	358	358	358	358	358	358	358	358	358	358
G 12.0	357	357	357	357	357	357	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354	354	354	354	354	354	354
G 15.0	352	352	353	353	353	353	353	353	353	353	353	353	353
G 16.0	351	351	351	351	351	351	351	351	351	351	351	351	351
G 17.0	349	349	349	349	349	349	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345	345	345	345	345	345	345
G 20.0	343	343	343	343	343	343	342	343	343	343	343	343	343
G 21.0	341	341	341	340	340	340	340	340	340	340	340	341	341
G 22.0	338	338	338	338	338	338	338	338	338	338	338	338	338
G 23.0	336	336	336	336	336	336	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333	333	333	333	333	333	333
G 25.0	331	331	331	331	331	331	331	331	331	331	331	331	331
G 26.0	328	328	328	328	328	329	329	329	329	329	329	328	328
G 27.0	325	326	326	326	326	326	326	326	326	326	326	326	326
G 28.0	323	323	323	323	323	323	323	323	323	323	323	323	323
G 29.0	320	320	320	320	320	320	320	320	320	320	320	320	320
G 30.0	317	317	317	316	316	316	316	316	317	317	317	317	317
G 31.0	314	314	314	314	314	313	313	313	313	314	314	314	314
G 32.0	311	311	311	311	311	311	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305	305	305	305	305	305	305
G 35.0	301	302	302	302	302	302	302	302	302	302	302	302	302
G 36.0	299	299	299	299	299	299	299	299	299	299	299	299	299
G 37.0	296	296	296	296	296	296	296	296	296	296	296	296	296
G 38.0	293	293	293	293	293	293	293	293	293	293	293	293	293
G 39.0	289	289	289	289	289	289	289	289	289	289	289	290	290
G 40.0	286	286	286	286	286	286	286	286	286	286	286	286	286
G 41.0	283	283	283	283	283	283	283	283	283	283	283	283	283
G 42.0	280	280	280	280	280	280	280	280	280	280	280	280	280
G 43.0	277	277	277	277	277	277	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274	274	274	274	274	274	274
G 45.0	271	271	271	271	271	271	271	271	271	271	271	271	271
G 46.0	268	268	268	268	268	268	268	268	268	268	268	268	268
G 47.0	265	265	265	265	265	265	265	265	265	265	265	265	265
G 48.0	262	262	262	262	262	262	262	262	262	262	262	262	262
G 49.0	259	259	259	259	259	259	259	259	259	259	259	259	260
G 50.0	256	256	256	256	256	256	256	256	256	256	256	256	257
G 51.0	253	253	253	253	253	253	253	253	253	253	253	253	253
G 52.0	250	250	250	250	250	250	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244	244	244	244	244	244	244
G 55.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 56.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 57.0	234	235	235	235	235	235	235	235	235	235	235	235	235
G 58.0	231	231	231	231	231	231	232	232	232	232	232	232	232
G 59.0	228	228	228	228	228	228	228	228	228	228	228	228	229
G 60.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 61.0	222	221	221	221	221	221	221	221	221	221	221	222	222
G 62.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215	215	215	215	215	215	215
G 64.0	211	211	212	212	212	212	212	212	212	212	212	212	212
G 65.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 66.0	204	204	204	204	204	204	204	204	205	205	205	205	205
G 67.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 68.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 69.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 70.0	190	190	189	189	189	189	189	189	189	189	189	189	189
G 71.0	186	186	186	186	186	185	185	185	185	185	185	186	186
G 72.0	182	182	182	182	182	182	182	182	182	182	182	182	182

Luminaire
 Code 5481
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 5/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 0.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363	363	363	363	363	363	363
G 7.0	363	362	362	362	363	363	363	363	363	363	363	363	363
G 8.0	362	362	362	362	362	362	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360	360	360	360	360	360	360
G 11.0	358	359	359	359	358	358	358	358	358	358	358	358	358
G 12.0	357	357	357	357	357	357	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354	354	354	354	354	354	354
G 15.0	353	352	352	352	353	353	353	353	353	353	353	353	353
G 16.0	351	351	351	351	351	351	351	351	351	351	351	351	351
G 17.0	349	349	349	349	349	349	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345	345	345	345	345	345	345
G 20.0	343	343	343	343	343	343	343	343	343	343	343	342	343
G 21.0	341	341	341	341	341	341	341	340	340	340	340	340	340
G 22.0	338	338	338	338	338	338	338	338	338	338	338	338	338
G 23.0	336	336	336	336	336	336	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333	333	333	333	333	333	333
G 25.0	331	331	331	331	331	331	331	331	331	331	331	331	331
G 26.0	328	328	328	328	328	328	328	329	329	329	329	329	329
G 27.0	326	325	325	325	326	326	326	326	326	326	326	326	326
G 28.0	323	323	323	323	323	323	323	323	323	323	323	323	323
G 29.0	320	320	320	320	320	320	320	320	320	320	320	320	320
G 30.0	317	317	317	317	317	317	317	317	317	317	316	316	316
G 31.0	314	314	314	314	314	314	314	314	314	313	313	313	313
G 32.0	311	311	311	311	311	311	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305	305	305	305	305	305	305
G 35.0	302	302	302	302	302	302	302	302	302	302	302	302	302
G 36.0	299	299	299	299	299	299	299	299	299	299	299	299	299
G 37.0	296	296	296	296	296	296	296	296	296	296	296	296	296
G 38.0	293	293	293	293	293	293	293	293	293	293	293	293	293
G 39.0	290	290	290	290	290	290	289	289	289	289	289	289	289
G 40.0	287	287	287	287	287	286	286	286	286	286	286	286	286
G 41.0	283	283	284	283	283	283	283	283	283	283	283	283	283
G 42.0	280	280	280	280	280	280	280	280	280	280	280	280	280
G 43.0	277	277	277	277	277	277	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274	274	274	274	274	274	274
G 45.0	271	271	271	271	271	271	271	271	271	271	271	271	271
G 46.0	268	268	268	268	268	268	268	268	268	268	268	268	268
G 47.0	265	265	265	265	265	265	265	265	265	265	265	265	265
G 48.0	262	263	263	263	262	262	262	262	262	262	262	262	262
G 49.0	260	260	260	260	260	260	259	259	259	259	259	259	259
G 50.0	257	257	257	257	257	257	256	256	256	256	256	256	256
G 51.0	254	254	254	254	254	253	253	253	253	253	253	253	253
G 52.0	250	250	251	250	250	250	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244	244	244	244	244	244	244
G 55.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 56.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 57.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 58.0	232	232	232	232	232	232	232	232	232	232	232	232	231
G 59.0	229	229	229	229	229	229	228	228	228	228	228	228	228
G 60.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 61.0	222	222	222	222	222	222	221	221	221	221	221	221	221
G 62.0	218	218	219	218	218	218	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215	215	215	215	215	215	215
G 64.0	211	211	211	211	211	212	212	212	212	212	212	212	212
G 65.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 66.0	205	205	205	205	205	205	205	205	205	205	204	204	204
G 67.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 68.0	197	197	198	197	197	197	197	197	197	197	197	197	197
G 69.0	193	194	194	194	193	193	193	193	193	193	193	193	193
G 70.0	190	190	190	190	190	189	189	189	189	189	189	189	189
G 71.0	186	186	186	186	186	186	186	185	185	185	185	185	185
G 72.0	182	182	182	182	182	182	182	182	182	182	182	182	182

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 6/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	365	365	365	365	365	365	365
G 1.0	365	365	365	365	365	365	365
G 2.0	365	365	365	365	365	365	365
G 3.0	365	365	365	365	365	365	365
G 4.0	364	364	364	364	364	364	364
G 5.0	364	364	364	364	364	364	364
G 6.0	363	363	363	363	363	363	363
G 7.0	363	363	363	363	363	362	362
G 8.0	362	362	362	362	362	362	362
G 9.0	361	361	361	361	361	361	361
G 10.0	360	360	360	360	360	360	360
G 11.0	358	358	358	358	358	358	359
G 12.0	357	357	357	357	357	357	357
G 13.0	356	356	356	356	356	356	356
G 14.0	354	354	354	354	354	354	354
G 15.0	353	353	353	352	352	352	352
G 16.0	351	351	351	351	351	351	351
G 17.0	349	349	349	349	349	349	349
G 18.0	347	347	347	347	347	347	347
G 19.0	345	345	345	345	345	345	345
G 20.0	343	343	343	343	343	343	343
G 21.0	340	340	341	341	341	341	341
G 22.0	338	338	338	338	338	339	339
G 23.0	336	336	336	336	336	336	336
G 24.0	333	333	333	333	333	333	333
G 25.0	331	331	331	331	331	331	330
G 26.0	328	328	328	328	328	328	328
G 27.0	326	326	326	326	325	325	325
G 28.0	323	323	323	323	323	323	323
G 29.0	320	320	320	320	320	320	320
G 30.0	316	316	317	317	317	317	317
G 31.0	314	314	314	314	314	314	314
G 32.0	311	311	311	311	311	311	311
G 33.0	308	308	308	308	308	308	308
G 34.0	305	305	305	305	305	305	305
G 35.0	302	302	302	302	301	301	301
G 36.0	299	299	299	299	299	298	298
G 37.0	296	296	296	296	296	295	295
G 38.0	293	293	293	293	293	292	292
G 39.0	289	289	289	289	289	289	289
G 40.0	286	286	286	286	286	286	286
G 41.0	283	283	283	283	283	283	283
G 42.0	280	280	280	280	280	280	281
G 43.0	277	277	277	277	277	277	277
G 44.0	274	274	274	274	274	274	274
G 45.0	271	271	271	271	271	270	270
G 46.0	268	268	268	268	268	267	267
G 47.0	265	265	265	265	265	265	265
G 48.0	262	262	262	262	262	262	262
G 49.0	259	259	259	259	259	259	259
G 50.0	256	256	256	256	256	256	256
G 51.0	253	253	253	253	253	253	253
G 52.0	250	250	250	250	250	250	250
G 53.0	247	247	247	247	247	247	247
G 54.0	244	244	244	244	244	244	244
G 55.0	241	241	241	241	241	241	240
G 56.0	238	238	238	238	238	237	237
G 57.0	235	235	235	235	234	234	234
G 58.0	231	231	231	231	231	231	231
G 59.0	228	228	228	228	228	228	228
G 60.0	225	225	225	225	225	225	225
G 61.0	221	221	221	221	222	222	222
G 62.0	218	218	218	218	218	218	218
G 63.0	215	215	215	215	215	215	215
G 64.0	212	212	212	211	211	211	211
G 65.0	208	208	208	208	208	208	208
G 66.0	204	204	204	204	204	204	204
G 67.0	201	201	201	201	201	201	201
G 68.0	197	197	197	197	197	197	197
G 69.0	193	193	193	193	193	194	194
G 70.0	189	189	189	190	190	190	190
G 71.0	186	186	186	186	186	186	187
G 72.0	182	182	182	182	182	183	183

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 7/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 73.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 75.0	171	171	171	171	171	171	172	172	172	172	172	172	172
G 76.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 77.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 78.0	161	161	160	160	160	160	160	160	160	160	160	160	160
G 79.0	157	157	157	157	157	157	156	156	156	156	156	156	157
G 80.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 82.0	146	146	146	146	146	146	146	146	146	146	146	146	146
G 83.0	142	142	142	142	143	143	143	143	143	143	143	143	143
G 84.0	138	138	139	139	139	139	139	139	139	140	140	140	140
G 85.0	134	135	135	135	135	135	136	136	136	136	136	136	136
G 86.0	131	131	131	131	131	132	132	132	132	132	132	132	132
G 87.0	128	128	128	128	128	128	128	128	128	128	128	128	128
G 88.0	124	124	124	124	124	124	124	124	124	124	124	124	125
G 89.0	121	121	121	121	121	121	121	121	121	121	121	121	121
G 90.0	117	117	117	118	118	118	118	118	118	118	118	118	118
G 91.0	114	114	114	114	114	114	114	114	114	114	114	114	114
G 92.0	110	110	110	110	110	111	111	111	111	111	111	111	111
G 93.0	106	106	107	107	107	107	107	108	108	108	108	108	108
G 94.0	103	103	103	104	104	104	104	104	104	105	105	105	105
G 95.0	100	100	100	100	101	101	101	101	101	101	101	101	102
G 96.0	97	97	97	97	97	97	97	98	98	98	98	98	98
G 97.0	94	94	94	94	94	94	94	94	94	94	94	95	95
G 98.0	91	91	91	91	91	91	91	91	91	91	91	91	91
G 99.0	88	88	88	88	88	88	88	88	88	88	88	88	88
G100.0	85	85	85	85	85	85	85	85	85	85	85	85	86
G101.0	81	81	82	82	82	82	83	83	83	83	83	83	83
G102.0	77	78	78	79	79	79	80	80	80	81	81	81	81
G103.0	73	74	75	75	76	76	77	77	77	78	78	78	78
G104.0	70	71	71	72	72	73	73	73	74	74	74	74	74
G105.0	67	68	68	68	69	69	69	70	70	70	70	70	71
G106.0	64	64	65	65	65	66	66	66	66	67	67	67	67
G107.0	61	61	62	62	62	62	63	63	63	63	64	64	64
G108.0	58	58	58	59	59	59	60	60	60	60	61	61	61
G109.0	54	55	55	55	56	56	57	57	57	58	58	58	58
G110.0	50	51	51	52	53	53	54	54	54	55	55	55	55
G111.0	46	47	48	48	49	50	50	51	51	52	52	52	52
G112.0	42	43	44	45	45	46	47	48	48	49	49	49	49
G113.0	38	39	40	41	42	43	43	44	45	45	46	46	46
G114.0	34	35	36	37	38	39	40	41	41	42	42	43	43
G115.0	31	32	33	34	35	36	37	37	38	38	39	39	39
G116.0	28	29	29	30	31	32	33	34	34	35	35	35	35
G117.0	24	25	26	27	28	28	29	30	30	31	31	32	32
G118.0	21	22	23	24	24	25	26	26	27	27	28	28	28
G119.0	18	19	19	20	21	22	22	23	23	24	24	24	24
G120.0	15	15	16	17	18	18	19	19	20	20	20	20	21
G121.0	11	12	13	14	14	15	16	16	17	17	17	17	17
G122.0	8	9	10	11	11	12	12	13	13	14	14	14	14
G123.0	6	7	7	8	8	9	9	10	10	11	11	11	11
G124.0	4	5	5	6	6	6	7	7	7	8	8	8	8
G125.0	3	3	4	4	4	4	5	5	5	5	5	5	6
G126.0	2	2	2	2	3	3	3	3	3	3	3	4	4
G127.0	1	1	1	2	2	2	2	2	2	2	2	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G132.0	0	0	0	0	0	0	1	1	1	1	1	1	1
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 8/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 75.0	172	172	171	171	171	171	171	171	171	172	172	172	172
G 76.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 77.0	164	164	164	164	165	165	165	164	164	164	164	164	164
G 78.0	160	160	161	161	161	161	161	161	161	160	160	160	160
G 79.0	157	157	157	157	157	158	157	157	157	157	157	157	156
G 80.0	153	153	153	154	154	154	154	154	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 82.0	146	146	146	147	147	147	147	147	146	146	146	146	146
G 83.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 84.0	140	140	140	140	139	139	139	140	140	140	140	140	140
G 85.0	136	136	136	136	136	136	136	136	136	136	136	136	136
G 86.0	132	133	133	133	133	133	133	133	133	133	132	132	132
G 87.0	129	129	129	129	129	130	129	129	129	129	129	128	128
G 88.0	125	125	125	126	126	126	126	126	125	125	125	125	124
G 89.0	121	121	121	122	122	122	122	122	121	121	121	121	121
G 90.0	118	118	118	118	118	118	118	118	118	118	118	118	118
G 91.0	114	114	114	114	115	115	115	114	114	114	114	114	114
G 92.0	111	111	111	111	111	111	111	111	111	111	111	111	111
G 93.0	108	108	108	108	108	108	108	108	108	108	108	108	108
G 94.0	105	105	105	105	105	105	105	105	105	105	105	105	105
G 95.0	102	102	102	102	102	102	102	102	102	102	102	102	101
G 96.0	98	99	99	99	99	99	99	99	99	99	98	98	98
G 97.0	95	95	96	96	96	96	96	96	96	95	95	95	95
G 98.0	92	92	92	93	93	93	93	93	92	92	92	91	91
G 99.0	88	89	89	89	89	89	89	89	89	89	88	88	88
G100.0	86	86	86	86	86	86	86	86	86	86	86	86	85
G101.0	83	83	83	83	83	83	83	83	83	83	83	83	83
G102.0	81	81	81	81	80	80	80	81	81	81	81	81	81
G103.0	78	78	78	78	77	77	77	78	78	78	78	78	78
G104.0	74	74	74	74	74	74	74	74	74	74	74	74	74
G105.0	71	71	71	71	71	71	71	71	71	71	71	71	70
G106.0	68	68	68	68	68	68	68	68	68	68	68	67	67
G107.0	64	65	65	65	65	66	65	65	65	65	64	64	64
G108.0	61	62	62	62	62	63	62	62	62	62	61	61	61
G109.0	58	59	59	59	59	59	59	59	59	59	58	58	58
G110.0	55	55	55	55	55	55	55	55	55	55	55	55	55
G111.0	52	52	52	52	52	52	52	52	52	52	52	52	52
G112.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G113.0	46	46	46	46	46	46	46	46	46	46	46	46	46
G114.0	43	43	43	43	43	43	43	43	43	43	43	43	43
G115.0	39	40	40	40	39	39	39	40	40	40	39	39	39
G116.0	36	36	36	36	36	36	36	36	36	36	36	35	35
G117.0	32	32	32	33	33	33	33	33	32	32	32	32	32
G118.0	28	29	29	29	29	29	29	29	29	29	28	28	28
G119.0	25	25	25	25	25	25	25	25	25	25	25	24	24
G120.0	21	21	21	21	21	21	21	21	21	21	21	21	20
G121.0	17	17	17	17	17	17	17	17	17	17	17	17	17
G122.0	14	14	14	14	14	14	14	14	14	14	14	14	14
G123.0	11	11	11	11	11	11	11	11	11	11	11	11	11
G124.0	8	8	8	8	8	8	8	8	8	8	8	8	8
G125.0	6	6	6	6	6	6	6	6	6	6	6	6	5
G126.0	4	4	4	4	4	4	4	4	4	4	4	4	4
G127.0	2	2	3	3	3	3	3	3	3	2	2	2	2
G128.0	2	2	2	2	2	2	2	2	2	2	2	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	1	0	0	0	0	0	1	1	1	1	1
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 9/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 73.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 75.0	172	172	172	172	172	171	171	171	171	171	171	171	171
G 76.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 77.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 78.0	160	160	160	160	160	160	160	160	160	161	161	161	160
G 79.0	156	156	156	156	156	157	157	157	157	157	157	157	157
G 80.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 82.0	146	146	146	146	146	146	146	146	146	146	146	146	146
G 83.0	143	143	143	143	143	143	143	142	142	142	142	142	142
G 84.0	140	140	139	139	139	139	139	139	139	138	138	138	139
G 85.0	136	136	136	136	136	135	135	135	135	135	134	135	135
G 86.0	132	132	132	132	132	132	131	131	131	131	131	131	131
G 87.0	128	128	128	128	128	128	128	128	128	128	128	128	128
G 88.0	124	124	124	124	124	124	124	124	124	124	124	124	124
G 89.0	121	121	121	121	121	121	121	121	121	121	121	121	121
G 90.0	118	118	118	118	118	118	118	118	117	117	117	117	117
G 91.0	114	114	114	114	114	114	114	114	114	114	114	114	114
G 92.0	111	111	111	111	111	111	110	110	110	110	110	110	110
G 93.0	108	108	108	108	107	107	107	107	107	106	106	106	107
G 94.0	105	105	104	104	104	104	104	104	103	103	103	103	103
G 95.0	101	101	101	101	101	101	101	100	100	100	100	100	100
G 96.0	98	98	98	98	97	97	97	97	97	97	97	97	97
G 97.0	94	94	94	94	94	94	94	94	94	94	94	94	94
G 98.0	91	91	91	91	91	91	91	91	91	91	91	91	91
G 99.0	88	88	88	88	88	88	88	88	88	88	88	88	88
G100.0	85	85	85	85	85	85	85	85	85	85	85	85	85
G101.0	83	83	83	83	83	82	82	82	82	81	81	81	82
G102.0	81	81	80	80	80	79	79	79	78	78	77	78	78
G103.0	78	78	77	77	77	76	76	75	75	74	73	74	75
G104.0	74	74	74	73	73	73	72	72	71	71	70	71	71
G105.0	70	70	70	70	69	69	69	68	68	68	67	68	68
G106.0	67	67	66	66	66	66	65	65	65	64	64	64	65
G107.0	64	63	63	63	63	62	62	62	62	61	61	61	62
G108.0	61	60	60	60	60	59	59	59	58	58	58	58	58
G109.0	58	58	57	57	57	56	56	55	55	55	54	55	55
G110.0	55	55	54	54	54	53	53	52	51	51	50	51	51
G111.0	52	52	51	51	50	50	49	48	48	47	46	47	48
G112.0	49	49	48	48	47	46	45	45	44	43	42	43	44
G113.0	46	45	45	44	43	43	42	41	40	39	38	39	40
G114.0	42	42	41	41	40	39	38	37	36	35	34	35	36
G115.0	39	38	38	37	37	36	35	34	33	32	31	32	33
G116.0	35	35	34	34	33	32	31	30	29	29	28	29	29
G117.0	31	31	30	30	29	28	28	27	26	25	24	25	26
G118.0	28	27	27	26	26	25	24	24	23	22	21	22	23
G119.0	24	24	23	23	22	22	21	20	19	19	18	19	19
G120.0	20	20	20	19	19	18	18	17	16	15	15	15	16
G121.0	17	17	17	16	16	15	14	14	13	12	11	12	13
G122.0	14	14	13	13	12	12	11	11	10	9	8	9	10
G123.0	11	11	10	10	9	9	8	8	7	7	6	7	7
G124.0	8	8	7	7	7	6	6	6	5	5	4	5	5
G125.0	5	5	5	5	5	4	4	4	4	3	3	3	4
G126.0	3	3	3	3	3	3	3	2	2	2	2	2	2
G127.0	2	2	2	2	2	2	2	2	1	1	1	1	1
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	0	0	0	0	0
G132.0	1	1	1	1	1	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 10/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 73.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 75.0	171	171	171	172	172	172	172	172	172	172	172	172	171
G 76.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 77.0	164	164	164	164	164	164	164	164	164	164	164	164	164
G 78.0	160	160	160	160	160	160	160	160	160	160	160	160	161
G 79.0	157	157	157	156	156	156	156	156	156	157	157	157	157
G 80.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 82.0	146	146	146	146	146	146	146	146	146	146	146	146	146
G 83.0	142	143	143	143	143	143	143	143	143	143	143	143	143
G 84.0	139	139	139	139	139	139	140	140	140	140	140	140	140
G 85.0	135	135	135	136	136	136	136	136	136	136	136	136	136
G 86.0	131	131	132	132	132	132	132	132	132	132	132	133	133
G 87.0	128	128	128	128	128	128	128	128	128	128	129	129	129
G 88.0	124	124	124	124	124	124	124	124	124	125	125	125	125
G 89.0	121	121	121	121	121	121	121	121	121	121	121	121	121
G 90.0	118	118	118	118	118	118	118	118	118	118	118	118	118
G 91.0	114	114	114	114	114	114	114	114	114	114	114	114	114
G 92.0	110	110	111	111	111	111	111	111	111	111	111	111	111
G 93.0	107	107	107	107	108	108	108	108	108	108	108	108	108
G 94.0	104	104	104	104	104	104	105	105	105	105	105	105	105
G 95.0	100	101	101	101	101	101	101	101	101	102	102	102	102
G 96.0	97	97	97	97	98	98	98	98	98	98	98	99	99
G 97.0	94	94	94	94	94	94	94	94	95	95	95	95	96
G 98.0	91	91	91	91	91	91	91	91	91	91	92	92	92
G 99.0	88	88	88	88	88	88	88	88	88	88	88	89	89
G100.0	85	85	85	85	85	85	85	85	85	86	86	86	86
G101.0	82	82	82	83	83	83	83	83	83	83	83	83	83
G102.0	79	79	79	80	80	80	81	81	81	81	81	81	81
G103.0	75	76	76	77	77	77	78	78	78	78	78	78	78
G104.0	72	72	73	73	73	74	74	74	74	74	74	74	74
G105.0	68	69	69	69	70	70	70	70	70	71	71	71	71
G106.0	65	65	66	66	66	66	67	67	67	67	68	68	68
G107.0	62	62	62	63	63	63	63	64	64	64	64	65	65
G108.0	59	59	59	60	60	60	60	61	61	61	61	62	62
G109.0	55	56	56	57	57	57	58	58	58	58	58	59	59
G110.0	52	53	53	54	54	54	55	55	55	55	55	55	55
G111.0	48	49	50	50	51	51	52	52	52	52	52	52	52
G112.0	45	45	46	47	48	48	49	49	49	49	49	49	49
G113.0	41	42	43	43	44	45	46	46	46	46	46	46	46
G114.0	37	38	39	40	41	41	42	42	43	43	43	43	43
G115.0	34	35	36	37	37	38	38	39	39	39	39	40	40
G116.0	30	31	32	33	34	34	35	35	35	35	36	36	36
G117.0	27	28	28	29	30	30	31	31	32	32	32	32	32
G118.0	24	24	25	26	26	27	27	28	28	28	28	29	29
G119.0	20	21	22	22	23	23	24	24	24	24	25	25	25
G120.0	17	18	18	19	19	20	20	20	20	21	21	21	21
G121.0	14	14	15	16	16	17	17	17	17	17	17	17	17
G122.0	11	11	12	12	13	13	14	14	14	14	14	14	14
G123.0	8	8	9	9	10	10	11	11	11	11	11	11	11
G124.0	6	6	6	7	7	7	8	8	8	8	8	8	8
G125.0	4	4	4	5	5	5	5	5	5	6	6	6	6
G126.0	2	3	3	3	3	3	3	3	4	4	4	4	4
G127.0	2	2	2	2	2	2	2	2	2	2	2	2	3
G128.0	1	1	1	1	1	1	1	1	1	1	2	2	2
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 11/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 75.0	171	171	171	171	171	171	172	172	172	172	172	172	172
G 76.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 77.0	164	165	165	165	164	164	164	164	164	164	164	164	164
G 78.0	161	161	161	161	161	161	160	160	160	160	160	160	160
G 79.0	157	157	158	157	157	157	157	157	157	156	156	156	156
G 80.0	154	154	154	154	154	153	153	153	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 82.0	147	147	147	147	147	146	146	146	146	146	146	146	146
G 83.0	143	143	143	143	143	143	143	143	143	143	143	143	143
G 84.0	140	139	139	139	140	140	140	140	140	140	140	140	139
G 85.0	136	136	136	136	136	136	136	136	136	136	136	136	136
G 86.0	133	133	133	133	133	133	133	132	132	132	132	132	132
G 87.0	129	129	130	129	129	129	129	129	128	128	128	128	128
G 88.0	126	126	126	126	126	125	125	125	125	124	124	124	124
G 89.0	122	122	122	122	122	121	121	121	121	121	121	121	121
G 90.0	118	118	118	118	118	118	118	118	118	118	118	118	118
G 91.0	114	115	115	115	114	114	114	114	114	114	114	114	114
G 92.0	111	111	111	111	111	111	111	111	111	111	111	111	111
G 93.0	108	108	108	108	108	108	108	108	108	108	108	108	108
G 94.0	105	105	105	105	105	105	105	105	105	105	105	105	104
G 95.0	102	102	102	102	102	102	102	102	102	101	101	101	101
G 96.0	99	99	99	99	99	99	99	98	98	98	98	98	98
G 97.0	96	96	96	96	96	96	95	95	95	95	94	94	94
G 98.0	93	93	93	93	93	92	92	92	91	91	91	91	91
G 99.0	89	89	89	89	89	89	88	88	88	88	88	88	88
G100.0	86	86	86	86	86	86	86	86	86	85	85	85	85
G101.0	83	83	83	83	83	83	83	83	83	83	83	83	83
G102.0	81	80	80	80	81	81	81	81	81	81	81	81	80
G103.0	78	77	77	77	78	78	78	78	78	78	78	78	77
G104.0	74	74	74	74	74	74	74	74	74	74	74	74	74
G105.0	71	71	71	71	71	71	71	71	71	70	70	70	70
G106.0	68	68	68	68	68	68	68	68	67	67	67	67	66
G107.0	65	65	66	65	65	65	65	64	64	64	64	63	63
G108.0	62	62	63	62	62	62	62	61	61	61	61	60	60
G109.0	59	59	59	59	59	59	59	58	58	58	58	58	57
G110.0	55	55	55	55	55	55	55	55	55	55	55	55	54
G111.0	52	52	52	52	52	52	52	52	52	52	52	52	51
G112.0	49	49	49	49	49	49	49	49	49	49	49	49	48
G113.0	46	46	46	46	46	46	46	46	46	46	46	45	45
G114.0	43	43	43	43	43	43	43	43	43	43	42	42	41
G115.0	40	39	39	39	40	40	40	39	39	39	39	38	38
G116.0	36	36	36	36	36	36	36	35	35	35	35	35	34
G117.0	33	33	33	33	33	32	32	32	32	32	31	31	30
G118.0	29	29	29	29	29	29	29	28	28	28	28	27	27
G119.0	25	25	25	25	25	25	25	25	24	24	24	24	23
G120.0	21	21	21	21	21	21	21	21	21	20	20	20	20
G121.0	17	17	17	17	17	17	17	17	17	17	17	17	17
G122.0	14	14	14	14	14	14	14	14	14	14	14	14	13
G123.0	11	11	11	11	11	11	11	11	11	11	11	11	10
G124.0	8	8	8	8	8	8	8	8	8	8	8	8	7
G125.0	6	6	6	6	6	6	6	6	6	5	5	5	5
G126.0	4	4	4	4	4	4	4	4	4	4	3	3	3
G127.0	3	3	3	3	3	3	2	2	2	2	2	2	2
G128.0	2	2	2	2	2	2	2	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	0	0	0	0	0	1	1	1	1	1	1	1	1
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 12/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	179	179	179	179	179	179	179
G 74.0	175	175	175	175	175	175	175
G 75.0	172	172	171	171	171	171	171
G 76.0	168	168	168	168	168	168	168
G 77.0	164	164	164	164	164	164	164
G 78.0	160	160	160	160	160	160	161
G 79.0	156	156	157	157	157	157	157
G 80.0	153	153	153	153	153	153	153
G 81.0	150	150	150	150	150	150	150
G 82.0	146	146	146	146	146	146	146
G 83.0	143	143	143	143	142	142	142
G 84.0	139	139	139	139	139	139	138
G 85.0	136	136	135	135	135	135	135
G 86.0	132	132	132	131	131	131	131
G 87.0	128	128	128	128	128	128	128
G 88.0	124	124	124	124	124	124	124
G 89.0	121	121	121	121	121	121	121
G 90.0	118	118	118	118	118	117	117
G 91.0	114	114	114	114	114	114	114
G 92.0	111	111	111	110	110	110	110
G 93.0	108	107	107	107	107	107	106
G 94.0	104	104	104	104	104	103	103
G 95.0	101	101	101	101	100	100	100
G 96.0	98	97	97	97	97	97	97
G 97.0	94	94	94	94	94	94	94
G 98.0	91	91	91	91	91	91	91
G 99.0	88	88	88	88	88	88	88
G100.0	85	85	85	85	85	85	85
G101.0	83	83	82	82	82	82	81
G102.0	80	80	79	79	79	78	78
G103.0	77	77	76	76	75	75	74
G104.0	73	73	73	72	72	71	71
G105.0	70	69	69	69	68	68	68
G106.0	66	66	66	65	65	65	64
G107.0	63	63	62	62	62	62	61
G108.0	60	60	59	59	59	58	58
G109.0	57	57	56	56	55	55	55
G110.0	54	54	53	53	52	51	51
G111.0	51	50	50	49	48	48	47
G112.0	48	47	46	45	45	44	43
G113.0	44	43	43	42	41	40	39
G114.0	41	40	39	38	37	36	35
G115.0	37	37	36	35	34	33	32
G116.0	34	33	32	31	30	29	29
G117.0	30	29	28	28	27	26	25
G118.0	26	26	25	24	24	23	22
G119.0	23	22	22	21	20	19	19
G120.0	19	19	18	18	17	16	15
G121.0	16	16	15	14	14	13	12
G122.0	13	12	12	11	11	10	9
G123.0	10	9	9	8	8	7	7
G124.0	7	7	6	6	6	5	5
G125.0	5	5	4	4	4	4	3
G126.0	3	3	3	3	2	2	2
G127.0	2	2	2	2	2	1	1
G128.0	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	0	0
G132.0	1	1	0	0	0	0	0
G133.0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 13/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 14/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	1	1	1	1	1	0	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 15/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 16/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5481
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 17/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	1	1	1	1	1	0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5481
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CR190

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 18/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0
G164.0	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1



Luminaire
Code 5481
Name PUCK WALL ART LED
Measurem.
Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=690mm

Semiplanos C

180.0 ————— 0.0
270.0 ————— 90.0



Luminaire


Code 5481
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CRI90


Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=690mm



Semiplanos C

180.0 ————— 0.0
270.0 ————— 90.0



Luminaire

Code 5481
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	Viewed Crosswise					Viewed Endwise				
x=2H y=2H	11.6	12.9	12.0	13.3	13.9	11.6	12.9	12.1	13.3	13.9
x=2H y=3H	13.9	15.1	14.5	15.6	16.2	13.9	15.1	14.5	15.7	16.2
x=2H y=4H	15.1	16.3	15.7	16.8	17.4	15.1	16.3	15.7	16.8	17.4
x=2H y=6H	16.4	17.4	16.9	18.0	18.6	16.4	17.4	16.9	18.0	18.6
x=2H y=8H	17.0	18.0	17.5	18.5	19.2	17.0	18.0	17.5	18.6	19.2
x=2H y=12H	17.6	18.6	18.2	19.1	19.8	17.6	18.6	18.2	19.1	19.8
x=4H y=2H	12.5	13.6	13.0	14.2	14.7	12.5	13.7	13.1	14.2	14.8
x=4H y=3H	15.1	16.0	15.6	16.6	17.2	15.1	16.0	15.6	16.6	17.2
x=4H y=4H	16.4	17.3	17.0	17.9	18.5	16.4	17.3	17.0	17.9	18.5
x=4H y=6H	17.8	18.6	18.4	19.2	19.9	17.8	18.6	18.4	19.2	19.9
x=4H y=8H	18.5	19.2	19.1	19.8	20.6	18.5	19.2	19.1	19.8	20.6
x=4H y=12H	19.2	19.9	19.8	20.5	21.2	19.2	19.9	19.8	20.5	21.2
x=8H y=4H	17.0	17.7	17.6	18.4	19.1	17.0	17.7	17.6	18.4	19.1
x=8H y=6H	18.6	19.2	19.3	19.9	20.6	18.6	19.2	19.3	19.9	20.7
x=8H y=8H	19.5	20.0	20.2	20.7	21.5	19.5	20.0	20.2	20.7	21.5
x=8H y=12H	20.4	20.8	21.0	21.5	22.3	20.4	20.9	21.1	21.5	22.3
x=12H y=4H	17.1	17.8	17.8	18.4	19.2	17.1	17.8	17.8	18.4	19.2
x=12H y=6H	18.8	19.4	19.5	20.1	20.8	18.8	19.4	19.5	20.1	20.8
x=12H y=8H	19.8	20.3	20.5	21.0	21.7	19.8	20.3	20.5	21.0	21.8

Luminaire

Code 5481
Name PUCK WALL ART LED

Measurem.


Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	3.09	6.18	9.26	12.35	15.44	OC	3.06	6.11	9.17	12.23	15.28
OB	3.09	6.18	9.26	12.35	15.44	OD	3.06	6.11	9.17	12.23	15.28

	Luminous Intensities [cd]									
	0	5	15	25	35	45	55	65	75	85
OA	365.39	363.72	352.25	330.33	301.31	270.27	240.35	207.66	170.98	134.41
OB	365.39	363.72	352.25	330.33	301.31	270.27	240.35	207.66	170.98	134.41
OC	365.39	363.88	352.45	330.86	301.98	271.14	241.27	207.89	171.24	136.07
OD	365.39	363.88	352.45	330.86	301.98	271.14	241.27	207.89	171.24	136.07



H[m]	D[m]	Max lux	Med lux	Alpha=72.1°+72.1°	G=0.0	
1.00	6.18	365	31			
2.00	12.35	91	8			
3.00	18.53	41	3			
4.00	24.70	23	2			
5.00	30.88	15	1			

H[m]	D[m]	Max lux	Med lux	Beta=71.9°+71.9°	G=0.0	
1.00	6.11	365	31			
2.00	12.23	91	8			
3.00	18.34	41	3			
4.00	24.46	23	2			
5.00	30.57	15	1			

Luminaire
Code 5481
Name PUCK WALL ART LED
Measur.
Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Flujo Total=1664.84 Flujo Luminaria=1664.84

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.23	0.30	0.36	0.42	0.47	0.56	0.62	0.66	0.72	0.76	0.86	0.92
RC	7	7	7	7	7	7	7	7	7	7	7	7


Flujo Zonal por 1000 Lúmenes

Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	21	81	172	286	412	541	665	774	863	929	973	996	999	1000	1000	1000	1000	1000

Códigos de Flujo C.I.E.
35 63 84 86 100

C.I.E. 7
D DIN 5040 B21
F UTE 0.86 H + 0.14 T
B NBN BZ 6
RN 13.74198 %
BLF 1.0

LOR 100.00000 %
ULOR 13.74198 %
DLOR 86.25802 %
UFF 13.74198 %
DFF 86.25802 %
FFR 15.93125 %



Flujo Zonal				
Gamma °	Flujo	Suma lm	Flujo [%]	Suma [%]
0°	0.00	0.00	0.00%	0.00 %
5°	5.24	5.24	0.52 %	0.52 %
10°	15.55	20.78	1.55 %	2.08 %
15°	25.37	46.16	2.54 %	4.62 %
20°	34.43	80.59	3.44 %	8.06 %
25°	42.43	123.02	4.24 %	12.30 %
30°	49.24	172.27	4.92 %	17.23 %
35°	54.68	226.95	5.47 %	22.69 %
40°	58.93	285.87	5.89 %	28.59 %
45°	61.91	347.78	6.19 %	34.78 %
50°	63.96	411.74	6.40 %	41.17 %
55°	64.92	476.66	6.49 %	47.67 %
60°	64.72	541.38	6.47 %	54.14 %
65°	63.21	604.59	6.32 %	60.46 %
70°	60.45	665.04	6.05 %	66.50 %
75°	56.63	721.67	5.66 %	72.17 %
80°	52.13	773.80	5.21 %	77.38 %
85°	47.16	820.96	4.72 %	82.10 %
90°	41.62	862.58	4.16 %	86.26 %
95°	35.96	898.54	3.60 %	89.85 %
100°	30.38	928.92	3.04 %	92.89 %
105°	25.09	954.01	2.51 %	95.40 %
110°	19.44	973.45	1.94 %	97.34 %
115°	13.89	987.34	1.39 %	98.73 %
120°	8.25	995.59	0.83 %	99.56 %
125°	3.21	998.80	0.32 %	99.88 %
130°	0.54	999.34	0.05 %	99.93 %
135°	0.12	999.46	0.01 %	99.95 %
140°	0.11	999.57	0.01 %	99.96 %
145°	0.09	999.66	0.01 %	99.97 %
150°	0.08	999.74	0.01 %	99.97 %
155°	0.07	999.82	0.01 %	99.98 %
160°	0.06	999.88	0.01 %	99.99 %
165°	0.05	999.92	0.00 %	99.99 %
170°	0.04	999.96	0.00 %	100.00 %
175°	0.03	999.99	0.00 %	100.00 %
180°	0.01	1000.00	0.00 %	100.00 %

Luminaire
Code 5481
Name PUCK WALL ART LED
Measurem.
Code
Name 2700K CRI90

Luminaire Flux	1664.84 lm	Luminaire Power	29.66 W	Efficacy	56.12 lm/W	Efficiency	100.00%
Sources Flux	1664.84 lm	Maximum value	365.39 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m

