


Luminaire									
Code	5485								
Name	PUCK WALL ART LED								
Measur.									
Code	CL252A19F033G								
Name	2700K CRI90								
Luminaire Flux		947.03 lm	Luminaire Power		25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux		947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00		CG Asymmetrical	
Round Luminaire		Diam.		400 mm	Height	60 mm			
Round Luminous Area		Diam.		360 mm	Height	35 mm			
Horizontal Luminous Area		0.101788 m2		Emitting area on Plane 180°		0.012600 m2			
Emitting area on Plane 0°		0.012600 m2		Emitting area on Plane 270°		0.012600 m2			
Emitting area on Plane 90°		0.012600 m2		Glare area at 76°		0.036850 m2			
Coordinate system		CG		Symmetry Type		Asymmetrical			
Date		16-07-2019		Maximum Gamma Angle		180			
Measurement Distance		6.44		Measurement Flux		947.04 lm			
Operator		ASSELUM		Rated Voltage					
Temperature		25.00 °C		Rated Current					
Humidity		57.90 %		Photocell				Prc	
Notes		RM19062503.2							
Luminaire Lamps									
Line	Code		Name			Flux [lm]	Pow. [W]	Q.ty	
PHILIPS LUMILED LUXEON 3014 250L	5751936 + 5751951		(1xLED 8,4W + 1xLED 12,6W) 700mA			947.03	25.58	1	
C.I.E.	34 62 86 89 100		D DIN 5040			B21			
F UTE	0.89 H + 0.11 T		B NBN			BZ 6			



Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 1/18															
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00		
G 0.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 2.0	207	207	207	207	207	208	208	208	208	208	208	208	208	208	208
G 3.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 6.0	206	206	206	206	206	207	207	207	207	207	207	207	207	207	207
G 7.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204	204	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 14.0	201	202	202	202	202	202	202	202	202	202	202	202	202	202	202
G 15.0	200	201	201	201	201	201	201	201	201	201	201	201	201	201	201
G 16.0	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198	198	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197	197	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	194	194	194	194	194	194	195
G 22.0	194	194	194	194	194	194	194	193	193	193	193	193	193	193	193
G 23.0	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191	191	191	191	191	191	191	191	191
G 25.0	189	189	189	189	189	190	190	190	190	190	190	190	190	190	190
G 26.0	188	188	188	188	188	188	188	189	189	189	189	189	189	189	189
G 27.0	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187
G 28.0	185	185	185	186	186	186	186	186	186	186	186	186	186	186	186
G 29.0	184	184	184	184	184	184	184	184	184	184	184	184	184	184	184
G 30.0	183	183	182	182	182	182	182	182	182	182	182	182	182	182	182
G 31.0	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181
G 32.0	180	180	180	180	180	180	180	179	179	179	179	179	179	179	179
G 33.0	178	178	178	178	178	178	178	178	178	178	178	178	178	178	178
G 34.0	176	176	176	176	176	176	176	176	176	176	176	176	176	176	176
G 35.0	174	174	174	174	175	175	175	175	175	175	175	175	175	175	175
G 36.0	173	173	173	173	173	173	173	174	174	174	174	174	174	174	174
G 37.0	171	171	172	172	172	172	172	172	172	172	172	172	172	172	172
G 38.0	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
G 39.0	168	168	168	168	168	168	168	168	168	168	168	168	168	168	168
G 40.0	167	167	166	166	166	166	166	166	166	166	166	166	166	166	166
G 41.0	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165
G 42.0	164	164	164	164	164	164	164	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	160	160	160	160	160	160	160	160	161	161	161	161	161	161	161
G 45.0	158	158	158	158	159	159	159	159	159	159	159	159	159	159	159
G 46.0	157	157	157	157	157	157	158	158	158	158	158	158	158	158	158
G 47.0	155	156	156	156	156	156	156	156	156	156	156	156	156	156	156
G 48.0	154	154	154	154	155	155	155	155	155	155	155	155	155	155	155
G 49.0	153	153	153	153	153	153	153	153	153	153	153	153	153	153	153
G 50.0	152	151	151	151	151	151	151	151	151	151	151	151	151	151	151
G 51.0	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149
G 53.0	147	147	147	147	148	148	148	148	148	148	148	148	148	148	148
G 54.0	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146
G 55.0	144	144	144	144	144	145	145	145	145	145	145	145	145	145	145
G 56.0	143	143	143	143	143	143	143	144	144	144	144	144	144	144	144
G 57.0	142	142	142	142	142	142	142	142	142	143	143	143	143	143	143
G 58.0	141	141	141	141	141	141	141	141	141	141	141	141	141	141	141
G 59.0	139	139	139	140	140	140	140	140	140	140	140	140	140	140	140
G 60.0	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137
G 62.0	135	135	135	136	136	136	136	136	136	136	136	136	136	136	136
G 63.0	134	134	134	134	134	134	135	135	135	135	135	135	135	135	135
G 64.0	132	132	132	133	133	133	133	133	133	133	134	133	133	133	133
G 65.0	130	130	131	131	131	131	132	132	132	132	132	132	132	132	132
G 66.0	128	129	129	129	129	130	130	130	130	130	130	130	130	130	130
G 67.0	127	127	127	127	128	128	128	128	128	128	128	128	128	128	128
G 68.0	125	125	125	125	126	126	126	126	126	126	126	126	126	126	126
G 69.0	123	123	123	123	124	124	124	124	124	124	124	124	124	124	124
G 70.0	121	121	121	121	121	122	122	122	122	122	122	122	122	122	122
G 71.0	119	119	119	119	119	119	119	119	120	120	120	120	120	120	120
G 72.0	116	116	117	117	117	117	117	117	117	117	118	117	117	117	117

Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 2/18															
		C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00	
G 0.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 2.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 3.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 6.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 7.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204	204	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 14.0	202	202	202	202	202	202	202	202	202	202	202	202	202	202	202
G 15.0	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201
G 16.0	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198	198	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197	197	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	195	195	195	195	195	194
G 22.0	193	193	193	193	193	193	194	193	193	193	193	193	193	193	193
G 23.0	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191	191	191	191	191	191	191	191	191
G 25.0	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190
G 26.0	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189
G 27.0	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187
G 28.0	186	186	186	186	186	186	186	186	186	186	186	186	186	186	186
G 29.0	184	184	184	184	184	184	184	184	184	184	184	184	184	184	184
G 30.0	182	183	183	183	183	183	183	183	183	183	183	182	182	182	182
G 31.0	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181
G 32.0	179	179	179	179	179	179	180	179	179	179	179	179	179	179	179
G 33.0	178	178	178	178	178	178	178	178	178	178	178	178	178	178	178
G 34.0	177	177	177	177	177	177	177	177	177	177	177	177	177	176	176
G 35.0	175	175	175	175	175	175	175	175	175	175	175	175	175	175	175
G 36.0	174	174	174	174	174	174	173	174	174	174	174	174	174	174	174
G 37.0	172	172	172	172	172	172	172	172	172	172	172	172	172	172	172
G 38.0	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
G 39.0	168	168	168	169	169	169	169	169	169	168	168	168	168	168	168
G 40.0	167	167	167	167	167	167	167	167	167	167	167	167	166	166	166
G 41.0	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165
G 42.0	163	163	164	164	164	164	164	164	164	164	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	161	161	161	161	161	160	160	160	161	161	161	161	161	161	161
G 45.0	159	159	159	159	159	159	159	159	159	159	159	159	159	159	159
G 46.0	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
G 47.0	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156
G 48.0	155	155	155	155	155	155	155	155	155	155	155	155	155	155	155
G 49.0	153	153	153	153	153	154	153	153	153	153	153	153	153	153	153
G 50.0	152	152	152	152	152	152	152	152	152	152	152	152	152	151	151
G 51.0	150	150	150	150	151	151	151	151	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149
G 53.0	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148
G 54.0	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146
G 55.0	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145
G 56.0	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
G 57.0	143	143	143	143	143	143	143	143	143	143	143	143	143	143	143
G 58.0	141	141	141	141	141	141	141	141	141	141	141	141	141	141	141
G 59.0	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
G 60.0	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137
G 62.0	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136
G 63.0	135	135	135	135	135	135	134	135	135	135	135	135	135	135	135
G 64.0	133	133	133	133	133	133	133	133	133	133	133	133	133	133	133
G 65.0	132	132	132	131	131	131	131	131	131	132	132	132	132	132	132
G 66.0	130	130	130	130	129	129	129	129	130	130	130	130	130	130	130
G 67.0	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
G 68.0	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126
G 69.0	124	124	124	124	124	124	123	124	124	124	124	124	124	124	124
G 70.0	122	121	121	121	121	121	121	121	121	121	121	122	122	122	122
G 71.0	119	119	119	119	119	119	119	119	119	119	119	119	120	120	120
G 72.0	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 3/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208	208	208	208	208	208	208
G 2.0	208	208	208	208	208	208	207	207	207	207	207	207	207
G 3.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 6.0	207	207	207	207	207	207	206	206	206	206	206	206	206
G 7.0	206	206	206	206	206	206	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 14.0	202	202	202	202	202	202	202	202	202	202	201	202	202
G 15.0	201	201	201	201	201	201	201	201	201	201	200	201	201
G 16.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	194	194	194	195	195	195	195	195	195	195	195	195	195
G 22.0	193	193	193	193	194	194	194	194	194	194	194	194	194
G 23.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191	191	191	191	191	191	191
G 25.0	190	190	190	190	190	190	189	189	189	189	189	189	189
G 26.0	189	189	189	189	188	188	188	188	188	188	188	188	188
G 27.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 28.0	186	186	186	186	186	186	186	186	185	185	185	185	185
G 29.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 30.0	182	182	182	182	182	182	182	182	182	183	183	183	182
G 31.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 32.0	179	179	179	179	180	180	180	180	180	180	180	180	180
G 33.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 34.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 35.0	175	175	175	175	175	175	175	174	174	174	174	174	174
G 36.0	174	174	174	174	173	173	173	173	173	173	173	173	173
G 37.0	172	172	172	172	172	172	172	172	172	171	171	171	172
G 38.0	170	170	170	170	170	170	170	170	170	170	170	170	170
G 39.0	168	168	168	168	168	168	168	168	168	168	168	168	168
G 40.0	166	166	166	166	166	166	166	166	166	167	167	167	166
G 41.0	165	165	165	165	165	165	165	165	165	165	165	165	165
G 42.0	163	163	163	163	164	164	164	164	164	164	164	164	164
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	161	161	161	160	160	160	160	160	160	160	160	160	160
G 45.0	159	159	159	159	159	159	159	158	158	158	158	158	158
G 46.0	158	158	158	158	158	157	157	157	157	157	157	157	157
G 47.0	156	156	156	156	156	156	156	156	156	156	155	156	156
G 48.0	155	155	155	155	155	155	155	154	154	154	154	154	154
G 49.0	153	153	153	153	153	153	153	153	153	153	153	153	153
G 50.0	151	151	151	151	151	151	151	151	151	151	152	151	151
G 51.0	150	150	150	150	150	150	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149	149	149	149	149	149	149
G 53.0	148	148	148	148	148	148	148	147	147	147	147	147	147
G 54.0	146	146	146	146	146	146	146	146	146	146	146	146	146
G 55.0	145	145	145	145	145	145	144	144	144	144	144	144	144
G 56.0	144	144	144	144	143	143	143	143	143	143	143	143	143
G 57.0	143	143	142	142	142	142	142	142	142	142	142	142	142
G 58.0	141	141	141	141	141	141	141	141	141	141	141	141	141
G 59.0	140	140	140	140	140	140	140	140	139	139	139	139	139
G 60.0	138	138	138	138	138	138	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137	137	137	137	137	137	137
G 62.0	136	136	136	136	136	136	136	136	135	135	135	135	135
G 63.0	135	135	135	135	135	134	134	134	134	134	134	134	134
G 64.0	134	133	133	133	133	133	133	133	132	132	132	132	132
G 65.0	132	132	132	132	132	131	131	131	131	130	130	130	131
G 66.0	130	130	130	130	130	130	129	129	129	129	128	129	129
G 67.0	128	128	128	128	128	128	128	127	127	127	127	127	127
G 68.0	126	126	126	126	126	126	126	125	125	125	125	125	125
G 69.0	124	124	124	124	124	124	124	123	123	123	123	123	123
G 70.0	122	122	122	122	122	122	121	121	121	121	121	121	121
G 71.0	120	120	120	119	119	119	119	119	119	119	119	119	119
G 72.0	118	117	117	117	117	117	117	117	117	116	116	116	117

Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 4/18															
		C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00	
G 0.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 2.0	207	207	208	208	208	208	208	208	208	208	208	208	208	208	208
G 3.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 6.0	206	206	207	207	207	207	207	207	207	207	207	207	207	207	207
G 7.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204	204	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 14.0	202	202	202	202	202	202	202	202	202	202	202	202	202	202	202
G 15.0	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201
G 16.0	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198	198	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197	197	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	194	194	194	194	195	195	195	195	195
G 22.0	194	194	194	194	194	193	193	193	193	193	193	193	193	193	193
G 23.0	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191	191	191	191	191	191	191	191	191
G 25.0	189	189	190	190	190	190	190	190	190	190	190	190	190	190	190
G 26.0	188	188	188	188	189	189	189	189	189	189	189	189	189	189	189
G 27.0	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187
G 28.0	186	186	186	186	186	186	186	186	186	186	186	186	186	186	186
G 29.0	184	184	184	184	184	184	184	184	184	184	184	184	184	184	184
G 30.0	182	182	182	182	182	182	182	182	182	182	182	182	183	183	183
G 31.0	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181
G 32.0	180	180	180	180	179	179	179	179	179	179	179	179	179	179	179
G 33.0	178	178	178	178	178	178	178	178	178	178	178	178	178	178	178
G 34.0	176	176	176	176	176	176	176	176	176	176	176	177	177	177	177
G 35.0	174	175	175	175	175	175	175	175	175	175	175	175	175	175	175
G 36.0	173	173	173	173	174	174	174	174	174	174	174	174	174	174	174
G 37.0	172	172	172	172	172	172	172	172	172	172	172	172	172	172	172
G 38.0	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
G 39.0	168	168	168	168	168	168	168	168	168	168	168	168	168	168	168
G 40.0	166	166	166	166	166	166	166	166	166	166	166	167	167	167	167
G 41.0	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165
G 42.0	164	164	164	164	163	163	163	163	163	163	163	163	163	163	164
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	160	160	160	160	160	161	161	161	161	161	161	161	161	161	161
G 45.0	158	159	159	159	159	159	159	159	159	159	159	159	159	159	159
G 46.0	157	157	157	158	158	158	158	158	158	158	158	158	158	158	158
G 47.0	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156
G 48.0	154	155	155	155	155	155	155	155	155	155	155	155	155	155	155
G 49.0	153	153	153	153	153	153	153	153	153	153	153	153	153	153	153
G 50.0	151	151	151	151	151	151	151	151	151	151	151	152	152	152	152
G 51.0	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149
G 53.0	147	148	148	148	148	148	148	148	148	148	148	148	148	148	148
G 54.0	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146
G 55.0	144	144	145	145	145	145	145	145	145	145	145	145	145	145	145
G 56.0	143	143	143	143	144	144	144	144	144	144	144	144	144	144	144
G 57.0	142	142	142	142	142	142	143	143	143	143	143	143	143	143	143
G 58.0	141	141	141	141	141	141	141	141	141	141	141	141	141	141	141
G 59.0	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
G 60.0	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137
G 62.0	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136
G 63.0	134	134	134	135	135	135	135	135	135	135	135	135	135	135	135
G 64.0	133	133	133	133	133	133	133	133	134	133	133	133	133	133	133
G 65.0	131	131	131	132	132	132	132	132	132	132	132	132	132	132	132
G 66.0	129	129	130	130	130	130	130	130	130	130	130	130	130	130	130
G 67.0	127	128	128	128	128	128	128	128	128	128	128	128	128	128	128
G 68.0	125	126	126	126	126	126	126	126	126	126	126	126	126	126	126
G 69.0	123	124	124	124	124	124	124	124	124	124	124	124	124	124	124
G 70.0	121	121	122	122	122	122	122	122	122	122	122	122	122	121	121
G 71.0	119	119	119	119	119	120	120	120	120	120	120	119	119	119	119
G 72.0	117	117	117	117	117	117	117	117	118	117	117	117	117	117	117

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 5/18															
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00		
G 0.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 2.0	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208
G 3.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 6.0	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
G 7.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206	206	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205	205	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204	204	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203	203	203	203	203	203	203	203	203
G 14.0	202	202	202	202	202	202	202	202	202	202	202	202	202	202	202
G 15.0	201	201	201	201	201	201	201	201	201	201	201	201	201	201	201
G 16.0	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198	198	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197	197	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196	196	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195	195	195	194	194	194	194	194	194
G 22.0	193	193	194	193	193	193	193	193	193	193	193	193	193	193	193
G 23.0	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191	191	191	191	191	191	191	191	191
G 25.0	190	190	190	190	190	190	190	190	190	190	190	190	190	190	190
G 26.0	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189
G 27.0	187	187	187	187	187	187	187	187	187	187	187	187	187	187	187
G 28.0	186	186	186	186	186	186	186	186	186	186	186	186	186	186	186
G 29.0	184	184	184	184	184	184	184	184	184	184	184	184	184	184	184
G 30.0	183	183	183	183	183	183	183	182	182	182	182	182	182	182	182
G 31.0	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181
G 32.0	179	179	180	179	179	179	179	179	179	179	179	179	179	179	179
G 33.0	178	178	178	178	178	178	178	178	178	178	178	178	178	178	178
G 34.0	177	177	177	177	177	177	177	177	176	176	176	176	176	176	176
G 35.0	175	175	175	175	175	175	175	175	175	175	175	175	175	175	175
G 36.0	174	174	173	174	174	174	174	174	174	174	174	174	174	174	174
G 37.0	172	172	172	172	172	172	172	172	172	172	172	172	172	172	172
G 38.0	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
G 39.0	169	169	169	169	169	168	168	168	168	168	168	168	168	168	168
G 40.0	167	167	167	167	167	167	167	167	166	166	166	166	166	166	166
G 41.0	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165
G 42.0	164	164	164	164	164	164	163	163	163	163	163	163	163	163	163
G 43.0	162	162	162	162	162	162	162	162	162	162	162	162	162	162	162
G 44.0	161	160	160	160	161	161	161	161	161	161	161	161	161	161	161
G 45.0	159	159	159	159	159	159	159	159	159	159	159	159	159	159	159
G 46.0	158	158	158	158	158	158	158	158	158	158	158	158	158	158	158
G 47.0	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156
G 48.0	155	155	155	155	155	155	155	155	155	155	155	155	155	155	155
G 49.0	153	153	154	153	153	153	153	153	153	153	153	153	153	153	153
G 50.0	152	152	152	152	152	152	152	152	151	151	151	151	151	151	151
G 51.0	150	151	151	151	150	150	150	150	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149	149	149	149	149	149	149	149	149
G 53.0	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148
G 54.0	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146
G 55.0	145	145	145	145	145	145	145	145	145	145	145	145	145	145	145
G 56.0	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
G 57.0	143	143	143	143	143	143	143	143	143	143	143	143	143	143	142
G 58.0	141	141	141	141	141	141	141	141	141	141	141	141	141	141	141
G 59.0	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
G 60.0	138	138	138	138	138	138	138	138	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137
G 62.0	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136
G 63.0	135	135	134	135	135	135	135	135	135	135	135	135	135	135	135
G 64.0	133	133	133	133	133	133	133	133	133	133	133	134	133	133	133
G 65.0	131	131	131	131	131	132	132	132	132	132	132	132	132	132	132
G 66.0	130	129	129	129	130	130	130	130	130	130	130	130	130	130	130
G 67.0	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
G 68.0	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126
G 69.0	124	124	123	124	124	124	124	124	124	124	124	124	124	124	124
G 70.0	121	121	121	121	121	121	121	122	122	122	122	122	122	122	122
G 71.0	119	119	119	119	119	119	119	119	120	120	120	120	120	120	120
G 72.0	117	117	117	117	117	117	117	117	117	117	117	118	117	117	117

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 6/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	208	208	208	208	208	208	208
G 1.0	208	208	208	208	208	208	208
G 2.0	208	208	208	207	207	207	207
G 3.0	207	207	207	207	207	207	207
G 4.0	207	207	207	207	207	207	207
G 5.0	207	207	207	207	207	207	207
G 6.0	207	207	207	206	206	206	206
G 7.0	206	206	206	206	206	206	206
G 8.0	206	206	206	206	206	206	206
G 9.0	205	205	205	205	205	205	205
G 10.0	205	205	205	205	205	205	205
G 11.0	204	204	204	204	204	204	204
G 12.0	203	203	203	203	203	203	203
G 13.0	203	203	203	203	203	203	203
G 14.0	202	202	202	202	202	202	202
G 15.0	201	201	201	201	201	201	201
G 16.0	200	200	200	200	200	200	200
G 17.0	199	199	199	199	199	199	199
G 18.0	198	198	198	198	198	198	198
G 19.0	197	197	197	197	197	197	197
G 20.0	196	196	196	196	196	196	196
G 21.0	195	195	195	195	195	195	195
G 22.0	193	194	194	194	194	194	194
G 23.0	192	192	192	192	192	192	192
G 24.0	191	191	191	191	191	191	191
G 25.0	190	190	190	189	189	189	189
G 26.0	189	188	188	188	188	188	188
G 27.0	187	187	187	187	187	187	187
G 28.0	186	186	186	186	186	185	185
G 29.0	184	184	184	184	184	184	184
G 30.0	182	182	182	182	182	182	183
G 31.0	181	181	181	181	181	181	181
G 32.0	179	180	180	180	180	180	180
G 33.0	178	178	178	178	178	178	178
G 34.0	176	176	176	176	176	176	176
G 35.0	175	175	175	175	174	174	174
G 36.0	174	173	173	173	173	173	173
G 37.0	172	172	172	172	172	172	171
G 38.0	170	170	170	170	170	170	170
G 39.0	168	168	168	168	168	168	168
G 40.0	166	166	166	166	166	166	167
G 41.0	165	165	165	165	165	165	165
G 42.0	163	164	164	164	164	164	164
G 43.0	162	162	162	162	162	162	162
G 44.0	160	160	160	160	160	160	160
G 45.0	159	159	159	159	158	158	158
G 46.0	158	158	157	157	157	157	157
G 47.0	156	156	156	156	156	156	156
G 48.0	155	155	155	155	154	154	154
G 49.0	153	153	153	153	153	153	153
G 50.0	151	151	151	151	151	151	151
G 51.0	150	150	150	150	150	150	150
G 52.0	149	149	149	149	149	149	149
G 53.0	148	148	148	148	147	147	147
G 54.0	146	146	146	146	146	146	146
G 55.0	145	145	145	144	144	144	144
G 56.0	144	143	143	143	143	143	143
G 57.0	142	142	142	142	142	142	142
G 58.0	141	141	141	141	141	141	141
G 59.0	140	140	140	140	140	139	139
G 60.0	138	138	138	138	138	138	138
G 61.0	137	137	137	137	137	137	137
G 62.0	136	136	136	136	136	135	135
G 63.0	135	135	134	134	134	134	134
G 64.0	133	133	133	133	133	132	132
G 65.0	132	132	131	131	131	131	130
G 66.0	130	130	130	129	129	129	129
G 67.0	128	128	128	128	127	127	127
G 68.0	126	126	126	126	125	125	125
G 69.0	124	124	124	124	123	123	123
G 70.0	122	122	122	121	121	121	121
G 71.0	119	119	119	119	119	119	119
G 72.0	117	117	117	117	117	117	116

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 7/18															
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00		
G 73.0	113	114	114	114	115	115	115	115	115	115	115	115	115	115	115
G 74.0	110	111	111	111	112	112	112	113	113	113	113	113	113	113	113
G 75.0	107	107	108	108	109	109	109	110	110	110	110	110	110	110	110
G 76.0	103	104	104	105	105	105	106	106	106	106	106	106	106	106	106
G 77.0	100	100	100	101	101	101	101	101	102	102	102	102	102	102	102
G 78.0	96	96	96	96	97	97	97	97	97	97	97	97	97	97	97
G 79.0	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
G 80.0	87	87	87	88	88	88	88	88	88	88	88	88	88	88	88
G 81.0	83	83	83	83	83	83	83	84	84	84	84	84	84	84	84
G 82.0	79	79	79	79	79	79	80	80	80	80	80	80	80	80	80
G 83.0	75	75	75	75	76	76	76	76	76	76	76	76	76	76	76
G 84.0	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
G 85.0	68	68	68	68	68	69	69	69	69	69	69	69	69	69	69
G 86.0	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
G 87.0	63	63	62	62	62	62	62	62	62	62	62	62	62	62	62
G 88.0	61	60	60	60	60	60	59	59	59	59	59	59	59	59	59
G 89.0	59	58	58	58	58	58	58	57	57	57	57	57	57	57	57
G 90.0	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
G 93.0	50	50	50	50	50	50	50	51	51	51	51	51	51	51	51
G 94.0	48	48	48	48	49	49	49	49	49	49	49	49	49	49	49
G 95.0	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
G 97.0	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
G 98.0	42	42	42	41	41	41	41	41	41	41	41	41	41	41	42
G 99.0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
G100.0	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
G101.0	36	36	36	37	37	37	37	37	37	37	37	37	37	37	37
G102.0	34	34	34	35	35	35	35	35	35	35	36	36	36	36	36
G103.0	32	32	33	33	33	33	34	34	34	34	34	34	34	34	34
G104.0	31	31	31	32	32	32	32	32	33	33	33	33	33	33	33
G105.0	29	30	30	30	30	30	31	31	31	31	31	31	31	31	31
G106.0	28	28	28	28	29	29	29	29	29	29	29	30	30	30	30
G107.0	26	26	26	27	27	27	27	27	27	28	28	28	28	28	28
G108.0	24	25	25	25	25	25	25	26	26	26	26	26	26	26	26
G109.0	23	23	23	23	24	24	24	24	24	25	25	25	25	25	25
G110.0	21	21	22	22	22	22	23	23	23	23	23	23	23	23	23
G111.0	19	19	19	20	20	21	21	21	22	22	22	22	22	22	22
G112.0	16	17	17	18	18	19	19	20	20	20	21	21	21	21	21
G113.0	14	15	15	16	17	17	18	18	19	19	19	19	19	19	19
G114.0	13	13	14	15	15	16	16	17	17	17	17	18	18	18	18
G115.0	11	12	13	13	14	14	15	15	15	16	16	16	16	16	16
G116.0	10	11	11	12	12	12	13	13	14	14	14	14	14	14	14
G117.0	9	9	10	10	10	11	11	11	12	12	12	12	12	12	12
G118.0	7	8	8	9	9	9	10	10	10	10	10	11	11	11	11
G119.0	6	7	7	7	8	8	8	8	9	9	9	9	9	9	9
G120.0	5	5	6	6	6	7	7	7	7	7	7	7	7	7	8
G121.0	4	4	4	5	5	5	6	6	6	6	6	6	6	6	6
G122.0	2	3	3	3	4	4	4	4	5	5	5	5	5	5	5
G123.0	1	2	2	2	3	3	3	3	3	3	4	4	4	4	4
G124.0	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2
G125.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G127.0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 8/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	115	115	115	115	114	114	114	115	115	115	115	115	115
G 74.0	113	112	112	112	111	111	111	112	112	112	113	113	113
G 75.0	110	109	109	109	108	108	108	109	109	109	110	110	110
G 76.0	106	106	105	105	105	105	105	105	105	106	106	106	106
G 77.0	102	102	101	101	101	101	101	101	101	102	102	102	102
G 78.0	97	97	97	97	97	97	97	97	97	97	97	97	97
G 79.0	92	92	92	92	92	92	92	92	92	92	92	92	92
G 80.0	88	88	88	88	88	88	88	88	88	88	88	88	88
G 81.0	84	84	84	84	84	84	84	84	84	84	84	84	84
G 82.0	80	80	80	80	80	80	80	80	80	80	80	80	80
G 83.0	76	76	76	76	76	76	76	76	76	76	76	76	76
G 84.0	72	72	72	72	72	72	72	72	72	72	72	72	72
G 85.0	69	69	69	69	69	68	69	69	69	69	69	69	69
G 86.0	65	65	65	65	65	65	65	65	65	65	65	65	65
G 87.0	62	62	62	63	63	63	63	63	62	62	62	62	62
G 88.0	60	60	60	60	60	61	60	60	60	60	60	59	59
G 89.0	58	58	58	58	58	58	58	58	58	58	58	57	57
G 90.0	56	56	56	56	56	56	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52	52	52	52	52	52	52
G 93.0	51	51	51	51	51	51	51	51	51	51	51	51	51
G 94.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G 95.0	47	47	47	47	47	47	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45	45	45	45	45	45	45
G 97.0	43	44	44	44	44	44	44	44	44	44	43	43	43
G 98.0	42	42	42	42	42	42	42	42	42	42	42	42	41
G 99.0	40	40	40	40	40	41	40	40	40	40	40	40	40
G100.0	38	39	39	39	39	39	39	39	39	39	38	38	38
G101.0	37	37	37	37	37	37	37	37	37	37	37	37	37
G102.0	36	36	36	36	36	36	36	36	36	36	36	36	36
G103.0	34	34	34	34	34	34	34	34	34	34	34	34	34
G104.0	33	33	33	33	33	33	33	33	33	33	33	33	33
G105.0	31	31	31	31	31	31	31	31	31	31	31	31	31
G106.0	30	30	30	30	30	30	30	30	30	30	30	30	30
G107.0	28	28	28	28	28	28	28	28	28	28	28	28	28
G108.0	26	27	27	27	27	27	27	27	27	27	26	26	26
G109.0	25	25	25	25	25	25	25	25	25	25	25	25	25
G110.0	23	23	24	24	24	24	24	24	24	23	23	23	23
G111.0	22	22	22	22	22	22	22	22	22	22	22	22	22
G112.0	21	21	21	21	20	20	20	21	21	21	21	21	21
G113.0	19	19	19	19	19	19	19	19	19	19	19	19	19
G114.0	18	18	18	17	17	17	17	17	18	18	18	18	18
G115.0	16	16	16	16	16	16	16	16	16	16	16	16	16
G116.0	14	14	14	14	14	14	14	14	14	14	14	14	14
G117.0	12	12	12	12	12	12	12	12	12	12	12	12	12
G118.0	11	11	11	11	11	11	11	11	11	11	11	11	11
G119.0	9	9	9	9	9	9	9	9	9	9	9	9	9
G120.0	8	8	8	8	8	8	8	8	8	8	8	8	7
G121.0	6	6	6	6	6	6	6	6	6	6	6	6	6
G122.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G123.0	4	4	4	3	3	3	3	3	4	4	4	4	4
G124.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G125.0	1	1	1	1	2	2	2	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G127.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G128.0	0	0	0	1	1	1	1	1	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 9/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 73.0	115	115	115	115	115	115	115	114	114	114	113	114	114
G 74.0	113	113	113	113	112	112	112	111	111	111	110	111	111
G 75.0	110	110	110	110	109	109	109	108	108	107	107	107	108
G 76.0	106	106	106	106	106	105	105	105	104	104	103	104	104
G 77.0	102	102	102	101	101	101	101	101	100	100	100	100	100
G 78.0	97	97	97	97	97	97	97	96	96	96	96	96	96
G 79.0	92	92	92	92	92	92	92	92	92	92	92	92	92
G 80.0	88	88	88	88	88	88	88	88	87	87	87	87	87
G 81.0	84	84	84	84	83	83	83	83	83	83	83	83	83
G 82.0	80	80	80	80	80	79	79	79	79	79	79	79	79
G 83.0	76	76	76	76	76	76	76	75	75	75	75	75	75
G 84.0	72	72	72	72	72	72	72	72	72	72	72	72	72
G 85.0	69	69	69	69	69	69	68	68	68	68	68	68	68
G 86.0	65	65	65	65	65	65	65	65	65	65	65	65	65
G 87.0	62	62	62	62	62	62	62	62	62	63	63	63	62
G 88.0	59	59	59	59	59	60	60	60	60	60	61	60	60
G 89.0	57	57	57	57	58	58	58	58	58	58	59	58	58
G 90.0	56	56	56	56	56	56	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52	52	52	52	52	52	52
G 93.0	51	51	51	51	50	50	50	50	50	50	50	50	50
G 94.0	49	49	49	49	49	49	49	48	48	48	48	48	48
G 95.0	47	47	47	47	47	47	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45	45	45	45	45	45	45
G 97.0	43	43	43	43	43	43	43	43	43	43	43	43	43
G 98.0	41	41	41	41	41	41	41	41	42	42	42	42	42
G 99.0	40	40	40	40	40	40	40	40	40	40	40	40	40
G100.0	38	38	38	38	38	38	38	38	38	38	38	38	38
G101.0	37	37	37	37	37	37	37	37	36	36	36	36	36
G102.0	36	35	35	35	35	35	35	35	34	34	34	34	34
G103.0	34	34	34	34	34	33	33	33	33	32	32	32	33
G104.0	33	33	33	32	32	32	32	32	31	31	31	31	31
G105.0	31	31	31	31	31	30	30	30	30	30	29	30	30
G106.0	29	29	29	29	29	29	29	28	28	28	28	28	28
G107.0	28	28	27	27	27	27	27	27	26	26	26	26	26
G108.0	26	26	26	26	25	25	25	25	25	25	24	25	25
G109.0	25	25	24	24	24	24	24	23	23	23	23	23	23
G110.0	23	23	23	23	23	22	22	22	22	21	21	21	22
G111.0	22	22	22	21	21	21	20	20	19	19	19	19	19
G112.0	21	20	20	20	19	19	18	18	17	17	16	17	17
G113.0	19	19	19	18	18	17	17	16	15	15	14	15	15
G114.0	17	17	17	16	16	16	15	15	14	13	13	13	14
G115.0	16	16	15	15	15	14	14	13	13	12	11	12	13
G116.0	14	14	14	13	13	12	12	12	11	11	10	11	11
G117.0	12	12	12	11	11	11	10	10	10	9	9	9	10
G118.0	10	10	10	10	10	9	9	9	8	8	7	8	8
G119.0	9	9	9	8	8	8	8	7	7	7	6	7	7
G120.0	7	7	7	7	7	7	6	6	6	5	5	5	6
G121.0	6	6	6	6	6	5	5	5	4	4	4	4	4
G122.0	5	5	5	4	4	4	4	3	3	3	2	3	3
G123.0	4	3	3	3	3	3	3	2	2	2	1	2	2
G124.0	2	2	2	2	2	2	2	1	1	1	1	1	1
G125.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G127.0	1	1	1	1	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux		947.03 lm		Luminaire Power		25.58 W		Efficacy		37.02 lm/W		Efficiency		100.00%	
Sources Flux		947.03 lm		Maximum value		207.68 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd														Table 10/18	
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00		
G 73.0	114	115	115	115	115	115	115	115	115	115	115	115	115	115	115
G 74.0	111	112	112	112	113	113	113	113	113	113	113	113	112	112	112
G 75.0	108	109	109	109	110	110	110	110	110	110	110	110	109	109	109
G 76.0	105	105	105	106	106	106	106	106	106	106	106	106	106	105	105
G 77.0	101	101	101	101	101	102	102	102	102	102	102	102	102	101	101
G 78.0	96	97	97	97	97	97	97	97	97	97	97	97	97	97	97
G 79.0	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
G 80.0	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88
G 81.0	83	83	83	83	84	84	84	84	84	84	84	84	84	84	84
G 82.0	79	79	79	80	80	80	80	80	80	80	80	80	80	80	80
G 83.0	75	76	76	76	76	76	76	76	76	76	76	76	76	76	76
G 84.0	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
G 85.0	68	68	69	69	69	69	69	69	69	69	69	69	69	69	69
G 86.0	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
G 87.0	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
G 88.0	60	60	60	59	59	59	59	59	59	59	60	60	60	60	60
G 89.0	58	58	58	58	57	57	57	57	57	57	58	58	58	58	58
G 90.0	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
G 93.0	50	50	50	50	51	51	51	51	51	51	51	51	51	51	51
G 94.0	48	49	49	49	49	49	49	49	49	49	49	49	49	49	49
G 95.0	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
G 97.0	43	43	43	43	43	43	43	43	43	43	43	43	44	44	44
G 98.0	41	41	41	41	41	41	41	41	41	42	42	42	42	42	42
G 99.0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
G100.0	38	38	38	38	38	38	38	38	38	38	38	38	39	39	39
G101.0	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
G102.0	35	35	35	35	35	35	35	36	36	36	36	36	36	36	36
G103.0	33	33	33	34	34	34	34	34	34	34	34	34	34	34	34
G104.0	32	32	32	32	32	33	33	33	33	33	33	33	33	33	33
G105.0	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31
G106.0	28	29	29	29	29	29	29	29	30	30	30	30	30	30	30
G107.0	27	27	27	27	27	27	28	28	28	28	28	28	28	28	28
G108.0	25	25	25	25	26	26	26	26	26	26	26	26	27	27	27
G109.0	23	24	24	24	24	24	25	25	25	25	25	25	25	25	25
G110.0	22	22	22	23	23	23	23	23	23	23	23	23	23	24	24
G111.0	20	20	21	21	21	22	22	22	22	22	22	22	22	22	22
G112.0	18	18	19	19	20	20	20	21	21	21	21	21	21	21	21
G113.0	16	17	17	18	18	19	19	19	19	19	19	19	19	19	19
G114.0	15	15	16	16	17	17	17	17	18	18	18	18	18	18	18
G115.0	13	14	14	15	15	15	16	16	16	16	16	16	16	16	16
G116.0	12	12	12	13	13	14	14	14	14	14	14	14	14	14	14
G117.0	10	10	11	11	11	12	12	12	12	12	12	12	12	12	12
G118.0	9	9	9	10	10	10	10	10	11	11	11	11	11	11	11
G119.0	7	8	8	8	8	9	9	9	9	9	9	9	9	9	9
G120.0	6	6	7	7	7	7	7	7	7	8	8	8	8	8	8
G121.0	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6
G122.0	3	4	4	4	4	5	5	5	5	5	5	5	5	5	5
G123.0	2	3	3	3	3	3	3	4	4	4	4	4	4	4	4
G124.0	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2
G125.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G127.0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 11/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	115	114	114	114	115	115	115	115	115	115	115	115	115
G 74.0	112	111	111	111	112	112	112	113	113	113	113	113	113
G 75.0	109	108	108	108	109	109	109	110	110	110	110	110	110
G 76.0	105	105	105	105	105	105	106	106	106	106	106	106	106
G 77.0	101	101	101	101	101	101	102	102	102	102	102	102	102
G 78.0	97	97	97	97	97	97	97	97	97	97	97	97	97
G 79.0	92	92	92	92	92	92	92	92	92	92	92	92	92
G 80.0	88	88	88	88	88	88	88	88	88	88	88	88	88
G 81.0	84	84	84	84	84	84	84	84	84	84	84	84	84
G 82.0	80	80	80	80	80	80	80	80	80	80	80	80	80
G 83.0	76	76	76	76	76	76	76	76	76	76	76	76	76
G 84.0	72	72	72	72	72	72	72	72	72	72	72	72	72
G 85.0	69	69	68	69	69	69	69	69	69	69	69	69	69
G 86.0	65	65	65	65	65	65	65	65	65	65	65	65	65
G 87.0	63	63	63	63	63	62	62	62	62	62	62	62	62
G 88.0	60	60	61	60	60	60	60	60	59	59	59	59	59
G 89.0	58	58	58	58	58	58	58	58	57	57	57	57	57
G 90.0	56	56	56	56	56	56	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52	52	52	52	52	52	52
G 93.0	51	51	51	51	51	51	51	51	51	51	51	51	51
G 94.0	49	49	49	49	49	49	49	49	49	49	49	49	49
G 95.0	47	47	47	47	47	47	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45	45	45	45	45	45	45
G 97.0	44	44	44	44	44	44	44	43	43	43	43	43	43
G 98.0	42	42	42	42	42	42	42	42	42	41	41	41	41
G 99.0	40	40	41	40	40	40	40	40	40	40	40	40	40
G100.0	39	39	39	39	39	39	39	38	38	38	38	38	38
G101.0	37	37	37	37	37	37	37	37	37	37	37	37	37
G102.0	36	36	36	36	36	36	36	36	36	36	36	35	35
G103.0	34	34	34	34	34	34	34	34	34	34	34	34	34
G104.0	33	33	33	33	33	33	33	33	33	33	33	33	33
G105.0	31	31	31	31	31	31	31	31	31	31	31	31	31
G106.0	30	30	30	30	30	30	30	30	30	30	29	29	29
G107.0	28	28	28	28	28	28	28	28	28	28	28	28	27
G108.0	27	27	27	27	27	27	27	26	26	26	26	26	26
G109.0	25	25	25	25	25	25	25	25	25	25	25	25	24
G110.0	24	24	24	24	24	24	23	23	23	23	23	23	23
G111.0	22	22	22	22	22	22	22	22	22	22	22	22	22
G112.0	21	20	20	20	21	21	21	21	21	21	21	20	20
G113.0	19	19	19	19	19	19	19	19	19	19	19	19	19
G114.0	17	17	17	17	17	18	18	18	18	18	17	17	17
G115.0	16	16	16	16	16	16	16	16	16	16	16	16	15
G116.0	14	14	14	14	14	14	14	14	14	14	14	14	14
G117.0	12	12	12	12	12	12	12	12	12	12	12	12	12
G118.0	11	11	11	11	11	11	11	11	11	11	10	10	10
G119.0	9	9	9	9	9	9	9	9	9	9	9	9	9
G120.0	8	8	8	8	8	8	8	8	8	7	7	7	7
G121.0	6	6	6	6	6	6	6	6	6	6	6	6	6
G122.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G123.0	3	3	3	3	3	4	4	4	4	4	4	3	3
G124.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G125.0	1	2	2	2	1	1	1	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G127.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G128.0	1	1	1	1	1	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 12/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	115	115	115	115	114	114	114
G 74.0	113	112	112	112	111	111	111
G 75.0	110	109	109	109	108	108	107
G 76.0	106	106	105	105	105	104	104
G 77.0	101	101	101	101	101	100	100
G 78.0	97	97	97	97	96	96	96
G 79.0	92	92	92	92	92	92	92
G 80.0	88	88	88	88	88	87	87
G 81.0	84	83	83	83	83	83	83
G 82.0	80	80	79	79	79	79	79
G 83.0	76	76	76	76	75	75	75
G 84.0	72	72	72	72	72	72	72
G 85.0	69	69	69	68	68	68	68
G 86.0	65	65	65	65	65	65	65
G 87.0	62	62	62	62	62	62	63
G 88.0	59	59	60	60	60	60	60
G 89.0	57	58	58	58	58	58	58
G 90.0	56	56	56	56	56	56	56
G 91.0	54	54	54	54	54	54	54
G 92.0	52	52	52	52	52	52	52
G 93.0	51	50	50	50	50	50	50
G 94.0	49	49	49	49	48	48	48
G 95.0	47	47	47	47	47	47	47
G 96.0	45	45	45	45	45	45	45
G 97.0	43	43	43	43	43	43	43
G 98.0	41	41	41	41	41	42	42
G 99.0	40	40	40	40	40	40	40
G100.0	38	38	38	38	38	38	38
G101.0	37	37	37	37	37	36	36
G102.0	35	35	35	35	35	34	34
G103.0	34	34	33	33	33	33	32
G104.0	32	32	32	32	32	31	31
G105.0	31	31	30	30	30	30	30
G106.0	29	29	29	29	28	28	28
G107.0	27	27	27	27	27	26	26
G108.0	26	25	25	25	25	25	25
G109.0	24	24	24	24	23	23	23
G110.0	23	23	22	22	22	22	21
G111.0	21	21	21	20	20	19	19
G112.0	20	19	19	18	18	17	17
G113.0	18	18	17	17	16	15	15
G114.0	17	16	16	15	15	14	13
G115.0	15	15	14	14	13	13	12
G116.0	13	13	12	12	12	11	11
G117.0	11	11	11	10	10	10	9
G118.0	10	10	9	9	9	8	8
G119.0	8	8	8	8	7	7	7
G120.0	7	7	7	6	6	6	5
G121.0	6	6	5	5	5	4	4
G122.0	4	4	4	4	3	3	3
G123.0	3	3	3	3	2	2	2
G124.0	2	2	2	2	1	1	1
G125.0	1	1	1	1	1	1	1
G126.0	1	1	1	1	1	1	1
G127.0	1	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 13/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 14/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 15/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	1	1	1	1	1	1	1	1	0	0	0	0	0
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 16/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 17/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 18/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0
G168.0	1	1	1	1	1	0	0
G169.0	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90



Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=400mm

Semiplanos C

180.0 ————— 0.0

270.0 ————— 90.0



Luminaire


Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90


Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=400mm



Semiplanos C

180.0 ————— 0.0
270.0 ————— 90.0



Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	Viewed Crosswise					Viewed Endwise				
x=2H y=2H	14.4	15.8	14.9	16.2	16.7	14.5	15.8	14.9	16.3	16.7
x=2H y=3H	17.1	18.3	17.5	18.8	19.3	17.1	18.3	17.6	18.8	19.3
x=2H y=4H	18.3	19.5	18.8	20.0	20.5	18.4	19.5	18.9	20.0	20.6
x=2H y=6H	19.5	20.6	20.0	21.1	21.7	19.5	20.6	20.1	21.1	21.7
x=2H y=8H	20.0	21.1	20.5	21.6	22.2	20.1	21.1	20.6	21.6	22.2
x=2H y=12H	20.5	21.5	21.0	22.1	22.6	20.6	21.6	21.1	22.1	22.7
x=4H y=2H	15.5	16.7	16.0	17.2	17.7	15.5	16.7	16.0	17.2	17.7
x=4H y=3H	18.3	19.3	18.8	19.8	20.4	18.3	19.3	18.8	19.8	20.4
x=4H y=4H	19.7	20.6	20.2	21.2	21.8	19.7	20.6	20.3	21.2	21.8
x=4H y=6H	21.0	21.8	21.6	22.4	23.0	21.0	21.8	21.6	22.4	23.0
x=4H y=8H	21.6	22.3	22.2	22.9	23.6	21.6	22.4	22.2	23.0	23.6
x=4H y=12H	22.1	22.8	22.7	23.4	24.1	22.2	22.9	22.8	23.5	24.1
x=8H y=4H	20.3	21.1	20.9	21.7	22.3	20.3	21.1	20.9	21.7	22.3
x=8H y=6H	21.8	22.4	22.4	23.1	23.7	21.8	22.5	22.4	23.1	23.8
x=8H y=8H	22.5	23.1	23.2	23.7	24.4	22.6	23.1	23.2	23.8	24.5
x=8H y=12H	23.2	23.7	23.9	24.4	25.1	23.3	23.8	23.9	24.4	25.2
x=12H y=4H	20.4	21.1	21.0	21.7	22.4	20.4	21.1	21.0	21.7	22.4
x=12H y=6H	22.0	22.6	22.6	23.2	23.9	22.0	22.6	22.7	23.2	23.9
x=12H y=8H	22.8	23.3	23.4	23.9	24.7	22.8	23.3	23.5	24.0	24.7

Luminaire

Code 5485
Name PUCK WALL ART LED

Measur.

Code CL252A19F033G
Name 2700K CRI90


Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	3.97	7.94	11.91	15.88	19.86	OC	4.07	8.15	12.22	16.30	20.37
OB	3.97	7.94	11.91	15.88	19.86	OD	4.07	8.15	12.22	16.30	20.37

Luminous Intensities [cd]

	0	5	15	25	35	45	55	65	75	85
OA	207.68	206.64	200.48	188.97	174.11	158.01	143.86	130.16	106.70	68.24
OB	207.68	206.64	200.48	188.97	174.11	158.01	143.86	130.16	106.70	68.24
OC	207.68	207.03	201.14	190.04	175.18	158.99	144.99	130.95	107.74	68.48
OD	207.68	207.03	201.14	190.04	175.18	158.99	144.99	130.95	107.74	68.48



H[m]	D[m]	Max lux	Med lux	Alpha=75.9°+75.9°	G=0.0	
1.00	7.94	208	11			
2.00	15.88	52	3			
3.00	23.83	23	1			
4.00	31.77	13	1			
5.00	39.71	8	0			

H[m]	D[m]	Max lux	Med lux	Beta=76.2°+76.2°	G=0.0	
1.00	8.15	208	11			
2.00	16.30	52	3			
3.00	24.45	23	1			
4.00	32.59	13	1			
5.00	40.74	8	0			

Luminaire

Code 5485
Name PUCK WALL ART LED

Measurem.

Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Flujo Total=947.03 Flujo Luminaria=947.03

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.22	0.29	0.35	0.42	0.47	0.56	0.62	0.67	0.73	0.77	0.87	0.93
RC	7	7	7	7	7	7	7	7	7	7	7	7

Flujo Zonal por 1000 Lúmenes


Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	21	81	173	289	419	556	693	813	893	947	981	997	999	999	1000	1000	1000	1000

Códigos de Flujo C.I.E.

34 62 86 89 100

C.I.E. 7
D DIN 5040 B21
F UTE 0.89 H + 0.11 T
B NBN BZ 6
RN 10.71691 %
BLF 1.0

LOR 100.00000 %
ULOR 10.71691 %
DLOR 89.28309 %
UFF 10.71691 %
DFF 89.28309 %
FFR 12.00329 %



Flujo Zonal				
Gamma °	Flujo	Suma lm	Flujo [%]	Suma [%]
0°	0.00	0.00	0.00%	0.00 %
5°	5.23	5.23	0.52 %	0.52 %
10°	15.55	20.78	1.55 %	2.08 %
15°	25.40	46.18	2.54 %	4.62 %
20°	34.54	80.72	3.45 %	8.07 %
25°	42.69	123.42	4.27 %	12.34 %
30°	49.77	173.19	4.98 %	17.32 %
35°	55.55	228.74	5.56 %	22.87 %
40°	60.20	288.94	6.02 %	28.89 %
45°	63.62	352.55	6.36 %	35.26 %
50°	66.26	418.81	6.63 %	41.88 %
55°	68.04	486.85	6.80 %	48.68 %
60°	69.11	555.96	6.91 %	55.60 %
65°	69.31	625.27	6.93 %	62.53 %
70°	67.72	692.99	6.77 %	69.30 %
75°	63.86	756.85	6.39 %	75.68 %
80°	55.80	812.65	5.58 %	81.26 %
85°	44.68	857.33	4.47 %	85.73 %
90°	35.51	892.83	3.55 %	89.28 %
95°	29.72	922.55	2.97 %	92.26 %
100°	24.42	946.97	2.44 %	94.70 %
105°	19.52	966.50	1.95 %	96.65 %
110°	14.75	981.24	1.47 %	98.12 %
115°	10.03	991.28	1.00 %	99.13 %
120°	5.49	996.77	0.55 %	99.68 %
125°	1.86	998.63	0.19 %	99.86 %
130°	0.28	998.91	0.03 %	99.89 %
135°	0.19	999.11	0.02 %	99.91 %
140°	0.18	999.28	0.02 %	99.93 %
145°	0.16	999.44	0.02 %	99.94 %
150°	0.14	999.58	0.01 %	99.96 %
155°	0.12	999.70	0.01 %	99.97 %
160°	0.10	999.80	0.01 %	99.98 %
165°	0.08	999.88	0.01 %	99.99 %
170°	0.06	999.94	0.01 %	99.99 %
175°	0.04	999.98	0.00 %	100.00 %
180°	0.02	1000.00	0.00 %	100.00 %

Luminaire
Code 5485
Name PUCK WALL ART LED
Measur.
Code CL252A19F033G
Name 2700K CRI90

Luminaire Flux	947.03 lm	Luminaire Power	25.58 W	Efficacy	37.02 lm/W	Efficiency	100.00%
Sources Flux	947.03 lm	Maximum value	207.68 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m

