


Luminaire									
Code	5491								
Name	PUCK WALL ART LED								
Measur.									
Code									
Name	2700K CRI90								
Luminaire Flux		1200.84 lm	Luminaire Power		44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux		1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00		CG Asymmetrical	
Round Luminaire		Diam.	103 mm		Height	95 mm			
Round Luminous Area		Diam.	990 mm		Height	90 mm			
Horizontal Luminous Area		0.769769 m2		Emitting area on Plane 180°		0.089100 m2			
Emitting area on Plane 0°		0.089100 m2		Emitting area on Plane 270°		0.089100 m2			
Emitting area on Plane 90°		0.089100 m2		Glare area at 76°		0.272677 m2			
Coordinate system		CG		Symmetry Type		Asymmetrical			
Date		16-07-2019		Maximum Gamma Angle		180			
Measurement Distance		6.44		Measurement Flux		1200.84 lm			
Operator		ASSELUM		Rated Voltage					
Temperature		25.00 °C		Rated Current					
Humidity		55.30 %		Photocell				Prc	
Notes									
Luminaire Lamps									
Line		Code	Name		Flux [lm]	Pow. [W]	Q.ty		
PHILIPS LUMILED LUXEON 3014 250L		5751936 + 5751951	3xLED 12,6W 700mA		1200.84	44.42	1		
C.I.E.	32 60 85 88 100		D DIN 5040		B21				
F UTE	0.88 H + 0.12 T		B NBN		BZ 6				



Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 1/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 0.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 7.0	240	240	240	240	240	241	241	241	241	241	241	241	241
G 8.0	240	240	240	240	240	240	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 12.0	238	238	238	238	238	237	237	237	237	237	237	237	237
G 13.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230	230	230	230	230	230	230
G 21.0	229	229	229	229	229	228	228	228	228	228	228	228	228
G 22.0	228	228	227	227	227	227	227	227	227	227	227	227	227
G 23.0	226	226	226	226	226	226	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222	222	222	222	222	222	222
G 27.0	220	220	220	221	221	221	221	221	221	221	221	221	221
G 28.0	219	219	219	219	219	219	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216	216	216	216	216	216	216
G 31.0	215	215	215	215	215	214	214	214	214	214	214	214	214
G 32.0	213	213	213	213	213	213	213	213	213	213	213	213	213
G 33.0	212	212	212	212	212	212	211	211	211	211	211	211	211
G 34.0	210	210	210	210	210	210	210	210	210	210	210	210	210
G 35.0	208	208	208	208	208	209	209	209	209	209	209	209	209
G 36.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 37.0	205	206	206	206	206	206	206	206	206	206	206	206	206
G 38.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 40.0	202	202	201	201	201	201	201	201	201	201	201	201	201
G 41.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 42.0	199	199	199	199	199	199	199	199	198	198	198	198	198
G 43.0	198	198	198	198	198	198	197	197	197	197	197	197	197
G 44.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 46.0	193	194	194	194	194	194	194	194	194	194	194	194	194
G 47.0	192	193	193	193	193	193	193	193	193	193	193	193	193
G 48.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 49.0	191	191	191	191	190	190	190	190	190	190	190	190	191
G 50.0	190	190	189	189	189	189	189	189	189	189	189	189	189
G 51.0	189	188	188	188	188	188	188	188	188	188	188	188	188
G 52.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 55.0	183	184	184	184	184	184	184	184	184	184	184	184	184
G 56.0	182	183	183	183	183	183	183	183	183	183	183	183	183
G 57.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 58.0	181	181	181	181	181	181	181	182	182	182	182	182	182
G 59.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 60.0	181	181	180	180	180	180	180	180	180	180	180	180	180
G 61.0	180	180	179	179	179	179	179	179	179	179	179	179	179
G 62.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 65.0	174	174	175	175	175	175	175	175	175	175	175	175	175
G 66.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 70.0	165	165	165	165	165	165	165	165	164	164	164	164	164
G 71.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159	159	159	159	159	159	159

Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 2/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 7.0	241	240	240	240	240	240	240	240	240	240	241	241	241
G 8.0	240	240	240	240	240	240	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 12.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 13.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230	230	230	230	230	230	230
G 21.0	228	228	228	229	229	229	229	229	228	228	228	228	228
G 22.0	227	227	227	227	227	227	227	227	227	227	227	227	227
G 23.0	226	226	226	226	226	226	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222	222	222	222	222	222	222
G 27.0	221	221	221	221	220	220	220	221	221	221	221	221	221
G 28.0	219	219	219	219	219	219	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216	216	216	216	216	216	216
G 31.0	214	214	214	215	215	215	215	215	214	214	214	214	214
G 32.0	213	213	213	213	213	213	213	213	213	213	213	213	213
G 33.0	211	211	211	211	211	211	211	211	211	211	211	211	211
G 34.0	210	210	210	210	210	210	210	210	210	210	210	210	210
G 35.0	209	209	209	209	209	209	209	209	209	209	209	209	209
G 36.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 37.0	206	206	206	206	206	206	206	206	206	206	206	206	206
G 38.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 40.0	201	201	201	202	202	202	202	202	201	201	201	201	201
G 41.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 42.0	198	199	199	199	199	199	199	199	199	199	198	198	198
G 43.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 44.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 46.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 47.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 48.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 49.0	191	191	191	191	191	191	191	191	191	191	191	191	190
G 50.0	189	190	190	190	190	190	190	190	190	190	189	189	189
G 51.0	188	188	188	189	189	189	189	189	188	188	188	188	188
G 52.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 55.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 56.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 57.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 58.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 59.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 60.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 61.0	179	179	179	179	179	180	179	179	179	179	179	179	179
G 62.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 65.0	175	175	175	175	174	174	174	175	175	175	175	175	175
G 66.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 70.0	164	164	164	165	165	165	165	165	164	164	164	164	164
G 71.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159	159	159	159	159	159	159

Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measurem.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 3/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 7.0	241	241	241	241	241	241	240	240	240	240	240	240	240
G 8.0	240	240	240	240	240	240	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 12.0	237	237	237	237	237	237	238	238	238	238	238	238	238
G 13.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230	230	230	230	230	230	230
G 21.0	228	228	228	228	228	228	229	229	229	229	229	229	229
G 22.0	227	227	227	227	227	227	227	227	227	228	228	228	227
G 23.0	226	226	226	226	226	226	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222	222	222	222	222	222	222
G 27.0	221	221	221	221	221	221	221	221	220	220	220	220	220
G 28.0	219	219	219	219	219	219	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216	216	216	216	216	216	216
G 31.0	214	214	214	214	214	214	215	215	215	215	215	215	215
G 32.0	213	213	213	213	213	213	213	213	213	213	213	213	213
G 33.0	211	211	211	211	211	212	212	212	212	212	212	212	212
G 34.0	210	210	210	210	210	210	210	210	210	210	210	210	210
G 35.0	209	209	209	209	209	209	208	208	208	208	208	208	208
G 36.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 37.0	206	206	206	206	206	206	206	206	206	206	205	206	206
G 38.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 40.0	201	201	201	201	201	201	201	201	201	202	202	202	201
G 41.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 42.0	198	198	198	199	199	199	199	199	199	199	199	199	199
G 43.0	197	197	197	197	197	198	198	198	198	198	198	198	198
G 44.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 46.0	194	194	194	194	194	194	194	194	194	194	193	194	194
G 47.0	193	193	193	193	193	193	193	193	193	193	192	193	193
G 48.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 49.0	190	190	190	190	190	190	190	191	191	191	191	191	191
G 50.0	189	189	189	189	189	189	189	189	189	190	190	190	189
G 51.0	188	188	188	188	188	188	188	188	188	188	189	188	188
G 52.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 55.0	184	184	184	184	184	184	184	184	184	184	183	184	184
G 56.0	183	183	183	183	183	183	183	183	183	183	182	183	183
G 57.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 58.0	182	182	182	182	181	181	181	181	181	181	181	181	181
G 59.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 60.0	180	180	180	180	180	180	180	180	180	181	181	181	180
G 61.0	179	179	179	179	179	179	179	179	179	180	180	180	179
G 62.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 65.0	175	175	175	175	175	175	175	175	175	174	174	174	175
G 66.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 70.0	164	164	164	165	165	165	165	165	165	165	165	165	165
G 71.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159	159	159	159	159	159	159

Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 4/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 7.0	240	240	241	241	241	241	241	241	241	241	241	240	240
G 8.0	240	240	240	240	240	240	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 12.0	238	238	237	237	237	237	237	237	237	237	237	237	237
G 13.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230	230	230	230	230	230	230
G 21.0	229	229	228	228	228	228	228	228	228	228	228	228	228
G 22.0	227	227	227	227	227	227	227	227	227	227	227	227	227
G 23.0	226	226	226	226	226	226	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222	222	222	222	222	222	222
G 27.0	221	221	221	221	221	221	221	221	221	221	221	221	221
G 28.0	219	219	219	219	219	219	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216	216	216	216	216	216	216
G 31.0	215	215	214	214	214	214	214	214	214	214	214	214	214
G 32.0	213	213	213	213	213	213	213	213	213	213	213	213	213
G 33.0	212	212	212	211	211	211	211	211	211	211	211	211	211
G 34.0	210	210	210	210	210	210	210	210	210	210	210	210	210
G 35.0	208	208	209	209	209	209	209	209	209	209	209	209	209
G 36.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 37.0	206	206	206	206	206	206	206	206	206	206	206	206	206
G 38.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 40.0	201	201	201	201	201	201	201	201	201	201	201	201	201
G 41.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 42.0	199	199	199	199	199	198	198	198	198	198	198	199	199
G 43.0	198	198	198	197	197	197	197	197	197	197	197	197	197
G 44.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 46.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 47.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 48.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 49.0	191	190	190	190	190	190	190	190	190	191	191	191	191
G 50.0	189	189	189	189	189	189	189	189	189	189	189	190	190
G 51.0	188	188	188	188	188	188	188	188	188	188	188	188	188
G 52.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 55.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 56.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 57.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 58.0	181	181	181	181	182	182	182	182	182	182	182	182	182
G 59.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 60.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 61.0	179	179	179	179	179	179	179	179	179	179	179	179	179
G 62.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 65.0	175	175	175	175	175	175	175	175	175	175	175	175	175
G 66.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 70.0	165	165	165	165	165	164	164	164	164	164	164	164	164
G 71.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159	159	159	159	159	159	159

Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measur.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 5/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 0.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241	241	241	241	241	241	241
G 7.0	240	240	240	240	240	240	240	241	241	241	241	241	241
G 8.0	240	240	240	240	240	240	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238	238	238	238	238	238	238
G 12.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 13.0	237	237	237	237	237	237	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230	230	230	230	230	230	230
G 21.0	229	229	229	229	229	228	228	228	228	228	228	228	228
G 22.0	227	227	227	227	227	227	227	227	227	227	227	227	227
G 23.0	226	226	226	226	226	226	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222	222	222	222	222	222	222
G 27.0	221	220	220	220	221	221	221	221	221	221	221	221	221
G 28.0	219	219	219	219	219	219	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216	216	216	216	216	216	216
G 31.0	215	215	215	215	215	214	214	214	214	214	214	214	214
G 32.0	213	213	213	213	213	213	213	213	213	213	213	213	213
G 33.0	211	211	211	211	211	211	211	211	211	211	211	211	211
G 34.0	210	210	210	210	210	210	210	210	210	210	210	210	210
G 35.0	209	209	209	209	209	209	209	209	209	209	209	209	209
G 36.0	207	207	207	207	207	207	207	207	207	207	207	207	207
G 37.0	206	206	206	206	206	206	206	206	206	206	206	206	206
G 38.0	204	204	204	204	204	204	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203	203	203	203	203	203	203
G 40.0	202	202	202	202	202	201	201	201	201	201	201	201	201
G 41.0	200	200	200	200	200	200	200	200	200	200	200	200	200
G 42.0	199	199	199	199	199	199	199	198	198	198	198	198	198
G 43.0	197	197	197	197	197	197	197	197	197	197	197	197	197
G 44.0	196	196	196	196	196	196	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195	195	195	195	195	195	195
G 46.0	194	194	194	194	194	194	194	194	194	194	194	194	194
G 47.0	193	193	193	193	193	193	193	193	193	193	193	193	193
G 48.0	192	192	192	192	192	192	192	192	192	192	192	192	192
G 49.0	191	191	191	191	191	191	191	191	191	190	190	190	190
G 50.0	190	190	190	190	190	190	190	189	189	189	189	189	189
G 51.0	189	189	189	189	189	188	188	188	188	188	188	188	188
G 52.0	187	187	187	187	187	187	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185	185	185	185	185	185	185
G 55.0	184	184	184	184	184	184	184	184	184	184	184	184	184
G 56.0	183	183	183	183	183	183	183	183	183	183	183	183	183
G 57.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 58.0	182	182	182	182	182	182	182	182	182	182	182	182	182
G 59.0	181	181	181	181	181	181	181	181	181	181	181	181	181
G 60.0	180	180	180	180	180	180	180	180	180	180	180	180	180
G 61.0	179	179	180	179	179	179	179	179	179	179	179	179	179
G 62.0	178	178	178	178	178	178	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176	176	176	176	176	176	176
G 65.0	175	174	174	174	175	175	175	175	175	175	175	175	175
G 66.0	173	173	173	173	173	173	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167	167	167	167	167	167	167
G 70.0	165	165	165	165	165	164	164	164	164	164	164	164	164
G 71.0	162	162	162	162	162	162	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159	159	159	159	159	159	159

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 6/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	242	242	242	242	242	242	242
G 1.0	242	242	242	242	242	242	242
G 2.0	242	242	242	242	242	242	242
G 3.0	242	242	242	242	242	242	242
G 4.0	241	241	241	241	241	241	241
G 5.0	241	241	241	241	241	241	241
G 6.0	241	241	241	241	241	241	241
G 7.0	241	241	241	240	240	240	240
G 8.0	240	240	240	240	240	240	240
G 9.0	239	239	239	239	239	239	239
G 10.0	239	239	239	239	239	239	239
G 11.0	238	238	238	238	238	238	238
G 12.0	237	237	237	238	238	238	238
G 13.0	237	237	237	237	237	237	237
G 14.0	236	236	236	236	236	236	236
G 15.0	235	235	235	235	235	235	235
G 16.0	234	234	234	234	234	234	234
G 17.0	233	233	233	233	233	233	233
G 18.0	232	232	232	232	232	232	232
G 19.0	231	231	231	231	231	231	231
G 20.0	230	230	230	230	230	230	230
G 21.0	228	228	228	229	229	229	229
G 22.0	227	227	227	227	227	227	228
G 23.0	226	226	226	226	226	226	226
G 24.0	225	225	225	225	225	225	225
G 25.0	223	223	223	223	223	223	223
G 26.0	222	222	222	222	222	222	222
G 27.0	221	221	221	221	221	220	220
G 28.0	219	219	219	219	219	219	219
G 29.0	218	218	218	218	218	218	218
G 30.0	216	216	216	216	216	216	216
G 31.0	214	214	214	215	215	215	215
G 32.0	213	213	213	213	213	213	213
G 33.0	211	211	212	212	212	212	212
G 34.0	210	210	210	210	210	210	210
G 35.0	209	209	209	208	208	208	208
G 36.0	207	207	207	207	207	207	207
G 37.0	206	206	206	206	206	206	206
G 38.0	204	204	204	204	204	204	204
G 39.0	203	203	203	203	203	203	203
G 40.0	201	201	201	201	201	201	202
G 41.0	200	200	200	200	200	200	200
G 42.0	199	199	199	199	199	199	199
G 43.0	197	197	198	198	198	198	198
G 44.0	196	196	196	196	196	196	196
G 45.0	195	195	195	195	195	195	195
G 46.0	194	194	194	194	194	194	194
G 47.0	193	193	193	193	193	193	193
G 48.0	192	192	192	192	192	192	192
G 49.0	190	190	190	190	191	191	191
G 50.0	189	189	189	189	189	189	190
G 51.0	188	188	188	188	188	188	188
G 52.0	187	187	187	187	187	187	187
G 53.0	186	186	186	186	186	186	186
G 54.0	185	185	185	185	185	185	185
G 55.0	184	184	184	184	184	184	184
G 56.0	183	183	183	183	183	183	183
G 57.0	182	182	182	182	182	182	182
G 58.0	182	181	181	181	181	181	181
G 59.0	181	181	181	181	181	181	181
G 60.0	180	180	180	180	180	180	181
G 61.0	179	179	179	179	179	179	180
G 62.0	178	178	178	178	178	178	178
G 63.0	177	177	177	177	177	177	177
G 64.0	176	176	176	176	176	176	176
G 65.0	175	175	175	175	175	175	174
G 66.0	173	173	173	173	173	173	173
G 67.0	171	171	171	171	171	171	171
G 68.0	169	169	169	169	169	169	169
G 69.0	167	167	167	167	167	167	167
G 70.0	165	165	165	165	165	165	165
G 71.0	162	162	162	162	162	162	162
G 72.0	159	159	159	159	159	159	159

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm		Luminaire Power		44.42 W		Efficacy		27.03 lm/W		Efficiency		100.00%	
Sources Flux	1200.84 lm		Maximum value		242.02 cd		Position		C=0.00 G=0.00		CG Asymmetrical			
Luminous Intensity Table cd Table 7/18														
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00	
G 73.0	155	156	156	156	156	156	156	156	156	156	156	156	156	
G 74.0	151	152	152	152	152	152	153	153	153	153	153	153	153	
G 75.0	147	147	147	148	148	148	148	148	149	149	149	148	148	
G 76.0	141	142	142	142	142	142	143	143	143	143	143	143	143	
G 77.0	135	135	135	136	136	136	136	136	136	136	136	136	136	
G 78.0	128	128	128	129	129	129	129	129	129	129	130	130	130	
G 79.0	121	121	121	122	122	122	122	123	123	123	123	123	123	
G 80.0	114	114	114	115	115	115	116	116	116	116	116	116	116	
G 81.0	107	108	108	108	109	109	109	109	109	110	110	110	110	
G 82.0	102	102	102	102	102	103	103	103	103	103	103	103	103	
G 83.0	96	96	96	96	97	97	97	97	97	97	97	97	97	
G 84.0	91	91	91	91	91	91	91	91	91	91	92	92	92	
G 85.0	86	86	86	86	86	86	86	86	86	86	87	87	87	
G 86.0	83	82	82	82	82	82	82	82	82	82	82	82	83	
G 87.0	79	79	79	79	79	78	78	78	78	78	79	79	79	
G 88.0	76	76	76	76	76	75	75	75	75	75	76	76	76	
G 89.0	73	73	73	73	73	73	73	73	73	73	73	73	73	
G 90.0	71	71	71	71	71	71	71	71	71	71	71	71	71	
G 91.0	68	69	69	69	69	69	69	69	69	69	69	69	69	
G 92.0	66	66	66	66	67	67	67	67	67	67	67	67	67	
G 93.0	64	64	64	64	64	65	65	65	65	65	65	65	65	
G 94.0	62	62	62	62	63	63	63	63	63	63	63	63	63	
G 95.0	60	60	60	60	61	61	61	61	61	61	61	61	61	
G 96.0	58	58	58	58	59	59	59	59	59	59	59	59	59	
G 97.0	56	56	57	57	57	57	57	57	57	57	57	57	57	
G 98.0	55	55	55	55	55	55	55	55	55	55	55	55	55	
G 99.0	53	53	53	53	53	53	53	53	53	53	53	53	53	
G100.0	51	51	51	51	51	51	51	51	51	51	52	52	52	
G101.0	49	49	49	49	49	50	50	50	50	50	50	50	50	
G102.0	46	47	47	47	48	48	48	48	49	49	49	49	49	
G103.0	44	45	45	45	46	46	46	47	47	47	47	47	47	
G104.0	42	43	43	43	44	44	44	44	45	45	45	45	45	
G105.0	41	41	41	41	41	42	42	42	42	42	42	43	43	
G106.0	39	39	39	39	39	40	40	40	40	40	40	41	41	
G107.0	37	37	37	37	37	38	38	38	38	38	38	39	39	
G108.0	35	35	35	35	36	36	36	36	36	37	37	37	37	
G109.0	33	33	33	34	34	34	34	34	35	35	35	35	35	
G110.0	30	31	31	31	32	32	32	33	33	33	33	33	33	
G111.0	28	28	29	29	30	30	30	31	31	31	31	31	31	
G112.0	25	26	26	27	27	28	28	29	29	29	30	30	30	
G113.0	23	24	24	25	25	26	26	27	27	27	28	28	28	
G114.0	21	21	22	23	23	24	24	25	25	25	26	26	26	
G115.0	19	19	20	21	21	22	22	23	23	23	24	24	24	
G116.0	17	17	18	18	19	19	20	20	21	21	21	21	21	
G117.0	15	15	16	16	17	17	18	18	18	19	19	19	19	
G118.0	13	13	14	14	15	15	16	16	16	17	17	17	17	
G119.0	11	11	12	12	13	13	14	14	14	14	15	15	15	
G120.0	9	9	10	10	11	11	12	12	12	12	12	13	13	
G121.0	7	7	8	8	9	9	10	10	10	10	10	10	10	
G122.0	5	6	6	7	7	7	8	8	8	8	9	9	9	
G123.0	4	4	5	5	5	6	6	6	6	7	7	7	7	
G124.0	3	3	3	4	4	4	4	4	5	5	5	5	5	
G125.0	2	2	2	2	3	3	3	3	3	3	3	3	4	
G126.0	1	1	2	2	2	2	2	2	2	2	2	2	2	
G127.0	1	1	1	1	1	1	1	1	1	1	1	2	2	
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1	
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1	
G130.0	0	0	0	1	1	1	1	1	1	1	1	1	1	
G131.0	0	0	0	0	0	1	1	1	1	1	1	1	1	
G132.0	0	0	0	0	0	0	0	0	0	1	1	1	1	
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 8/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 74.0	153	152	152	152	152	152	152	152	152	152	153	153	153
G 75.0	148	148	148	148	147	147	147	148	148	148	148	148	148
G 76.0	143	143	142	142	142	142	142	142	142	143	143	143	143
G 77.0	136	136	136	136	136	136	136	136	136	136	136	136	136
G 78.0	130	129	129	129	129	129	129	129	129	129	130	130	130
G 79.0	123	123	123	123	122	122	122	123	123	123	123	123	123
G 80.0	116	116	116	116	116	115	116	116	116	116	116	116	116
G 81.0	110	110	110	109	109	109	109	109	110	110	110	110	110
G 82.0	103	103	103	103	103	103	103	103	103	103	103	103	103
G 83.0	97	98	98	98	98	98	98	98	98	98	97	97	97
G 84.0	92	92	92	93	93	93	93	93	92	92	92	92	92
G 85.0	87	87	88	88	88	88	88	88	88	87	87	87	87
G 86.0	83	83	84	84	84	85	84	84	84	83	83	83	82
G 87.0	79	80	80	80	81	81	81	80	80	80	79	79	79
G 88.0	76	76	77	77	77	78	77	77	77	76	76	76	76
G 89.0	73	74	74	74	74	74	74	74	74	74	73	73	73
G 90.0	71	71	71	71	71	71	71	71	71	71	71	71	71
G 91.0	69	69	69	69	69	69	69	69	69	69	69	69	69
G 92.0	67	67	67	67	67	67	67	67	67	67	67	67	67
G 93.0	65	65	65	65	65	65	65	65	65	65	65	65	65
G 94.0	63	63	63	63	63	63	63	63	63	63	63	63	63
G 95.0	61	61	61	61	61	62	61	61	61	61	61	61	61
G 96.0	59	59	60	60	60	60	60	60	60	59	59	59	59
G 97.0	57	57	58	58	58	58	58	58	58	57	57	57	57
G 98.0	55	55	56	56	56	56	56	56	56	55	55	55	55
G 99.0	53	53	54	54	54	54	54	54	54	53	53	53	53
G100.0	52	52	52	52	52	52	52	52	52	52	52	52	52
G101.0	50	50	50	50	50	50	50	50	50	50	50	50	50
G102.0	49	49	49	49	48	48	48	49	49	49	49	49	49
G103.0	47	47	47	47	47	47	47	47	47	47	47	47	47
G104.0	45	45	45	45	45	45	45	45	45	45	45	45	45
G105.0	43	43	43	43	43	43	43	43	43	43	43	43	43
G106.0	41	41	41	41	41	41	41	41	41	41	41	41	41
G107.0	39	39	39	39	40	40	40	39	39	39	39	39	39
G108.0	37	37	37	38	38	38	38	38	37	37	37	37	37
G109.0	35	35	35	36	36	36	36	36	35	35	35	35	35
G110.0	33	33	33	33	33	33	33	33	33	33	33	33	33
G111.0	31	31	31	31	31	31	31	31	31	31	31	31	31
G112.0	30	30	30	30	30	30	30	30	30	30	30	30	30
G113.0	28	28	28	28	28	28	28	28	28	28	28	28	28
G114.0	26	26	26	26	26	26	26	26	26	26	26	26	26
G115.0	24	24	24	24	24	24	24	24	24	24	24	24	24
G116.0	22	22	22	22	22	22	22	22	22	22	22	21	21
G117.0	19	20	20	20	20	20	20	20	20	20	19	19	19
G118.0	17	17	17	18	18	18	18	18	17	17	17	17	17
G119.0	15	15	15	15	15	15	15	15	15	15	15	15	15
G120.0	13	13	13	13	13	13	13	13	13	13	13	13	13
G121.0	10	10	11	11	11	11	11	11	11	10	10	10	10
G122.0	9	9	9	9	9	9	9	9	9	9	9	9	9
G123.0	7	7	7	7	7	7	7	7	7	7	7	7	7
G124.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G125.0	4	4	4	4	4	4	4	4	4	4	4	4	3
G126.0	2	2	3	3	3	3	3	3	3	2	2	2	2
G127.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	1	1	0	0	0	0	0	0	0	1	1	1	1
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 9/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 73.0	156	156	156	156	156	156	156	156	156	156	155	156	156
G 74.0	153	153	153	153	153	152	152	152	152	152	151	152	152
G 75.0	149	149	149	148	148	148	148	148	147	147	147	147	147
G 76.0	143	143	143	143	143	142	142	142	142	142	141	142	142
G 77.0	136	136	136	136	136	136	136	136	135	135	135	135	135
G 78.0	130	129	129	129	129	129	129	129	128	128	128	128	128
G 79.0	123	123	123	123	122	122	122	122	121	121	121	121	121
G 80.0	116	116	116	116	116	115	115	115	114	114	114	114	114
G 81.0	110	110	109	109	109	109	109	108	108	108	107	108	108
G 82.0	103	103	103	103	103	103	102	102	102	102	102	102	102
G 83.0	97	97	97	97	97	97	97	96	96	96	96	96	96
G 84.0	92	91	91	91	91	91	91	91	91	91	91	91	91
G 85.0	87	86	86	86	86	86	86	86	86	86	86	86	86
G 86.0	82	82	82	82	82	82	82	82	82	82	83	82	82
G 87.0	79	78	78	78	78	78	79	79	79	79	79	79	79
G 88.0	76	75	75	75	75	75	76	76	76	76	76	76	76
G 89.0	73	73	73	73	73	73	73	73	73	73	73	73	73
G 90.0	71	71	71	71	71	71	71	71	71	71	71	71	71
G 91.0	69	69	69	69	69	69	69	69	69	69	68	69	69
G 92.0	67	67	67	67	67	67	67	66	66	66	66	66	66
G 93.0	65	65	65	65	65	65	64	64	64	64	64	64	64
G 94.0	63	63	63	63	63	63	63	62	62	62	62	62	62
G 95.0	61	61	61	61	61	61	61	60	60	60	60	60	60
G 96.0	59	59	59	59	59	59	59	58	58	58	58	58	58
G 97.0	57	57	57	57	57	57	57	57	57	56	56	56	57
G 98.0	55	55	55	55	55	55	55	55	55	55	55	55	55
G 99.0	53	53	53	53	53	53	53	53	53	53	53	53	53
G100.0	52	51	51	51	51	51	51	51	51	51	51	51	51
G101.0	50	50	50	50	50	50	49	49	49	49	49	49	49
G102.0	49	49	49	48	48	48	48	47	47	47	46	47	47
G103.0	47	47	47	47	46	46	46	45	45	45	44	45	45
G104.0	45	45	45	44	44	44	44	43	43	43	42	43	43
G105.0	42	42	42	42	42	42	41	41	41	41	41	41	41
G106.0	40	40	40	40	40	40	39	39	39	39	39	39	39
G107.0	38	38	38	38	38	38	37	37	37	37	37	37	37
G108.0	37	37	36	36	36	36	36	35	35	35	35	35	35
G109.0	35	35	35	34	34	34	34	34	33	33	33	33	33
G110.0	33	33	33	33	32	32	32	31	31	31	30	31	31
G111.0	31	31	31	31	30	30	30	29	29	28	28	28	29
G112.0	30	29	29	29	28	28	27	27	26	26	25	26	26
G113.0	28	27	27	27	26	26	25	25	24	24	23	24	24
G114.0	26	25	25	25	24	24	23	23	22	21	21	21	22
G115.0	24	23	23	23	22	22	21	21	20	19	19	19	20
G116.0	21	21	21	20	20	19	19	18	18	17	17	17	18
G117.0	19	19	18	18	18	17	17	16	16	15	15	15	16
G118.0	17	17	16	16	16	15	15	14	14	13	13	13	14
G119.0	15	14	14	14	14	13	13	12	12	11	11	11	12
G120.0	12	12	12	12	12	11	11	10	10	9	9	9	10
G121.0	10	10	10	10	10	9	9	8	8	7	7	7	8
G122.0	9	8	8	8	8	7	7	7	6	6	5	6	6
G123.0	7	7	6	6	6	6	5	5	5	4	4	4	5
G124.0	5	5	5	4	4	4	4	4	3	3	3	3	3
G125.0	3	3	3	3	3	3	3	2	2	2	2	2	2
G126.0	2	2	2	2	2	2	2	2	2	1	1	1	2
G127.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	0	0	0	0	0
G131.0	1	1	1	1	1	1	0	0	0	0	0	0	0
G132.0	1	1	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 10/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 73.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 74.0	152	152	152	153	153	153	153	153	153	153	153	152	152
G 75.0	148	148	148	148	148	149	149	149	148	148	148	148	148
G 76.0	142	142	142	143	143	143	143	143	143	143	143	143	142
G 77.0	136	136	136	136	136	136	136	136	136	136	136	136	136
G 78.0	129	129	129	129	129	129	129	130	130	130	130	129	129
G 79.0	122	122	122	122	123	123	123	123	123	123	123	123	123
G 80.0	115	115	115	116	116	116	116	116	116	116	116	116	116
G 81.0	108	109	109	109	109	109	110	110	110	110	110	110	110
G 82.0	102	102	103	103	103	103	103	103	103	103	103	103	103
G 83.0	96	97	97	97	97	97	97	97	97	97	97	98	98
G 84.0	91	91	91	91	91	91	91	92	92	92	92	92	92
G 85.0	86	86	86	86	86	86	86	87	87	87	87	87	88
G 86.0	82	82	82	82	82	82	82	82	82	83	83	83	84
G 87.0	79	79	78	78	78	78	78	79	79	79	79	80	80
G 88.0	76	76	75	75	75	75	75	76	76	76	76	76	77
G 89.0	73	73	73	73	73	73	73	73	73	73	73	74	74
G 90.0	71	71	71	71	71	71	71	71	71	71	71	71	71
G 91.0	69	69	69	69	69	69	69	69	69	69	69	69	69
G 92.0	66	67	67	67	67	67	67	67	67	67	67	67	67
G 93.0	64	64	65	65	65	65	65	65	65	65	65	65	65
G 94.0	62	63	63	63	63	63	63	63	63	63	63	63	63
G 95.0	60	61	61	61	61	61	61	61	61	61	61	61	61
G 96.0	58	59	59	59	59	59	59	59	59	59	59	59	60
G 97.0	57	57	57	57	57	57	57	57	57	57	57	57	58
G 98.0	55	55	55	55	55	55	55	55	55	55	55	55	56
G 99.0	53	53	53	53	53	53	53	53	53	53	53	53	54
G100.0	51	51	51	51	51	51	51	52	52	52	52	52	52
G101.0	49	49	50	50	50	50	50	50	50	50	50	50	50
G102.0	47	48	48	48	48	49	49	49	49	49	49	49	49
G103.0	45	46	46	46	47	47	47	47	47	47	47	47	47
G104.0	43	44	44	44	44	45	45	45	45	45	45	45	45
G105.0	41	41	42	42	42	42	42	42	43	43	43	43	43
G106.0	39	39	40	40	40	40	40	40	41	41	41	41	41
G107.0	37	37	38	38	38	38	38	38	39	39	39	39	39
G108.0	35	36	36	36	36	36	37	37	37	37	37	37	37
G109.0	34	34	34	34	34	35	35	35	35	35	35	35	35
G110.0	31	32	32	32	33	33	33	33	33	33	33	33	33
G111.0	29	30	30	30	31	31	31	31	31	31	31	31	31
G112.0	27	27	28	28	29	29	29	30	30	30	30	30	30
G113.0	25	25	26	26	27	27	27	28	28	28	28	28	28
G114.0	23	23	24	24	25	25	25	26	26	26	26	26	26
G115.0	21	21	22	22	23	23	23	24	24	24	24	24	24
G116.0	18	19	19	20	20	21	21	21	21	21	22	22	22
G117.0	16	17	17	18	18	18	19	19	19	19	19	20	20
G118.0	14	15	15	16	16	16	17	17	17	17	17	17	17
G119.0	12	13	13	14	14	14	14	15	15	15	15	15	15
G120.0	10	11	11	12	12	12	12	12	13	13	13	13	13
G121.0	8	9	9	10	10	10	10	10	10	10	10	10	11
G122.0	7	7	7	8	8	8	8	9	9	9	9	9	9
G123.0	5	5	6	6	6	6	7	7	7	7	7	7	7
G124.0	4	4	4	4	4	5	5	5	5	5	5	5	5
G125.0	2	3	3	3	3	3	3	3	3	4	4	4	4
G126.0	2	2	2	2	2	2	2	2	2	2	2	2	3
G127.0	1	1	1	1	1	1	1	1	2	2	2	2	2
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	0	0	1	1	1	1	1	1	1	1	1	1	1
G132.0	0	0	0	0	0	0	1	1	1	1	1	1	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 11/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	156	156	156	156	156	156	156	156	156	156	156	156	156
G 74.0	152	152	152	152	152	152	152	153	153	153	153	153	153
G 75.0	148	147	147	147	148	148	148	148	148	148	149	149	149
G 76.0	142	142	142	142	142	142	143	143	143	143	143	143	143
G 77.0	136	136	136	136	136	136	136	136	136	136	136	136	136
G 78.0	129	129	129	129	129	129	129	130	130	130	130	129	129
G 79.0	123	122	122	122	123	123	123	123	123	123	123	123	123
G 80.0	116	116	115	116	116	116	116	116	116	116	116	116	116
G 81.0	109	109	109	109	109	110	110	110	110	110	110	110	109
G 82.0	103	103	103	103	103	103	103	103	103	103	103	103	103
G 83.0	98	98	98	98	98	98	98	97	97	97	97	97	97
G 84.0	93	93	93	93	93	92	92	92	92	92	92	91	91
G 85.0	88	88	88	88	88	88	87	87	87	87	87	86	86
G 86.0	84	84	85	84	84	84	83	83	83	82	82	82	82
G 87.0	80	81	81	81	80	80	79	79	79	79	79	78	78
G 88.0	77	77	78	77	77	77	76	76	76	76	76	75	75
G 89.0	74	74	74	74	74	74	74	73	73	73	73	73	73
G 90.0	71	71	71	71	71	71	71	71	71	71	71	71	71
G 91.0	69	69	69	69	69	69	69	69	69	69	69	69	69
G 92.0	67	67	67	67	67	67	67	67	67	67	67	67	67
G 93.0	65	65	65	65	65	65	65	65	65	65	65	65	65
G 94.0	63	63	63	63	63	63	63	63	63	63	63	63	63
G 95.0	61	61	62	61	61	61	61	61	61	61	61	61	61
G 96.0	60	60	60	60	60	60	59	59	59	59	59	59	59
G 97.0	58	58	58	58	58	58	57	57	57	57	57	57	57
G 98.0	56	56	56	56	56	56	55	55	55	55	55	55	55
G 99.0	54	54	54	54	54	54	53	53	53	53	53	53	53
G100.0	52	52	52	52	52	52	52	52	52	52	52	51	51
G101.0	50	50	50	50	50	50	50	50	50	50	50	50	50
G102.0	49	48	48	48	49	49	49	49	49	49	49	49	49
G103.0	47	47	47	47	47	47	47	47	47	47	47	47	47
G104.0	45	45	45	45	45	45	45	45	45	45	45	45	45
G105.0	43	43	43	43	43	43	43	43	43	43	42	42	42
G106.0	41	41	41	41	41	41	41	41	41	41	40	40	40
G107.0	39	40	40	40	39	39	39	39	39	39	38	38	38
G108.0	38	38	38	38	38	37	37	37	37	37	37	37	36
G109.0	36	36	36	36	36	35	35	35	35	35	35	35	35
G110.0	33	33	33	33	33	33	33	33	33	33	33	33	33
G111.0	31	31	31	31	31	31	31	31	31	31	31	31	31
G112.0	30	30	30	30	30	30	30	30	30	30	30	29	29
G113.0	28	28	28	28	28	28	28	28	28	28	28	27	27
G114.0	26	26	26	26	26	26	26	26	26	26	26	25	25
G115.0	24	24	24	24	24	24	24	24	24	24	24	23	23
G116.0	22	22	22	22	22	22	22	22	21	21	21	21	21
G117.0	20	20	20	20	20	20	20	19	19	19	19	19	18
G118.0	18	18	18	18	18	17	17	17	17	17	17	17	16
G119.0	15	15	15	15	15	15	15	15	15	15	15	14	14
G120.0	13	13	13	13	13	13	13	13	13	13	12	12	12
G121.0	11	11	11	11	11	11	10	10	10	10	10	10	10
G122.0	9	9	9	9	9	9	9	9	9	9	9	8	8
G123.0	7	7	7	7	7	7	7	7	7	7	7	7	6
G124.0	5	5	5	5	5	5	5	5	5	5	5	5	5
G125.0	4	4	4	4	4	4	4	4	4	3	3	3	3
G126.0	3	3	3	3	3	3	2	2	2	2	2	2	2
G127.0	2	2	2	2	2	2	2	2	2	2	1	1	1
G128.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G131.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G132.0	0	0	0	0	0	0	1	1	1	1	1	1	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 12/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	156	156	156	156	156	156	156
G 74.0	153	153	152	152	152	152	152
G 75.0	148	148	148	148	148	147	147
G 76.0	143	143	142	142	142	142	142
G 77.0	136	136	136	136	136	135	135
G 78.0	129	129	129	129	129	128	128
G 79.0	123	122	122	122	122	121	121
G 80.0	116	116	115	115	115	114	114
G 81.0	109	109	109	109	108	108	108
G 82.0	103	103	103	102	102	102	102
G 83.0	97	97	97	97	96	96	96
G 84.0	91	91	91	91	91	91	91
G 85.0	86	86	86	86	86	86	86
G 86.0	82	82	82	82	82	82	82
G 87.0	78	78	78	79	79	79	79
G 88.0	75	75	75	76	76	76	76
G 89.0	73	73	73	73	73	73	73
G 90.0	71	71	71	71	71	71	71
G 91.0	69	69	69	69	69	69	69
G 92.0	67	67	67	67	66	66	66
G 93.0	65	65	65	64	64	64	64
G 94.0	63	63	63	63	62	62	62
G 95.0	61	61	61	61	60	60	60
G 96.0	59	59	59	59	58	58	58
G 97.0	57	57	57	57	57	57	56
G 98.0	55	55	55	55	55	55	55
G 99.0	53	53	53	53	53	53	53
G100.0	51	51	51	51	51	51	51
G101.0	50	50	50	49	49	49	49
G102.0	48	48	48	48	47	47	47
G103.0	47	46	46	46	45	45	45
G104.0	44	44	44	44	43	43	43
G105.0	42	42	42	41	41	41	41
G106.0	40	40	40	39	39	39	39
G107.0	38	38	38	37	37	37	37
G108.0	36	36	36	36	35	35	35
G109.0	34	34	34	34	34	33	33
G110.0	33	32	32	32	31	31	31
G111.0	31	30	30	30	29	29	28
G112.0	29	28	28	27	27	26	26
G113.0	27	26	26	25	25	24	24
G114.0	25	24	24	23	23	22	21
G115.0	23	22	22	21	21	20	19
G116.0	20	20	19	19	18	18	17
G117.0	18	18	17	17	16	16	15
G118.0	16	16	15	15	14	14	13
G119.0	14	14	13	13	12	12	11
G120.0	12	12	11	11	10	10	9
G121.0	10	10	9	9	8	8	7
G122.0	8	8	7	7	7	6	6
G123.0	6	6	6	5	5	5	4
G124.0	4	4	4	4	4	3	3
G125.0	3	3	3	3	2	2	2
G126.0	2	2	2	2	2	2	1
G127.0	1	1	1	1	1	1	1
G128.0	1	1	1	1	1	1	1
G129.0	1	1	1	1	1	1	1
G130.0	1	1	1	1	1	0	0
G131.0	1	1	1	0	0	0	0
G132.0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 13/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	1	1	1	1	1	1
G157.0	0	0	0	0	0	1	1	1	1	1	1	1	1
G158.0	0	0	0	0	1	1	1	1	1	1	1	1	1
G159.0	0	0	0	1	1	1	1	1	1	1	1	1	1
G160.0	0	0	1	1	1	1	1	1	1	1	1	1	1
G161.0	0	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 14/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	1	1	1	1	0	0	0	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 15/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	1	1	1	1	0	0	0	0	0	0	0	0	0
G157.0	1	1	1	1	1	1	0	0	0	0	0	0	0
G158.0	1	1	1	1	1	1	1	0	0	0	0	0	0
G159.0	1	1	1	1	1	1	1	1	0	0	0	0	0
G160.0	1	1	1	1	1	1	1	1	1	0	0	0	1
G161.0	1	1	1	1	1	1	1	1	1	1	0	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 16/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	1	1	1	1	1	1	1	1	1
G157.0	0	0	1	1	1	1	1	1	1	1	1	1	1
G158.0	0	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Luminous Intensity Table cd Table 17/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	1	0	0	0	1	1	1	1	1	1	1	1	1
G157.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G158.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G159.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G160.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G161.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CR190

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Luminous Intensity Table cd Table 18/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0
G156.0	1	0	0	0	0	0	0
G157.0	1	1	1	0	0	0	0
G158.0	1	1	1	1	0	0	0
G159.0	1	1	1	1	1	0	0
G160.0	1	1	1	1	1	1	0
G161.0	1	1	1	1	1	1	1
G162.0	1	1	1	1	1	1	1
G163.0	1	1	1	1	1	1	1
G164.0	1	1	1	1	1	1	1
G165.0	1	1	1	1	1	1	1
G166.0	1	1	1	1	1	1	1
G167.0	1	1	1	1	1	1	1
G168.0	1	1	1	1	1	1	1
G169.0	1	1	1	1	1	1	1
G170.0	1	1	1	1	1	1	1
G171.0	1	1	1	1	1	1	1
G172.0	1	1	1	1	1	1	1
G173.0	1	1	1	1	1	1	1
G174.0	1	1	1	1	1	1	1
G175.0	1	1	1	1	1	1	1
G176.0	1	1	1	1	1	1	1
G177.0	1	1	1	1	1	1	1
G178.0	1	1	1	1	1	1	1
G179.0	1	1	1	1	1	1	1
G180.0	1	1	1	1	1	1	1

Luminaire

Code 5491
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CRI90



Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Diam=103mm

Semiplanos C


180.0 ————— 0.0

270.0 ————— 90.0



Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measurem.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG	Asymmetrical



Luminaire

Code 5491
Name PUCK WALL ART LED

Measurem.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	Viewed Crosswise					Viewed Endwise				
x=2H y=2H	8.3	9.7	8.8	10.2	10.7	8.4	9.7	8.8	10.2	10.7
x=2H y=3H	11.2	12.4	11.6	12.9	13.4	11.2	12.4	11.6	12.9	13.4
x=2H y=4H	12.5	13.7	13.0	14.2	14.8	12.5	13.7	13.1	14.2	14.8
x=2H y=6H	13.7	14.8	14.2	15.3	15.9	13.7	14.8	14.2	15.3	15.9
x=2H y=8H	14.2	15.2	14.7	15.8	16.4	14.2	15.3	14.7	15.8	16.4
x=2H y=12H	14.6	15.7	15.2	16.2	16.8	14.7	15.7	15.2	16.2	16.8
x=4H y=2H	9.5	10.7	10.0	11.2	11.7	9.5	10.7	10.0	11.2	11.7
x=4H y=3H	12.4	13.4	13.0	14.0	14.6	12.4	13.4	13.0	14.0	14.6
x=4H y=4H	13.9	14.8	14.5	15.4	16.0	13.9	14.8	14.5	15.4	16.0
x=4H y=6H	15.2	16.0	15.8	16.6	17.2	15.2	16.0	15.8	16.6	17.3
x=4H y=8H	15.7	16.5	16.3	17.1	17.8	15.8	16.5	16.4	17.1	17.8
x=4H y=12H	16.2	17.0	16.9	17.6	18.3	16.3	17.0	16.9	17.6	18.3
x=8H y=4H	14.5	15.3	15.1	15.9	16.6	14.5	15.3	15.1	15.9	16.6
x=8H y=6H	16.0	16.6	16.6	17.3	18.0	16.0	16.7	16.6	17.3	18.0
x=8H y=8H	16.7	17.3	17.3	17.9	18.6	16.7	17.3	17.4	17.9	18.7
x=8H y=12H	17.3	17.8	18.0	18.5	19.3	17.4	17.9	18.0	18.6	19.3
x=12H y=4H	14.6	15.3	15.2	15.9	16.6	14.6	15.3	15.2	15.9	16.6
x=12H y=6H	16.2	16.8	16.8	17.4	18.1	16.2	16.8	16.8	17.4	18.1
x=12H y=8H	16.9	17.4	17.6	18.1	18.8	17.0	17.5	17.6	18.1	18.9


Luminaire
Code 5491
Name PUCK WALL ART LED
Measurem.
Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	5.13	10.25	15.38	20.51	25.64	OC	5.23	10.47	15.70	20.94	26.17
OB	5.13	10.25	15.38	20.51	25.64	OD	5.23	10.47	15.70	20.94	26.17

	Luminous Intensities [cd]									
	0	5	15	25	35	45	55	65	75	85
OA	242.02	241.11	234.85	223.05	208.36	194.71	183.46	174.34	146.88	86.48
OB	242.02	241.11	234.85	223.05	208.36	194.71	183.46	174.34	146.88	86.48
OC	242.02	241.18	234.91	223.29	208.59	195.00	183.86	174.36	147.18	88.47
OD	242.02	241.18	234.91	223.29	208.59	195.00	183.86	174.36	147.18	88.47



H[m]	D[m]	Max lux	Med lux	Alpha=79.0°+79.0°	G=0.0	
1.00	10.25	242	9			
2.00	20.51	61	2			
3.00	30.76	27	1			
4.00	41.02	15	1			
5.00	51.27	10	0			

H[m]	D[m]	Max lux	Med lux	Beta=79.2°+79.2°	G=0.0	
1.00	10.47	242	9			
2.00	20.94	61	2			
3.00	31.41	27	1			
4.00	41.88	15	1			
5.00	52.35	10	0			

Luminaire

Code 5491
Name PUCK WALL ART LED

Measur.

Code
Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG Asymmetrical	

Flujo Total=1200.84 Flujo Luminaria=1200.84

RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.21	0.28	0.34	0.40	0.46	0.55	0.61	0.66	0.72	0.76	0.86	0.93
RC	8	8	8	8	8	7	7	7	7	7	7	7

Flujo Zonal por 1000 Lúmenes

Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	19	74	160	269	395	533	676	804	885	940	977	996	999	999	1000	1000	1000	1000


Códigos de Flujo C.I.E.

32 60 85 88 100

C.I.E.
D DIN 5040
F UTE
B NBN
RN
BLF

8/8/8/8/7/7/7/7/7/7/7
B21
0.88 H + 0.12 T
BZ 6
11.54898 %
1.0

LOR 100.00000 %
ULOR 11.54898 %
DLOR 88.45102 %
UFF 11.54898 %
DFF 88.45102 %
FFR 13.05692 %



Flujo Zonal				
Gamma °	Flujo	Suma lm	Flujo [%]	Suma [%]
0°	0.00	0.00	0.00%	0.00 %
5°	4.81	4.81	0.48 %	0.48 %
10°	14.30	19.11	1.43 %	1.91 %
15°	23.41	42.52	2.34 %	4.25 %
20°	31.90	74.42	3.19 %	7.44 %
25°	39.56	113.98	3.96 %	11.40 %
30°	46.31	160.29	4.63 %	16.03 %
35°	52.03	212.32	5.20 %	21.23 %
40°	56.95	269.27	5.70 %	26.93 %
45°	61.06	330.33	6.11 %	33.03 %
50°	64.70	395.03	6.47 %	39.50 %
55°	67.55	462.58	6.76 %	46.26 %
60°	70.03	532.62	7.00 %	53.26 %
65°	71.89	604.51	7.19 %	60.45 %
70°	71.68	676.19	7.17 %	67.62 %
75°	68.38	744.57	6.84 %	74.46 %
80°	58.95	803.52	5.90 %	80.35 %
85°	45.43	848.95	4.54 %	84.89 %
90°	35.56	884.51	3.56 %	88.45 %
95°	30.05	914.56	3.00 %	91.46 %
100°	25.39	939.95	2.54 %	93.99 %
105°	20.98	960.93	2.10 %	96.09 %
110°	16.28	977.20	1.63 %	97.72 %
115°	11.65	988.85	1.17 %	98.89 %
120°	6.95	995.81	0.70 %	99.58 %
125°	2.75	998.55	0.27 %	99.86 %
130°	0.52	999.07	0.05 %	99.91 %
135°	0.16	999.23	0.02 %	99.92 %
140°	0.15	999.38	0.01 %	99.94 %
145°	0.13	999.51	0.01 %	99.95 %
150°	0.12	999.63	0.01 %	99.96 %
155°	0.10	999.73	0.01 %	99.97 %
160°	0.09	999.82	0.01 %	99.98 %
165°	0.07	999.89	0.01 %	99.99 %
170°	0.06	999.95	0.01 %	99.99 %
175°	0.04	999.99	0.00 %	100.00 %
180°	0.01	1000.00	0.00 %	100.00 %

Luminaire
 Code 5491
 Name PUCK WALL ART LED
Measurem.
 Code
 Name 2700K CRI90

Luminaire Flux	1200.84 lm	Luminaire Power	44.42 W	Efficacy	27.03 lm/W	Efficiency	100.00%
Sources Flux	1200.84 lm	Maximum value	242.02 cd	Position	C=0.00 G=0.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m

