


Luminaire			Measurem.			Lamp	
Code	7749		Code	7749		Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors		Name	Small wall lamp 0 reflectors		Number	1
Line	VIBIA-Set		Date	24-10-2013		Position	Universal
Efficiency		72.94%	Coordinate system		CG	Total Flux	714.00 lm
Maximum value		360.23 cd/klm	Position		C=0.00 G=180.00	Asymmetrical	
Rectangular Luminaire		Length	98 mm	Width	175 mm	Height	32 mm
Rectangular Luminous Area		Length	55 mm	Width	45 mm	Height	0 mm
Horizontal Luminous Area		0.002475 m2	Emitting area on Plane 180°			0.000000 m2	
Emitting area on Plane 0°		0.000000 m2	Emitting area on Plane 270°			0.000000 m2	
Emitting area on Plane 90°		0.000000 m2	Glare area at 76°			0.000599 m2	
Symmetry Type		Asymmetrical	Maximum Gamma Angle			180	
Measurement Distance		6.44	Measurement Flux			714.00 lm	
Operator		Asselum T2	Source voltage			230.00 V	
Temperature		21.00 °C	Source current				
Humidity		57.00 %	Photocell			PRC	
Notes							

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
- VIBIA	1 led 350mA 7.35W	1 led 350mA 7.35W	714.00	7.00	1
C.I.E.	0 0 0 0 73	D DIN 5040			
F UTE	0.73 T	B NBN		BZ 10	


98mm x 175mm



C Halfplanes

180.0 — 0.0
 270.0 — 90.0

ULOR 72.93 %
 DLOR 0.01 %
 RN 99.98 %



Luminaire		Measur.								Lamp				
Code	7749	Code 7749								Code	1 led 350mA 7.35W			
Name	Small wall lamp 0 reflectors	Name Small wall lamp 0 reflectors								Number	1			
Line	VIBIA-Set	Date 24-10-2013								Position	Universal			
Efficiency		72.94%		Coordinate system				CG		Total Flux		714.00 lm		
Luminous Intensity Table cd/klm													Table 1/1	
	C 0.00	C 15.00	C 30.00	C 45.00	C 60.00	C 75.00	C 90.00	C 105.00	C 120.00	C 135.00	C 150.00	C 165.00		
G 0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 90.0	0.46	0.47	0.47	0.49	0.49	0.48	0.46	0.48	0.49	0.49	0.47	0.47	0.47	
G 95.0	5.02	3.29	4.16	5.17	5.09	4.21	5.23	4.21	5.09	5.17	4.16	3.29	3.29	
G100.0	15.49	14.06	14.31	14.83	15.71	14.80	15.22	14.80	15.71	14.83	14.31	14.06	14.06	
G105.0	25.93	23.84	25.30	25.88	25.22	24.84	24.50	24.84	25.22	25.88	25.30	23.84	23.84	
G110.0	38.03	35.65	36.18	36.93	36.89	36.48	35.94	36.48	36.89	36.93	36.18	35.65	35.65	
G115.0	51.16	49.39	49.35	50.41	51.02	50.03	50.42	50.03	51.02	50.41	49.35	49.39	49.39	
G120.0	70.81	66.98	69.66	70.92	68.88	69.45	67.56	69.45	68.88	70.92	69.66	66.98	66.98	
G125.0	99.24	95.54	94.84	95.80	97.90	96.59	96.66	96.59	97.90	95.80	94.84	95.54	95.54	
G130.0	135.37	126.68	129.57	132.35	129.37	131.59	128.27	131.59	129.37	132.35	129.57	126.68	126.68	
G135.0	177.61	169.62	168.45	170.32	171.73	171.85	170.82	171.85	171.73	170.32	168.45	169.62	169.62	
G140.0	219.20	209.28	212.45	213.24	210.42	212.15	208.57	212.15	210.42	213.24	212.45	209.28	209.28	
G145.0	255.43	247.55	248.06	248.95	248.18	247.96	246.65	247.96	248.18	248.95	248.06	247.55	247.55	
G150.0	283.84	279.95	279.28	279.90	280.38	278.82	279.11	278.82	280.38	279.90	279.28	279.95	279.95	
G155.0	309.94	304.99	306.77	306.95	305.42	305.30	304.24	305.30	305.42	306.95	306.77	304.99	304.99	
G160.0	329.12	327.02	326.64	326.60	327.41	326.31	326.83	326.31	327.41	326.60	326.64	327.02	327.02	
G165.0	344.21	341.13	342.02	342.48	341.27	341.92	341.26	341.92	341.27	342.48	342.02	341.13	341.13	
G170.0	353.78	352.72	351.87	352.15	352.67	352.51	352.98	352.51	352.67	352.15	351.87	352.72	352.72	
G175.0	359.02	358.47	358.55	358.46	358.30	358.35	358.25	358.35	358.30	358.46	358.55	358.47	358.47	
G180.0	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	
	C 180.00	C 195.00	C 210.00	C 225.00	C 240.00	C 255.00	C 270.00	C 285.00	C 300.00	C 315.00	C 330.00	C 345.00		
G 0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 90.0	0.46	0.47	0.47	0.49	0.49	0.48	0.46	0.48	0.49	0.49	0.47	0.47	0.47	
G 95.0	5.02	3.29	4.16	5.17	5.09	4.21	5.23	4.21	5.09	5.17	4.16	3.29	3.29	
G100.0	15.49	14.06	14.31	14.83	15.71	14.80	15.22	14.80	15.71	14.83	14.31	14.06	14.06	
G105.0	25.93	23.84	25.30	25.88	25.22	24.84	24.50	24.84	25.22	25.88	25.30	23.84	23.84	
G110.0	38.03	35.65	36.18	36.93	36.89	36.48	35.94	36.48	36.89	36.93	36.18	35.65	35.65	
G115.0	51.16	49.39	49.35	50.41	51.02	50.03	50.42	50.03	51.02	50.41	49.35	49.39	49.39	
G120.0	70.81	66.98	69.66	70.92	68.88	69.45	67.56	69.45	68.88	70.92	69.66	66.98	66.98	
G125.0	99.24	95.54	94.84	95.80	97.90	96.59	96.66	96.59	97.90	95.80	94.84	95.54	95.54	
G130.0	135.37	126.68	129.57	132.35	129.37	131.59	128.27	131.59	129.37	132.35	129.57	126.68	126.68	
G135.0	177.61	169.62	168.45	170.32	171.73	171.85	170.82	171.85	171.73	170.32	168.45	169.62	169.62	
G140.0	219.20	209.28	212.45	213.24	210.42	212.15	208.57	212.15	210.42	213.24	212.45	209.28	209.28	
G145.0	255.43	247.55	248.06	248.95	248.18	247.96	246.65	247.96	248.18	248.95	248.06	247.55	247.55	
G150.0	283.84	279.95	279.28	279.90	280.38	278.82	279.11	278.82	280.38	279.90	279.28	279.95	279.95	
G155.0	309.94	304.99	306.77	306.95	305.42	305.30	304.24	305.30	305.42	306.95	306.77	304.99	304.99	
G160.0	329.12	327.02	326.64	326.60	327.41	326.31	326.83	326.31	327.41	326.60	326.64	327.02	327.02	
G165.0	344.21	341.13	342.02	342.48	341.27	341.92	341.26	341.92	341.27	342.48	342.02	341.13	341.13	
G170.0	353.78	352.72	351.87	352.15	352.67	352.51	352.98	352.51	352.67	352.15	351.87	352.72	352.72	
G175.0	359.02	358.47	358.55	358.46	358.30	358.35	358.25	358.35	358.30	358.46	358.55	358.47	358.47	
G180.0	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	360.23	



Luminaire		Measur.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm

C Halfplanes


180.0 ————— 0.0

270.0 ————— 90.0




Luminaire		Measurem.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm



C Halfplanes

180.0 ————— 0.0
 270.0 ————— 90.0



Luminaire		Measurem.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=2H y=3H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=2H y=4H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=2H y=6H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=2H y=8H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=2H y=12H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=2H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=3H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=4H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=6H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=8H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=4H y=12H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=8H y=4H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=8H y=6H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=8H y=8H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=8H y=12H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=12H y=4H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=12H y=6H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0
x=12H y=8H	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0	< 0

Luminaire		Measur.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

Total Flux=714.00 Luminaire Flux=520.80


RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.06	0.11	0.30	0.50
RC	-	-	-	-	-	-	-	-	-	-	-	-

Zonal Flux per 1000 Lumen																		
Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	0	0	0	0	0	0	0	0	0	7	34	84	172	304	459	599	695	729

CIE Flux Codes
0 0 0 0 73

C.I.E. -/-/-/-/-/-/-/-/-/-
D DIN 5040 --
F UTE 0.73 T
B NBN BZ 10
RN 99.98211 %
BLF 1.0

LOR 72.94160 %
ULOR 72.92855 %
DLOR 0.01305 %
UFF 99.98211 %
DFF 0.01789 %
FFR 558773.39737 %




Zonal Flux				
Gamma °	Flux	Sum lm	Flux [%]	Sum [%]
0°	0.00	0.00	0.00 %	0.00 %
5°	0.00	0.00	0.00 %	0.00 %
10°	0.00	0.00	0.00 %	0.00 %
15°	0.00	0.00	0.00 %	0.00 %
20°	0.00	0.00	0.00 %	0.00 %
25°	0.00	0.00	0.00 %	0.00 %
30°	0.00	0.00	0.00 %	0.00 %
35°	0.00	0.00	0.00 %	0.00 %
40°	0.00	0.00	0.00 %	0.00 %
45°	0.00	0.00	0.00 %	0.00 %
50°	0.00	0.00	0.00 %	0.00 %
55°	0.00	0.00	0.00 %	0.00 %
60°	0.00	0.00	0.00 %	0.00 %
65°	0.00	0.00	0.00 %	0.00 %
70°	0.00	0.00	0.00 %	0.00 %
75°	0.00	0.00	0.00 %	0.00 %
80°	0.00	0.00	0.00 %	0.00 %
85°	0.00	0.00	0.00 %	0.00 %
90°	0.13	0.13	0.02 %	0.02 %
95°	1.36	1.49	0.19 %	0.20 %
100°	5.26	6.75	0.72 %	0.93 %
105°	10.67	17.43	1.46 %	2.39 %
110°	16.09	33.52	2.21 %	4.60 %
115°	21.95	55.47	3.01 %	7.60 %
120°	29.01	84.48	3.98 %	11.58 %
125°	38.28	122.76	5.25 %	16.83 %
130°	49.28	172.05	6.76 %	23.59 %
135°	60.87	232.92	8.35 %	31.93 %
140°	70.90	303.83	9.72 %	41.65 %
145°	76.84	380.66	10.53 %	52.19 %
150°	77.84	458.50	10.67 %	62.86 %
155°	74.17	532.67	10.17 %	73.03 %
160°	66.40	599.07	9.10 %	82.13 %
165°	55.13	654.19	7.56 %	89.69 %
170°	41.20	695.39	5.65 %	95.34 %
175°	25.44	720.82	3.49 %	98.82 %
180°	8.59	729.42	1.18 %	100.00 %

Luminaire		Measur.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

Width at 50.00 % of MaxLux

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	0.99	1.98	2.97	3.96	4.95	OC	0.96	1.92	2.88	3.84	4.80
OB	0.99	1.98	2.97	3.96	4.95	OD	0.96	1.92	2.88	3.84	4.80

	0	5	15	25	35	45	55	65	75	85
OA	257.21	256.34	245.76	221.30	182.38	126.81	70.86	36.53	18.51	3.58
OB	257.21	256.34	245.76	221.30	182.38	126.81	70.86	36.53	18.51	3.58
OC	257.21	255.79	243.66	217.23	176.11	121.97	69.02	36.00	17.49	3.73
OD	257.21	255.79	243.66	217.23	176.11	121.97	69.02	36.00	17.49	3.73




5.00	9.90	10	4		
4.00	7.92	16	6		
3.00	5.94	29	11		
2.00	3.96	64	24		
1.00	1.98	257	97		
H[m]	D[m]	Max lux	Med lux	Alpha=44.7°+44.7°	G=0.0

5.00	9.60	10	4		
4.00	7.68	16	6		
3.00	5.76	29	11		
2.00	3.84	64	24		
1.00	1.92	257	97		
H[m]	D[m]	Max lux	Med lux	Beta=43.8°+43.8°	G=0.0

Luminaire		Measur.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

Isolux (Ceiling)

Luminaire position X=0.00m Y=0.00m Z=0.20m



Luminaire				Measur.				Lamp			
Code	7749			Code	7749			Code	1 led 350mA 7.35W		
Name	Small wall lamp 0 reflectors			Name	Small wall lamp 0 reflectors			Number	1		
Line	VIBIA-Set			Date	24-10-2013			Position	Universal		
Efficiency	72.94%			Coordinate system	CG			Total Flux	714.00 lm		

Utilizations CIE


Mounting	Direct				Normalization				Normalised				Suspension Ratio				Standard CIE Settings						

Luminaire		Measur.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency	72.94%	Coordinate system	CG	Total Flux	714.00 lm

Average Luminance [cd/m²]

0.0° 45° 50° 55° 60° 65° 70° 75° 80° 85° ---

Flush mounted or longitudinal view												
		Illumination(lx)										
A	A	2000	1000	750	500		<300					1.15
B	1		2000	1500	1000	750	500	<300				1.5
C					2000		1000	500	<300			1.85
D	2						2000	1000	500	<300		2.2
E	3							2000	1000	500	<300	2.55



Transversal —————

Luminaire		Measurem.		Lamp	
Code	7749	Code	7749	Code	1 led 350mA 7.35W
Name	Small wall lamp 0 reflectors	Name	Small wall lamp 0 reflectors	Number	1
Line	VIBIA-Set	Date	24-10-2013	Position	Universal
Efficiency 72.94%		Coordinate system CG		Total Flux	714.00 lm

Luminaire					Measurem.					Lamp				
Code	7749				Code	7749				Code	1 led 350mA 7.35W			
Name	Small wall lamp 0 reflectors				Name	Small wall lamp 0 reflectors				Number	1			
Line	VIBIA-Set				Date	24-10-2013				Position	Universal			
Efficiency		72.94%			Coordinate system		CG			Total Flux		714.00 lm		
Luminance cd/m2					Table 1/3									
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00	
G 0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Luminaire					Measurem.					Lamp			
Code	7749				Code	7749				Code	1 led 350mA 7.35W		
Name	Small wall lamp 0 reflectors				Name	Small wall lamp 0 reflectors				Number	1		
Line	VIBIA-Set				Date	24-10-2013				Position	Universal		
Efficiency		72.94%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2 Table 2/3													
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measurem.					Lamp			
Code	7749				Code	7749				Code	1 led 350mA 7.35W		
Name	Small wall lamp 0 reflectors				Name	Small wall lamp 0 reflectors				Number	1		
Line	VIBIA-Set				Date	24-10-2013				Position	Universal		
Efficiency		72.94%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2 Table 3/3													
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00