


Luminaire		Measurem.		Lamp		
Code	7752	Code	7752	Code	1 led 350mA 7.35W	
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1	
Line	VIBIA-Set	Date	28-01-2014	Position	Universal	
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm	
Maximum value	263.50 cd/klm	Position	C=260.00 G=160.00	Asymmetrical		
Rectangular Luminaire	Length	98 mm	Width	175 mm	Height	32 mm
Rectangular Luminous Area	Length	55 mm	Width	45 mm	Height	0 mm
Horizontal Luminous Area	0.002475 m2	Emitting area on Plane 180°		0.000000 m2		
Emitting area on Plane 0°	0.000000 m2	Emitting area on Plane 270°		0.000000 m2		
Emitting area on Plane 90°	0.000000 m2	Glare area at 76°		0.000599 m2		
Symmetry Type	Asymmetrical	Maximum Gamma Angle		180		
Measurement Distance	0.00	Measurement Flux		714.00 lm		
Operator	Asselum	Source voltage		230.00 V		
Temperature	20.00 °C	Source current				
Humidity	50.00 %	Photocell				
Notes	1 * Type of lamp = 518 lm					

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
- VIBIA	1 led 350mA 7.35W	1 led 350mA 7.35W	714.00	7.00	1
C.I.E.	32 67 89 15 58	D DIN 5040			
F UTE	0.08 I + 0.50 T	B NBN			
		D23			
		BZ 6			


98mm x 175mm



C Halfplanes

180.0 — 0.0
 270.0 — 90.0

ULOR 49.98 %
 DLOR 8.48 %
 RN 85.49 %



Luminaire				Measurem.				Lamp					
Code	7752			Code	7752			Code	1 led 350mA 7.35W				
Name	Small wall lamp 3 reflectors			Name	Small wall lamp 3 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency	58.46%			Coordinate system	CG			Total Flux	714.00 lm				
Luminous Intensity Table cd/klm								Table 1/3					
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00
G 0.0	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12
G 10.0	9.23	9.84	11.52	12.87	14.43	15.52	16.68	17.23	17.66	17.77	17.65	16.82	16.28
G 20.0	12.18	13.68	16.27	18.95	21.41	22.96	24.58	25.45	25.85	25.44	25.87	25.04	24.35
G 30.0	16.60	18.86	21.60	23.08	25.08	25.66	26.30	26.61	27.47	26.57	26.90	26.41	27.12
G 40.0	19.09	21.37	23.25	23.91	24.35	23.74	23.84	23.32	24.10	23.45	23.97	24.62	25.59
G 50.0	16.77	18.97	20.07	20.38	20.03	20.01	20.65	20.28	19.74	20.01	19.70	20.25	20.84
G 60.0	13.60	14.64	14.82	15.22	15.32	16.12	16.70	15.95	15.41	16.07	16.25	16.02	16.06
G 70.0	8.37	8.85	9.52	10.63	11.30	11.63	10.96	11.51	11.02	10.38	10.78	11.19	11.53
G 80.0	4.67	5.07	6.14	6.34	6.03	5.59	5.73	6.07	5.92	5.43	5.42	5.95	5.44
G 90.0	4.42	4.44	4.80	4.79	4.33	3.86	4.06	3.89	3.55	3.64	3.33	3.44	3.97
G100.0	14.33	14.64	14.69	15.32	15.63	14.93	12.83	13.19	13.53	14.12	13.27	12.52	14.42
G110.0	33.53	33.55	33.47	33.75	34.64	35.48	32.74	32.81	33.55	33.87	33.52	31.86	32.74
G120.0	62.50	61.77	62.53	61.20	61.13	62.36	61.59	63.79	65.34	64.98	62.44	59.51	61.21
G130.0	104.03	99.34	96.77	99.12	103.85	108.04	108.52	109.98	111.63	113.57	112.75	108.52	109.29
G140.0	120.08	94.70	85.24	101.31	127.91	150.85	161.71	166.18	167.60	166.67	167.40	166.64	167.31
G150.0	112.75	67.17	48.40	55.48	86.84	122.00	152.34	175.25	191.68	201.45	206.21	209.12	205.19
G160.0	122.85	81.90	55.86	44.02	49.89	68.92	94.54	122.59	149.17	171.99	186.42	194.15	184.33
G170.0	136.70	114.53	96.72	84.49	78.13	77.20	80.59	88.23	97.17	106.50	111.23	114.10	111.97
G180.0	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24

Luminaire				Measurem.				Lamp					
Code	7752			Code	7752			Code	1 led 350mA 7.35W				
Name	Small wall lamp 3 reflectors			Name	Small wall lamp 3 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency	58.46%			Coordinate system	CG			Total Flux	714.00 lm				
Luminous Intensity Table cd/klm								Table 2/3					
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12
G 10.0	15.24	13.75	12.97	11.78	10.11	9.27	8.33	7.85	7.13	7.15	6.81	7.08	6.94
G 20.0	22.81	20.67	18.62	15.86	12.90	11.65	10.01	9.30	9.00	9.52	9.85	10.04	10.29
G 30.0	26.28	24.51	20.97	16.72	12.93	11.39	9.54	9.38	10.36	11.39	13.80	14.94	15.82
G 40.0	24.87	24.25	21.62	18.50	14.70	12.65	11.58	11.88	13.72	15.46	18.45	20.14	21.30
G 50.0	21.54	20.79	19.87	19.09	17.53	16.10	15.55	15.47	17.00	17.80	19.33	19.99	20.87
G 60.0	16.94	16.60	16.67	15.71	15.27	16.56	17.27	16.02	15.43	14.89	15.74	16.04	15.95
G 70.0	12.05	11.84	11.98	11.37	11.55	11.44	11.84	12.16	11.64	10.77	11.18	11.95	11.19
G 80.0	5.57	5.96	6.20	6.30	5.99	5.57	6.19	6.56	6.89	5.96	5.85	7.04	6.54
G 90.0	4.03	4.06	4.27	4.38	4.07	3.81	4.46	4.59	4.39	4.49	4.77	4.86	4.73
G100.0	14.86	14.60	14.37	13.90	13.04	12.90	14.42	14.38	14.17	14.68	15.26	14.84	14.47
G110.0	33.97	34.13	34.18	32.72	31.70	32.19	33.61	33.00	32.92	32.98	33.40	33.17	33.94
G120.0	62.47	62.80	63.48	59.60	58.08	61.27	62.27	61.13	60.11	61.88	60.50	60.35	61.55
G130.0	109.82	109.12	106.25	85.71	70.74	82.41	103.26	110.56	108.79	109.47	106.44	108.21	108.60
G140.0	163.50	156.01	130.85	83.32	61.80	90.64	140.20	165.04	166.13	169.73	167.40	167.40	166.46
G150.0	191.15	159.59	112.04	70.58	70.55	109.50	165.17	202.89	217.19	221.60	222.62	221.82	222.41
G160.0	163.43	132.06	102.51	90.20	102.90	135.15	178.93	218.59	241.15	255.10	260.76	260.95	262.54
G170.0	109.22	109.14	112.22	120.54	131.94	146.48	167.41	190.08	210.28	229.22	241.08	247.52	250.84
G180.0	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24

Luminaire				Measurem.				Lamp					
Code	7752			Code	7752			Code	1 led 350mA 7.35W				
Name	Small wall lamp 3 reflectors			Name	Small wall lamp 3 reflectors			Number	1				
Line	VIBIA-Set			Date	28-01-2014			Position	Universal				
Efficiency		58.46%		Coordinate system		CG		Total Flux		714.00 lm			
Luminous Intensity Table cd/klm								Table 3/3					
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12	8.12
G 10.0	9.27	8.33	7.85	7.13	7.15	6.81	7.08	6.94	7.02	7.06	7.00	6.77	6.97
G 20.0	11.65	10.01	9.30	9.00	9.52	9.85	10.04	10.29	10.70	11.08	10.87	11.31	10.70
G 30.0	11.39	9.54	9.38	10.36	11.39	13.80	14.94	15.82	17.05	17.91	18.08	18.69	17.07
G 40.0	12.65	11.58	11.88	13.72	15.46	18.45	20.14	21.30	21.91	23.31	23.48	23.76	22.71
G 50.0	16.10	15.55	15.47	17.00	17.80	19.33	19.99	20.87	20.16	21.33	22.07	22.60	22.45
G 60.0	16.56	17.27	16.02	15.43	14.89	15.74	16.04	15.95	15.52	16.81	17.89	17.25	16.44
G 70.0	11.44	11.84	12.16	11.64	10.77	11.18	11.95	11.19	11.00	11.73	12.41	11.53	11.14
G 80.0	5.57	6.19	6.56	6.89	5.96	5.85	7.04	6.54	5.92	6.33	6.56	6.36	6.08
G 90.0	3.81	4.46	4.59	4.39	4.49	4.77	4.86	4.73	4.52	5.02	4.52	4.26	4.53
G100.0	12.90	14.42	14.38	14.17	14.68	15.26	14.84	14.47	14.72	15.14	13.53	13.54	14.31
G110.0	32.19	33.61	33.00	32.92	32.98	33.40	33.17	33.94	34.56	33.59	32.17	31.83	31.92
G120.0	61.27	62.27	61.13	60.11	61.88	60.50	60.35	61.55	62.82	63.13	61.68	60.54	62.35
G130.0	82.41	103.26	110.56	108.79	109.47	106.44	108.21	108.60	109.58	111.37	111.03	110.42	112.01
G140.0	90.64	140.20	165.04	166.13	169.73	167.40	167.40	166.46	170.95	172.49	173.12	171.63	171.70
G150.0	109.50	165.17	202.89	217.19	221.60	222.62	221.82	222.41	224.38	224.02	227.58	226.54	226.40
G160.0	135.15	178.93	218.59	241.15	255.10	260.76	260.95	262.54	263.50	262.19	261.83	262.44	258.69
G170.0	146.48	167.41	190.08	210.28	229.22	241.08	247.52	250.84	253.31	255.14	252.83	250.08	242.26
G180.0	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24	143.24



Luminaire		Measurem.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm

C Halfplanes


180.0 ————— 0.0

270.0 ————— 90.0



Luminaire		Measur.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

98mm x 175mm



C Halfplanes

180.0 ————— 0.0
 270.0 ————— 90.0



Luminaire		Measurem.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	12.2	12.8	13.4	14.0	16.2	12.7	13.3	13.9	14.5	16.2
x=2H y=3H	14.4	14.9	15.6	16.1	18.0	14.6	15.2	15.8	16.4	18.0
x=2H y=4H	15.2	15.7	16.4	16.9	18.8	15.4	15.9	16.6	17.1	18.8
x=2H y=6H	15.9	16.4	17.1	17.5	19.5	16.2	16.6	17.4	17.8	19.5
x=2H y=8H	16.2	16.6	17.4	17.8	19.8	16.5	16.9	17.7	18.1	19.8
x=2H y=12H	16.4	16.8	17.6	18.0	20.2	16.8	17.3	18.1	18.5	20.2
x=4H y=2H	13.0	13.5	14.2	14.7	16.7	13.3	13.8	14.5	15.0	16.7
x=4H y=3H	15.2	15.7	16.5	16.9	18.7	15.4	15.8	16.6	17.0	18.7
x=4H y=4H	16.2	16.6	17.5	17.8	19.6	16.4	16.7	17.6	17.9	19.6
x=4H y=6H	17.1	17.4	18.3	18.6	20.5	17.2	17.5	18.4	18.7	20.5
x=4H y=8H	17.4	17.7	18.7	18.9	20.8	17.6	17.9	18.8	19.1	20.8
x=4H y=12H	17.8	18.0	19.0	19.3	21.3	18.0	18.3	19.3	19.5	21.3
x=8H y=4H	16.6	16.8	17.8	18.1	19.9	16.7	16.9	17.9	18.2	19.9
x=8H y=6H	17.6	17.8	18.8	19.1	20.9	17.7	18.0	19.0	19.2	20.9
x=8H y=8H	18.1	18.3	19.4	19.5	21.4	18.3	18.5	19.5	19.7	21.4
x=8H y=12H	18.6	18.8	19.9	20.1	22.0	18.9	19.0	20.1	20.3	22.0
x=12H y=4H	16.6	16.8	17.8	18.1	19.9	16.7	17.0	17.9	18.2	19.9
x=12H y=6H	17.7	17.9	18.9	19.1	21.0	17.8	18.0	19.1	19.3	21.0
x=12H y=8H	18.3	18.4	19.5	19.7	21.6	18.4	18.6	19.7	19.8	21.6

Luminaire		Measur.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

Total Flux=714.00 Luminaire Flux=417.39


RI	0.60	0.80	1.00	1.25	1.50	2.00	2.50	3.00	4.00	5.00	10.00	20.00
DRR	0.19	0.27	0.35	0.42	0.48	0.57	0.64	0.68	0.75	0.79	0.88	0.93
RC	8	8	7	7	7	7	7	7	7	7	7	7

		Zonal Flux per 1000 Lumen																
Y°	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
ZF(Y)	1	5	13	25	41	57	70	79	85	95	120	167	243	341	442	522	570	585

CIE Flux Codes
32 67 89 15 58

C.I.E. 8/8/7/7/7/7/7/7/7/7
D DIN 5040 D23
F UTE 0.08 l + 0.50 T
B NBN BZ 6
RN 85.48810 %
BLF 1.0

LOR 58.45861 %
ULOR 49.97516 %
DLOR 8.48346 %
UFF 85.48810 %
DFF 14.51190 %
FFR 589.08962 %




Zonal Flux				
Gamma °	Flux	Sum lm	Flux [%]	Sum [%]
0°	0.00	0.00	0.00 %	0.00 %
5°	0.26	0.26	0.04 %	0.04 %
10°	0.65	0.90	0.11 %	0.15 %
15°	1.39	2.30	0.24 %	0.39 %
20°	2.33	4.63	0.40 %	0.79 %
25°	3.41	8.04	0.58 %	1.37 %
30°	4.55	12.58	0.78 %	2.15 %
35°	5.70	18.29	0.98 %	3.13 %
40°	6.74	25.02	1.15 %	4.28 %
45°	7.57	32.60	1.30 %	5.58 %
50°	8.05	40.65	1.38 %	6.95 %
55°	8.13	48.78	1.39 %	8.34 %
60°	7.83	56.61	1.34 %	9.68 %
65°	7.18	63.79	1.23 %	10.91 %
70°	6.27	70.06	1.07 %	11.98 %
75°	5.15	75.21	0.88 %	12.87 %
80°	3.95	79.16	0.68 %	13.54 %
85°	2.90	82.06	0.50 %	14.04 %
90°	2.77	84.83	0.47 %	14.51 %
95°	3.82	88.65	0.65 %	15.17 %
100°	6.33	94.98	1.08 %	16.25 %
105°	10.22	105.20	1.75 %	18.00 %
110°	14.94	120.14	2.56 %	20.55 %
115°	20.40	140.54	3.49 %	24.04 %
120°	26.82	167.36	4.59 %	28.63 %
125°	34.05	201.41	5.82 %	34.45 %
130°	41.16	242.57	7.04 %	41.49 %
135°	47.47	290.04	8.12 %	49.61 %
140°	51.09	341.13	8.74 %	58.35 %
145°	51.58	392.71	8.82 %	67.18 %
150°	49.00	441.71	8.38 %	75.56 %
155°	43.69	485.40	7.47 %	83.03 %
160°	36.78	522.17	6.29 %	89.32 %
165°	28.60	550.77	4.89 %	94.22 %
170°	19.27	570.04	3.30 %	97.51 %
175°	9.88	579.92	1.69 %	99.20 %
180°	4.66	584.59	0.80 %	100.00 %



Luminaire		Measurem.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm



Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.56	3.13	4.69	6.25	7.82	OC	1.60	3.21	4.81	6.41	8.01
OB	1.44	2.88	4.32	5.76	7.20	OD	1.57	3.14	4.71	6.28	7.85

	Luminous Intensities [cd/klm]									
	0	5	15	25	35	45	55	65	75	85
OA	102.28	100.43	93.16	82.57	83.11	83.17	59.88	32.85	16.41	5.71
OB	102.28	104.19	102.18	87.76	70.15	61.90	52.71	33.15	15.05	5.00
OC	102.28	81.44	95.21	140.15	135.17	100.33	62.56	33.84	16.38	5.27
OD	102.28	148.93	192.64	175.23	142.70	101.27	60.55	33.15	16.68	6.25




5.00	15.02	7	1			
4.00	12.01	11	2			
3.00	9.01	20	3			
2.00	6.01	44	8			
1.00	3.00	177	31			
H[m]	D[m]	Max lux	Med lux	Alpha=55.2°+57.4°	Max not at G G=0.0	

5.00	15.86	7	1			
4.00	12.69	11	2			
3.00	9.52	20	3			
2.00	6.35	44	8			
1.00	3.17	177	31			
H[m]	D[m]	Max lux	Med lux	Beta=57.5°+58.0°	Max not at G G=0.0	

Luminaire		Measurem.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

Isolux (Ceiling)

Luminaire position X=0.00m Y=0.00m Z=0.20m



Luminaire				Measurem.				Lamp			
Code	7752			Code	7752			Code	1 led 350mA 7.35W		
Name	Small wall lamp 3 reflectors			Name	Small wall lamp 3 reflectors			Number	1		
Line	VIBIA-Set			Date	28-01-2014			Position	Universal		
Efficiency	58.46%			Coordinate system	CG			Total Flux	714.00 lm		


Utilizations CIE

Mounting	Direct				Normalization				Normalised				Suspension Ratio				Standard CIE Settings						

Luminaire		Measur.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm


Average Luminance [cd/m ²]										
0.0°	45°	50°	55°	60°	65°	70°	75°	80°	85°	
0.0°	7460	7527	7720	7845	7548	7058	6969	7765	12196	---
90.0°	8851	8980	9174	9272	9080	8756	8675	9026	11572	---

Flush mounted or longitudinal view												
		Illumination(lx)										
A	A	2000	1000	750	500		<300					1.15
B	1		2000	1500	1000	750	500	<300				1.5
C					2000		1000	500	<300			1.85
D	2						2000	1000	500	<300		2.2
E	3							2000	1000	500	<300	2.55



Luminaire		Measur.		Lamp	
Code	7752	Code	7752	Code	1 led 350mA 7.35W
Name	Small wall lamp 3 reflectors	Name	Small wall lamp 3 reflectors	Number	1
Line	VIBIA-Set	Date	28-01-2014	Position	Universal
Efficiency	58.46%	Coordinate system	CG	Total Flux	714.00 lm

Luminance



Luminaire					Measur.					Lamp				
Code	7752				Code	7752				Code	1 led 350mA 7.35W			
Name	Small wall lamp 3 reflectors				Name	Small wall lamp 3 reflectors				Number	1			
Line	VIBIA-Set				Date	28-01-2014				Position	Universal			
Efficiency		58.46%			Coordinate system		CG			Total Flux		714.00 lm		
Luminance cd/m2					Table 1/3									
	C 0.00	C 10.00	C 20.00	C 30.00	C 40.00	C 50.00	C 60.00	C 70.00	C 80.00	C 90.00	C 100.00	C 110.00	C 120.00	
G 0.0	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	
G 5.0	2472.17	2552.43	2814.42	2990.85	3227.65	3394.17	3569.93	3650.65	3730.92	3764.11	3720.06	3576.67	3502.21	
G 10.0	2704.30	2882.08	3374.39	3770.98	4227.39	4547.05	4885.52	5046.20	5172.70	5205.18	5169.28	4926.54	4769.28	
G 15.0	3117.21	3423.34	4089.77	4756.05	5394.78	5833.78	6299.51	6532.53	6653.64	6626.98	6678.74	6410.68	6174.18	
G 20.0	3738.84	4199.25	4994.67	5818.75	6572.97	7049.50	7547.54	7812.68	7934.50	7810.89	7943.46	7687.27	7474.09	
G 25.0	4570.51	5195.15	6084.05	6804.13	7574.58	7962.17	8351.00	8573.54	8761.65	8536.06	8659.63	8418.56	8410.13	
G 30.0	5528.39	6282.61	7194.29	7688.04	8354.79	8547.23	8761.06	8864.08	9151.78	8852.42	8959.33	8796.05	9033.20	
G 35.0	6478.53	7290.98	8122.62	8457.17	8896.44	8841.14	8918.84	8848.07	9202.43	8890.78	9062.52	9096.59	9449.50	
G 40.0	7190.50	8047.56	8757.38	9003.51	9170.52	8939.78	8977.13	8781.55	9076.03	8829.90	9025.48	9271.61	9636.41	
G 45.0	7459.92	8408.37	9024.75	9209.38	9161.74	8958.12	9084.13	8905.71	8945.33	8851.40	8889.08	9217.57	9558.95	
G 50.0	7526.95	8514.30	9009.29	9148.10	8990.96	8980.48	9265.95	9100.95	8857.39	8980.48	8841.67	9090.48	9355.00	
G 55.0	7720.18	8562.97	8839.17	8962.05	8836.72	9086.63	9494.17	9164.94	8829.29	9174.38	9078.27	9111.33	9224.20	
G 60.0	7844.87	8447.54	8548.55	8784.23	8841.47	9302.73	9636.05	9205.09	8888.60	9272.43	9373.44	9242.13	9265.70	
G 65.0	7547.63	7988.36	8183.77	8766.22	9128.99	9612.24	9522.70	9423.68	9062.91	9079.90	9353.87	9356.72	9520.66	
G 70.0	7058.25	7466.78	8032.82	8963.09	9529.13	9809.69	9248.57	9711.25	9297.79	8756.37	9095.99	9440.53	9721.09	
G 75.0	6968.51	7483.34	8609.73	9446.31	9732.02	9584.59	9093.89	9831.23	9505.27	8675.05	8905.20	9543.44	9431.51	
G 80.0	7765.37	8424.60	10208.40	10528.32	10024.21	9287.42	9520.09	10092.07	9830.31	9025.66	9006.27	9878.79	9045.05	
G 85.0	12195.64	12767.87	15264.19	14994.80	13193.25	11683.71	13267.45	13106.53	12196.73	11572.33	11172.75	12414.32	11575.15	
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Luminaire					Measurem.					Lamp			
Code	7752				Code	7752				Code	1 led 350mA 7.35W		
Name	Small wall lamp 3 reflectors				Name	Small wall lamp 3 reflectors				Number	1		
Line	VIBIA-Set				Date	28-01-2014				Position	Universal		
Efficiency		58.46%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2													
Table 2/3													
	C 130.00	C 140.00	C 150.00	C 160.00	C 170.00	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00
G 0.0	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36
G 5.0	3346.23	3112.07	3006.92	2843.05	2592.04	2459.59	2381.88	2249.03	2116.43	2105.15	2039.64	2097.90	2064.31
G 10.0	4463.29	4027.39	3798.33	3451.31	2960.71	2714.56	2439.34	2300.88	2087.20	2094.04	1994.89	2075.23	2034.21
G 15.0	5741.59	5163.94	4770.38	4201.42	3492.28	3165.06	2770.23	2568.89	2369.18	2442.42	2379.54	2431.52	2430.01
G 20.0	7002.93	6345.45	5714.85	4867.47	3960.98	3575.81	3072.40	2853.84	2764.27	2921.92	3024.03	3081.36	3160.18
G 25.0	8032.21	7360.14	6417.25	5243.87	4110.60	3719.09	3123.89	2972.90	3069.33	3301.68	3732.31	3914.07	4099.28
G 30.0	8755.23	8166.23	6986.30	5571.15	4305.69	3792.51	3176.30	3125.76	3450.38	3792.51	4595.33	4976.33	5269.85
G 35.0	9155.72	8759.47	7580.20	6158.63	4727.69	4093.92	3571.96	3617.31	4144.52	4667.55	5729.26	6297.50	6676.46
G 40.0	9366.11	9130.96	8142.05	6968.54	5535.72	4762.17	4360.01	4472.09	5166.52	5823.60	6946.57	7586.06	8021.18
G 45.0	9541.43	9285.03	8571.51	7844.13	6719.29	5864.09	5511.71	5632.07	6428.21	7024.94	7972.66	8483.05	8936.45
G 50.0	9669.27	9331.42	8917.63	8566.68	7867.41	7225.77	6979.58	6942.92	7629.09	7987.89	8674.06	8970.01	9365.47
G 55.0	9707.80	9413.86	9268.25	8921.39	8490.46	8559.39	8633.24	8199.48	8422.07	8441.57	8979.66	9151.29	9368.69
G 60.0	9774.10	9575.45	9619.22	9067.05	8811.17	9555.25	9962.64	9245.49	8905.44	8588.95	9080.52	9255.60	9201.73
G 65.0	10011.74	9812.27	9923.88	9293.01	9277.64	9874.24	10315.38	9921.90	9337.82	8800.65	9256.09	9570.12	9211.69
G 70.0	10164.08	9986.88	10105.01	9588.20	9745.70	9647.26	9986.88	10257.60	9814.61	9081.22	9430.69	10075.48	9440.53
G 75.0	9774.45	9900.95	10092.28	9856.03	9827.65	9279.19	9797.75	10415.11	10422.79	9326.95	9414.42	10662.80	9864.25
G 80.0	9258.33	9898.18	10305.35	10470.16	9946.65	9248.64	10285.96	10906.41	11439.62	9907.87	9713.98	11691.68	10867.63
G 85.0	11731.04	12728.75	13700.73	14326.74	13207.69	12145.59	14182.90	14902.39	15376.21	13761.35	13816.81	16230.13	15475.79
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire					Measur.					Lamp			
Code	7752				Code	7752				Code	1 led 350mA 7.35W		
Name	Small wall lamp 3 reflectors				Name	Small wall lamp 3 reflectors				Number	1		
Line	VIBIA-Set				Date	28-01-2014				Position	Universal		
Efficiency		58.46%			Coordinate system		CG			Total Flux		714.00 lm	
Luminance cd/m2 Table 3/3													
	C 180.00	C 190.00	C 200.00	C 210.00	C 220.00	C 230.00	C 240.00	C 250.00	C 260.00	C 270.00	C 280.00	C 290.00	C 300.00
G 0.0	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36	2343.36
G 5.0	2459.59	2381.88	2249.03	2116.43	2105.15	2039.64	2097.90	2064.31	2074.05	2071.82	2071.34	2008.89	2062.43
G 10.0	2714.56	2439.34	2300.88	2087.20	2094.04	1994.89	2075.23	2034.21	2056.43	2068.40	2051.30	1982.92	2041.04
G 15.0	3165.06	2770.23	2568.89	2369.18	2442.42	2379.54	2431.52	2430.01	2477.43	2532.03	2477.74	2495.59	2470.24
G 20.0	3575.81	3072.40	2853.84	2764.27	2921.92	3024.03	3081.36	3160.18	3285.59	3402.03	3337.54	3471.90	3285.59
G 25.0	3719.09	3123.89	2972.90	3069.33	3301.68	3732.31	3914.07	4099.28	4378.67	4567.17	4560.26	4763.86	4374.94
G 30.0	3792.51	3176.30	3125.76	3450.38	3792.51	4595.33	4976.33	5269.85	5680.01	5967.71	6024.08	6226.24	5687.79
G 35.0	4093.92	3571.96	3617.31	4144.52	4667.55	5729.26	6297.50	6676.46	7074.44	7497.74	7555.89	7693.70	7155.93
G 40.0	4762.17	4360.01	4472.09	5166.52	5823.60	6946.57	7586.06	8021.18	8249.73	8777.15	8840.88	8948.57	8550.80
G 45.0	5864.09	5511.71	5632.07	6428.21	7024.94	7972.66	8483.05	8936.45	8875.08	9406.58	9570.07	9767.14	9584.00
G 50.0	7225.77	6979.58	6942.92	7629.09	7987.89	8674.06	8970.01	9365.47	9048.57	9572.37	9904.98	10143.31	10075.22
G 55.0	8559.39	8633.24	8199.48	8422.07	8441.57	8979.66	9151.29	9368.69	9010.12	9632.44	10138.41	10148.94	9920.76
G 60.0	9555.25	9962.64	9245.49	8905.44	8588.95	9080.52	9255.60	9201.73	8955.94	9696.66	10322.90	9952.54	9484.54
G 65.0	9874.24	10315.38	9921.90	9337.82	8800.65	9256.09	9570.12	9211.69	9074.58	9798.52	10434.90	9779.62	9312.20
G 70.0	9647.26	9986.88	10257.60	9814.61	9081.22	9430.69	10075.48	9440.53	9278.11	9893.36	10464.32	9721.09	9396.24
G 75.0	9279.19	9797.75	10415.11	10422.79	9326.95	9414.42	10662.80	9864.25	9387.65	9950.31	10456.49	9877.90	9542.91
G 80.0	9248.64	10285.96	10906.41	11439.62	9907.87	9713.98	11691.68	10867.63	9840.01	10508.93	10906.41	10567.10	10101.76
G 85.0	12145.59	14182.90	14902.39	15376.21	13761.35	13816.81	16230.13	15475.79	13822.17	15137.88	15001.74	14348.72	14039.31
G 90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00